

References

Capsicum

- Covington TR, et al. Handbook of Nonprescription Drugs. 11th ed. Washington, DC: American Pharmaceutical Association, 1996. **272**
- Cooper RL, Cooper MM. Red pepper-induced dermatitis in breast-fed infants. *Dermatol* 1996;93:61-2. [View abstract](#). **739**
- Mendelson J, Tolliver B, Delucchi K, Berger P. Capsaicin increases the lethality of cocaine. *Clin Pharmacol Ther* 1998;65:(abstract PII-27). **1394**
- Paice JA, Ferrans CE, Lashley FR, et al. Topical capsaicin in the management of HIV-associated peripheral neuropathy. *J Pain Symptom Manage* 2000;19:45-52. [View abstract](#). **3891**
- Graham DY, Anderson SY, Lang T. Garlic or jalapeno peppers for treatment of Helicobacter pylori infection. *Am J Gastroenterol* 1999;94:1200-2. [View abstract](#). **4761**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?CFRPart=182> **4912**
- Millqvist E. Cough provocation with capsaicin is an objective way to test sensory hyperreactivity in patients with asthma-like symptoms. *Allergy* 2000;55:546-50. [View abstract](#). **5885**
- Sharma A, Gautam S, Jadhav SS. Spice extracts as dose-modifying factors in radiation inactivation of bacteria. *J Agric Food Chem* 2000;48:1340-4. [View abstract](#). **5886**
- Locock RA. Capsicum. *Can Pharm J* 1985;118:517-9. **7005**
- Visudhiphan S, Poolsuppasit S, Piboonnukarintr O, Timliang S. The relationship between high fibrinolytic activity and daily capsicum ingestion in Thais. *Am J Clin Nutr* 1982;35:1452-8. [View abstract](#). **7006**
- Cordell GA, Araujo OE. Capsaicin: identification, nomenclature, and pharmacotherapy. *Ann Pharmacother* 1993;27:330-6. [View abstract](#). **7007**
- McCarty DJ, Csuka M, McCarthy G, et al. Treatment of pain due to fibromyalgia with topical capsaicin: A pilot study. *Semin Arthr Rheum* 1994;23:41-7. **7038**
- Hoeger WW, Harris C, Long EM, Hopkins DR. Four-week supplementation with a natural dietary compound produces favorable changes in body composition. *Adv Ther* 1998;15:305-14. [View abstract](#). **7607**
- Stander S, Luger T, Metze D. Treatment of prurigo nodularis with topical capsaicin. *J Am Acad Dermatol* 2001;44:471-8. [View abstract](#). **10650**
- Surh YJ. Anti-tumor promoting potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review. *Food Chem Toxicol* 2002;40:1091-7. [View abstract](#). **11139**
- Kang JY, Yeoh KG, Chia HP, et al. Chili - protective factor against peptic ulcer? *Dig Dis Sciences* 1995;40:576-9. [View abstract](#). **12053**
- Mason L, Moore RA, Derry S, et al. Systematic review of topical capsaicin for the treatment of chronic pain. *BMJ* 2004;328:991. [View abstract](#). **12401**

- 12402**
- Cichewicz RH, Thorpe PA. The antimicrobial properties of chile peppers (*Capsicum* species) and their uses in Mayan medicine. *J Ethnopharmacol* 1996;52:61-70. [View abstract.](#)
- 12403**
- Schmulson MJ, Valdovinos MA, Milke P. Chili pepper and rectal hyperalgesia in irritable bowel syndrome. *Am J Gastroenterol* 2003;98:1214-5.
- 12404**
- Surh YJ, Lee SS. Capsaicin in hot chili pepper: carcinogen, co-carcinogen or anticarcinogen? *Food Chem Toxicol* 1996;34:313-6. [View abstract.](#)
- 12405**
- Bouraoui A, Brazier JL, Zouaghi H, Rousseau M. Theophylline pharmacokinetics and metabolism in rabbits following single and repeated administration of *Capsicum* fruit. *Eur J Drug Metab Pharmacokinet* 1995;20:173-8. [View abstract.](#)
- 12406**
- Hogaboam CM, Wallace JL. Inhibition of platelet aggregation by capsaicin. An effect unrelated to actions on sensory afferent neurons. *Eur J Pharmacol* 1991;202:129-31. [View abstract.](#)
- 12407**
- Wang JP, Hsu MF, Teng CM. Antiplatelet effect of capsaicin. *Thromb Res* 1984;36:497-507. [View abstract.](#)
- 12408**
- Williams SR, Clark RF, Dunford JV. Contact dermatitis associated with capsaicin: Hunan hand syndrome. *Ann Emerg Med* 1995;25:713-5. [View abstract.](#)
- 12409**
- Zollman TM, Bragg RM, Harrison DA. Clinical effects of oleoresin capsicum (pepper spray) on the human cornea and conjunctiva. *Ophthalmology* 2000;107:2186-9. [View abstract.](#)
- 12410**
- Bortolotti M, Coccia G, Grossi G, Miglioli M. The treatment of functional dyspepsia with red pepper. *Aliment Pharmacol Ther* 2002;16:1075-82. [View abstract.](#)
- 12411**
- Yeo WW, Chadwick IG, Kraskiewicz M, et al. Resolution of ACE inhibitor cough: changes in subjective cough and responses to inhaled capsaicin, intradermal bradykinin and substance-P. *Br J Clin Pharmacol* 1995;40:423-9. [View abstract.](#)
- 12412**
- Yeo WW, Higgins KS, Foster G et al. Effect of dose adjustment on enalapril-induced cough and the response to inhaled capsaicin. *J Clin Pharmacol* 1995;39:271-6. [View abstract.](#)
- 12413**
- O'Connell F, Thomas VE, Pride NB, Fuller RW. Capsaicin cough sensitivity decreases with successful treatment of chronic cough. *Am J Respir Crit Care Med* 1994;150:374-80. [View abstract.](#)
- 12414**
- Hakas JF Jr. Topical capsaicin induces cough in patient receiving ACE inhibitor. *Ann Allergy* 1990;65:322-3.
- 13100**
- Ebihara T, Takahashi H, Ebihara S, et al. Capsaicin troche for swallowing dysfunction in older people. *J Am Geriatr Soc* 2005;53:824-8. [View abstract.](#)
- 14322**
- Blom HM, Severijnen LA, Van Rijswijk JB, et al. The long-term effects of capsaicin aqueous spray on the nasal mucosa. *Clin Exp Allergy* 1998;28:1351-8. [View abstract.](#)
- 14323**
- Rapoport AM, Bigal ME, Tepper SJ, Sheftell FD. Intranasal medications for the treatment of migraine and cluster headache. *CNS Drugs* 2004;18:671-85. [View abstract.](#)
- 14324**
- Stjarne P, Rinder J, Heden-Blomquist E, et al. Capsaicin desensitization of the nasal mucosa reduces symptoms upon allergen challenge in patients with allergic rhinitis. *Acta Otolaryngol* 1998;118:235-9. [View abstract.](#)
- 14328**

- Blom HM, Van Rijswijk JB, Garrelds IM, et al. Intranasal capsaicin is efficacious in non-allergic, non-infectious perennial rhinitis. A placebo-controlled study. *Clin Exp Allergy* 1997;27:796-801. [View abstract](#). **14329**
- Levy RL. Intranasal capsaicin for acute abortive treatment of migraine without aura. *Headache* 1995;35:277. [View abstract](#). **14351**
- Fusco BM, Marabini S, Maggi CA, et al. Preventative effect of repeated nasal applications of capsaicin in cluster headache. *Pain* 1994;59:321-5. [View abstract](#). **14352**
- Fusco BM, Fiore G, Gallo F, et al. "Capsaicin-sensitive" sensory neurons in cluster headache: pathophysiological aspects and therapeutic indication. *Headache* 1994;34:132-7. [View abstract](#). **14353**
- Marks DR, Rapoport A, Padla D, et al. A double-blind placebo-controlled trial of intranasal capsaicin for cluster headache. *Cephalalgia* 1993;13:114-6. [View abstract](#). **14354**
- Geppetti P, Tramontana M, Del Bianco E, Fusco BM. Capsaicin-desensitization to the human nasal mucosa selectively reduces pain evoked by citric acid. *Br J Clin Pharmacol* 1993;35:178-83. [View abstract](#). **14355**
- Kitajiri M, Kubo N, Ikeda H, et al. Effects of topical capsaicin on autonomic nerves in experimentally-induced nasal hypersensitivity. An immunocytochemical study. *Acta Otolaryngol Suppl* 1993;500:88-91. [View abstract](#). **14356**
- Bascom R, Kagey-Sobotka A, Proud D. Effect of intranasal capsaicin on symptoms and mediator release. *J Pharmacol Exp Ther* 1991;259:1323-7. [View abstract](#). **14357**
- Lacroix JS, Buvelot JM, Polla BS, Lundberg JM. Improvement of symptoms of non-allergic chronic rhinitis by local treatment with capsaicin. *Clin Exp Allergy* 1991;21:595-600. [View abstract](#). **14358**
- Sicuteri F, Fusco BM, Marabini S, et al. Beneficial effect of capsaicin application to the nasal mucosa in cluster headache. *Clin J Pain* 1989;5:49-53. [View abstract](#). **14359**
- Baudoin T, Kalogjera L, Hat J. Capsaicin significantly reduces sinonasal polyps. *Acta Otolaryngol* 2000;120:307-11. [View abstract](#). **14360**
- Gerth Van Wijk R, Terreehorst IT, Mulder PG, et al. Intranasal capsaicin is lacking therapeutic effect in perennial allergic rhinitis to house dust mite. A placebo-controlled study. *Clin Exp Allergy* 2000;30:1792-8. [View abstract](#). **15016**
- Marabini S, Ciabatti PG, Polli G, et al. Beneficial effects of intranasal applications of capsaicin in patients with vasomotor rhinitis. *Eur Arch Otorhinolaryngol* 1991;248:191-4. [View abstract](#). **15259**
- Gagnier JJ, van Tulder MW, Berman B, Bombardier C. Herbal medicine for low back pain. A Cochrane review. *Spine* 2007;32:82-92. [View abstract](#). **15260**
- Frerick H, Keitel W, Kuhn U, et al. Topical treatment of chronic low back pain with a capsicum plaster. *Pain* 2003;106:59-64. [View abstract](#). **15261**
- Keitel W, Frerick H, Kuhn U, et al. Capsicum pain plaster in chronic non-specific low back pain. *Arzneimittelforschung* 2001;51:896-903. [View abstract](#). **17701**
- Chrubasik S, Weiser W, Beime B. Effectiveness and safety of topical capsaicin cream in the treatment of chronic soft tissue pain. *Phytother Res* 2010;24:1877-85. [View abstract](#). **20348**

- Shalansky S, Lynd L, Richardson K, et al. Risk of warfarin-related bleeding events and supratherapeutic international normalized ratios associated with complementary and alternative medicine: a longitudinal analysis. *Pharmacotherapy*. 2007;27:1237-47. [View abstract](#). **21469**
- Tuntipopipat, S., Zeder, C., Siriprapa, P., and Charoenkiatkul, S. Inhibitory effects of spices and herbs on iron availability. *Int.J Food Sci.Nutr*. 2009;60 Suppl 1:43-55. [View abstract](#). **22395**
- Simpson DM, Brown S, Tobias J; NGX-4010 C107 Study Group. Controlled trial of high-concentration capsaicin patch for treatment of painful HIV neuropathy. *Neurology* 2008;70(24):2305-2313. [View abstract](#). **22605**
- No Authors. Capsaicin patch (Qutenza) for postherpetic neuralgia. *Med Lett Drugs Ther*. 2011;53(1365):42-3. [View abstract](#). **22612**
- Komori Y, Aiba T, Nakai C, et al. Capsaicin-induced increase of intestinal cefazolin absorption in rats. *Drug Metab Pharmacokinet*. 2007;22(6):445-9. [View abstract](#). **22613**
- Sumano-López H, Gutiérrez-Olvera L, Aguilera-Jiménez R, et al. Administration of ciprofloxacin and capsaicin in rats to achieve higher maximal serum concentrations. *Arzneimittelforschung*. 2007;57(5):286-90. [View abstract](#). **22616**
- Wanwimolruk S, Nyika S, Kepple M, et al. Effects of capsaicin on the pharmacokinetics of antipyrine, theophylline and quinine in rats. *J Pharm Pharmacol*. 1993;45(7):618-21. [View abstract](#). **22617**
- Cruz L, Castañeda-Hernández G, Navarrete A. Ingestion of chilli pepper (*Capsicum annum*) reduces salicylate bioavailability after oral aspirin administration in the rat. *Can J Physiol Pharmacol*. [View abstract](#). **34170**
- Friese KH, Kruse S, Ludtke R, and et al. The homeopathic treatment of otitis media in children--comparisons with conventional therapy. *Int J Clin Pharmacol Ther* 1997;35(7):296-301. [View abstract](#). **37873**
- Hendrix, C. R., Housh, T. J., Mielke, M., Zuniga, J. M., Camic, C. L., Johnson, G. O., Schmidt, R. J., and Housh, D. J. Acute effects of a caffeine-containing supplement on bench press and leg extension strength and time to exhaustion during cycle ergometry. *J Strength.Cond.Res* 2010;24(3):859-865. [View abstract](#). **37913**
- Hursel, R. and Westerterp-Plantenga, M. S. Thermogenic ingredients and body weight regulation. *Int J Obes.(Lond)* 2010;34(4):659-669. [View abstract](#). **40324**
- Wiesenauer, M. Comparison of solid and liquid forms of homeopathic remedies for tonsillitis. *Adv Ther* 1998;15(6):362-371. [View abstract](#). **40325**
- Nakamura, A. and Shiomi, H. Recent advances in neuropharmacology of cutaneous nociceptors. *Jpn.J.Pharmacol*. 1999;79(4):427-431. [View abstract](#). **40326**
- Molina-Torres, J., Garcia-Chavez, A., and Ramirez-Chavez, E. Antimicrobial properties of alkamides present in flavouring plants traditionally used in Mesoamerica: affinin and capsaicin. *J.Ethnopharmacol*. 1999;64(3):241-248. [View abstract](#). **40327**
- Krogstad, A. L., Lonroth, P., Larson, G., and Wallin, B. G. Capsaicin treatment induces histamine release and perfusion changes in psoriatic skin. *Br.J.Dermatol*. 1999;141(1):87-93. [View abstract](#). **40341**

- Yoshioka, M., St Pierre, S., Drapeau, V., Dionne, I., Doucet, E., Suzuki, M., and Tremblay, A. Effects of red pepper on appetite and energy intake. *Br.J.Nutr.* 1999;82(2):115-123. [View abstract.](#) **40345**
- Brown, L., Takeuchi, D., and Challoner, K. Corneal abrasions associated with pepper spray exposure. *Am.J.Emerg.Med.* 2000;18(3):271-272. [View abstract.](#) **40348**
- Vesaluoma, M., Muller, L., Gallar, J., Lambiase, A., Moilanen, J., Hack, T., Belmonte, C., and Tervo, T. Effects of oleoresin capsicum pepper spray on human corneal morphology and sensitivity. *Invest Ophthalmol.Vis.Sci.* 2000;41(8):2138-2147. [View abstract.](#) **40349**
- Calixto, J. B., Beirith, A., Ferreira, J., Santos, A. R., Filho, V. C., and Yunes, R. A. Naturally occurring antinociceptive substances from plants. *Phytother.Res.* 2000;14(6):401-418. [View abstract.](#) **40357**
- Rau, E. Treatment of acute tonsillitis with a fixed-combination herbal preparation. *Adv.Ther.* 2000;17(4):197-203. [View abstract.](#) **40358**
- Stam, C., Bonnet, M. S., and van Haselen, R. A. The efficacy and safety of a homeopathic gel in the treatment of acute low back pain: a multi-centre, randomised, double-blind comparative clinical trial. *Br Homeopath J* 2001;90(1):21-28. [View abstract.](#) **40360**
- Babakhanian, R. V., Binat, G. N., Isakov, V. D., and Mukovskii, L. A. [Forensic medical aspects of injuries inflicted with self-defense capsaicin aerosols]. *Sud.Med.Ekspert.* 2001;44(1):9-11. [View abstract.](#) **40375**
- Stephens, D. P., Charkoudian, N., Benevento, J. M., Johnson, J. M., and Saumet, J. L. The influence of topical capsaicin on the local thermal control of skin blood flow in humans. *Am.J.Physiol Regul.Integr.Comp Physiol* 2001;281(3):R894-R901. [View abstract.](#) **40376**
- Tolan, I., Ragoobirsingh, D., and Morrison, E. Y. The effect of capsaicin on blood glucose, plasma insulin levels and insulin binding in dog models. *Phytother.Res.* 2001;15(5):391-394. [View abstract.](#) **40381**
- Yoshitani, S. I., Tanaka, T., Kohno, H., and Takashima, S. Chemoprevention of azoxymethane-induced rat colon carcinogenesis by dietary capsaicin and rotenone. *Int.J.Oncol.* 2001;19(5):929-939. [View abstract.](#) **40382**
- Barnouin, J., Verdura, Barrios T., Chassagne, M., Perez, Cristia R., Arnaud, J., Fleites, Mestre P., Montoya, M. E., and Favier, A. Nutritional and food protection against epidemic emerging neuropathy. Epidemiological findings in the unique disease-free urban area of Cuba. *Int.J.Vitam.Nutr.Res.* 2001;71(5):274-285. [View abstract.](#) **40383**
- Olajos, E. J. and Salem, H. Riot control agents: pharmacology, toxicology, biochemistry and chemistry. *J.Appl.Toxicol.* 2001;21(5):355-391. [View abstract.](#) **40389**
- Naidu, K. A. and Thippeswamy, N. B. Inhibition of human low density lipoprotein oxidation by active principles from spices. *Mol.Cell Biochem.* 2002;229(1-2):19-23. [View abstract.](#) **40394**
- De Lucca, A. J., Bland, J. M., Vigo, C. B., Cushion, M., Selitrennikoff, C. P., Peter, J., and Walsh, T. J. CAY-I, a fungicidal saponin from *Capsicum* sp. fruit. *Med.Mycol.* 2002;40(2):131-137. [View abstract.](#) **40395**
- Kahl, U. [TRP channels--sensitive for heat and cold, capsaicin and menthol]. *Lakartidningen* 5-16-2002;99(20):2302-2303. [View abstract.](#) **40398**

Iorizzi, M., Lanzotti, V., Ranalli, G., De Marino, S., and Zollo, F. Antimicrobial furostanol saponins from the seeds of *Capsicum annuum* L. var. *acuminatum*. *J.Agric.Food Chem.* 7-17-2002;50(15):4310-4316. [View abstract.](#)

40402

Hail, N., Jr. and Lotan, R. Examining the role of mitochondrial respiration in vanilloid-induced apoptosis. *J.Natl.Cancer Inst.* 9-4-2002;94(17):1281-1292. [View abstract.](#)

40403

Han, S. S., Keum, Y. S., Chun, K. S., and Surh, Y. J. Suppression of phorbol ester-induced NF-kappaB activation by capsaicin in cultured human promyelocytic leukemia cells. *Arch.Pharm.Res.* 2002;25(4):475-479. [View abstract.](#)

40405

Kim, K. S., Koo, M. S., Jeon, J. W., Park, H. S., and Seung, I. S. Capsicum plaster at the Korean hand acupuncture point reduces postoperative nausea and vomiting after abdominal hysterectomy. *Anesth.Analg.* 2002;95(4):1103-7, table. [View abstract.](#)

40417

Reilly, C. A., Ehlhardt, W. J., Jackson, D. A., Kulanthaivel, P., Mutlib, A. E., Espina, R. J., Moody, D. E., Crouch, D. J., and Yost, G. S. Metabolism of capsaicin by cytochrome P450 produces novel dehydrogenated metabolites and decreases cytotoxicity to lung and liver cells. *Chem.Res Toxicol.* 2003;16(3):336-349. [View abstract.](#)

40422

Rashid, M. H., Inoue, M., Bakoshi, S., and Ueda, H. Increased expression of vanilloid receptor 1 on myelinated primary afferent neurons contributes to the antihyperalgesic effect of capsaicin cream in diabetic neuropathic pain in mice. *J Pharmacol.Exp.Ther.* 2003;306(2):709-717. [View abstract.](#)

40423

Lee, C. Y., Kim, M., Yoon, S. W., and Lee, C. H. Short-term control of capsaicin on blood and oxidative stress of rats in vivo. *Phytother.Res.* 2003;17(5):454-458. [View abstract.](#)

40428

Materska, M., Piacente, S., Stochmal, A., Pizza, C., Oleszek, W., and Perucka, I. Isolation and structure elucidation of flavonoid and phenolic acid glycosides from pericarp of hot pepper fruit *Capsicum annuum* L. *Phytochemistry* 2003;63(8):893-898. [View abstract.](#)

40434

Lejeune, M. P., Kovacs, E. M., and Westerterp-Plantenga, M. S. Effect of capsaicin on substrate oxidation and weight maintenance after modest body-weight loss in human subjects. *Br.J.Nutr.* 2003;90(3):651-659. [View abstract.](#)

40435

Hiura, A., Lopez, Villalobos E., and Ishizuka, H. Age-dependent attenuation of the decrease of C fibers by capsaicin and its effects on responses to nociceptive stimuli. *Somatosens.Mot.Res* 1992;9(1):37-43. [View abstract.](#)

40449

Medvedeva, N. V., Andreenkov, V. A., Morozkin, A. D., Sergeeva, E. A., Prokof'ev, Iul, and Misharin, A. I. [Inhibition of oxidation of human blood low density lipoproteins by carotenoids from paprika]. *Biomed.Khim.* 2003;49(2):191-200. [View abstract.](#)

40450

Baraniuk, J. N. Sensory, parasympathetic, and sympathetic neural influences in the nasal mucosa. *J Allergy Clin Immunol.* 1992;90(6 Pt 2):1045-1050. [View abstract.](#)

40451

Weller, P. and Breithaupt, D. E. Identification and quantification of zeaxanthin esters in plants using liquid chromatography-mass spectrometry. *J.Agric.Food Chem.* 11-19-2003;51(24):7044-7049. [View abstract.](#)

40452

Crimi, N., Polosa, R., Maccarrone, C., Palermo, B., Palermo, F., and Mistretta, A. Effect of topical application with capsaicin on skin responses to bradykinin and histamine in man. *Clin.Exp.Allergy* 1992;22(10):933-939. [View abstract.](#)

40453

- Chaiyata, P., Puttadechakum, S., and Komindr, S. Effect of chili pepper (*Capsicum frutescens*) ingestion on plasma glucose response and metabolic rate in Thai women. *J.Med.Assoc.Thai.* 2003;86(9):854-860. [View abstract.](#) **40457**
- Maoka, T., Akimoto, N., Fujiwara, Y., and Hashimoto, K. Structure of new carotenoids with the 6-oxo-kappa end group from the fruits of paprika, *Capsicum annum*. *J.Nat.Prod.* 2004;67(1):115-117. [View abstract.](#) **40462**
- Yoshioka, M., Imanaga, M., Ueyama, H., Yamane, M., Kubo, Y., Boivin, A., St Amand, J., Tanaka, H., and Kiyonaga, A. Maximum tolerable dose of red pepper decreases fat intake independently of spicy sensation in the mouth. *Br.J.Nutr.* 2004;91(6):991-995. [View abstract.](#) **40464**
- Lee, Y. S., Kang, Y. S., Lee, J. S., Nicolova, S., and Kim, J. A. Involvement of NADPH oxidase-mediated generation of reactive oxygen species in the apoptotic cell death by capsaicin in HepG2 human hepatoma cells. *Free Radic.Res* 2004;38(4):405-412. [View abstract.](#) **40465**
- Park, H. S., Kim, K. S., Min, H. K., and Kim, D. W. Prevention of postoperative sore throat using capsaicum plaster applied at the Korean hand acupuncture point. *Anaesthesia* 2004;59(7):647-651. [View abstract.](#) **40466**
- Kuda, T., Iwai, A., and Yano, T. Effect of red pepper *Capsicum annum* var. *conoides* and garlic *Allium sativum* on plasma lipid levels and cecal microflora in mice fed beef tallow. *Food Chem.Toxicol.* 2004;42(10):1695-1700. [View abstract.](#) **40469**
- Pershing, L. K., Reilly, C. A., Corlett, J. L., and Crouch, D. J. Effects of vehicle on the uptake and elimination kinetics of capsaicinoids in human skin in vivo. *Toxicol.Appl.Pharmacol.* 10-1-2004;200(1):73-81. [View abstract.](#) **40471**
- Fragasso, G., Palloshi, A., Piatti, P. M., Monti, L., Rossetti, E., Setola, E., Montano, C., Bassanelli, G., Calori, G., and Margonato, A. Nitric-oxide mediated effects of transdermal capsaicin patches on the ischemic threshold in patients with stable coronary disease. *J.Cardiovasc.Pharmacol.* 2004;44(3):340-347. [View abstract.](#) **40477**
- Westerterp-Plantenga, M. S., Smeets, A., and Lejeune, M. P. Sensory and gastrointestinal satiety effects of capsaicin on food intake. *Int J Obes.(Lond)* 2005;29(6):682-688. [View abstract.](#) **40478**
- Reilly, C. A. and Yost, G. S. Structural and enzymatic parameters that determine alkyl dehydrogenation/hydroxylation of capsaicinoids by cytochrome p450 enzymes. *Drug Metab Dispos.* 2005;33(4):530-536. [View abstract.](#) **40482**
- Calixto, J. B., Kassuya, C. A., Andre, E., and Ferreira, J. Contribution of natural products to the discovery of the transient receptor potential (TRP) channels family and their functions. *Pharmacol.Ther.* 2005;106(2):179-208. [View abstract.](#) **40483**
- Misra, M. N., Pullani, A. J., and Mohamed, Z. U. Prevention of PONV by acustimulation with capsaicum plaster is comparable to ondansetron after middle ear surgery: [La prevention des NVPO par acustimulation avec un emplatre de *Capsicum* est comparable a celle de l'ondansetron apres une operation a l'oreille moyenne]. *Can.J.Anaesth.* 2005;52(5):485-489. [View abstract.](#) **40485**
- Chanda, S., Mould, A., Esmail, A., and Bley, K. Toxicity studies with pure trans-capsaicin delivered to dogs via intravenous administration. *Regul.Toxicol.Pharmacol.* 2005;43(1):66-75. [View abstract.](#) **40486**
- Schweiggert, U., Kammerer, D. R., Carle, R., and Schieber, A. Characterization of carotenoids and carotenoid esters in red pepper pods (*Capsicum annum* L.) by high-performance liquid

- chromatography/atmospheric pressure chemical ionization mass spectrometry. *Rapid Commun.Mass Spectrom.* 2005;19(18):2617-2628. [View abstract.](#) **40493**
- Kang, S., Kang, K., Chung, G. C., Choi, D., Ishihara, A., Lee, D. S., and Back, K. Functional analysis of the amine substrate specificity domain of pepper tyramine and serotonin N-hydroxycinnamoyltransferases. *Plant Physiol* 2006;140(2):704-715. [View abstract.](#) **40495**
- Mori, A., Lehmann, S., O'Kelly, J., Kumagai, T., Desmond, J. C., Pervan, M., McBride, W. H., Kizaki, M., and Koeffler, H. P. Capsaicin, a component of red peppers, inhibits the growth of androgen-independent, p53 mutant prostate cancer cells. *Cancer Res* 3-15-2006;66(6):3222-3229. [View abstract.](#) **40500**
- Gagnier, J. J., van Tulder, M., Berman, B., and Bombardier, C. Herbal medicine for low back pain. *Cochrane.Database.Syst.Rev.* 2006;(2):CD004504.[View abstract.](#) **40502**
- Jamroz, D., Wertelecki, T., Houszka, M., and Kamel, C. Influence of diet type on the inclusion of plant origin active substances on morphological and histochemical characteristics of the stomach and jejunum walls in chicken. *J Anim Physiol Anim Nutr.(Berl)* 2006;90(5-6):255-268. [View abstract.](#) **40504**
- De Lucca, A. J., Boue, S., Palmgren, M. S., Maskos, K., and Cleveland, T. E. Fungicidal properties of two saponins from *Capsicum frutescens* and the relationship of structure and fungicidal activity. *Can.J Microbiol.* 2006;52(4):336-342. [View abstract.](#) **40506**
- Chanda, S., Sharper, V., Hoberman, A., and Bley, K. Developmental toxicity study of pure trans-capsaicin in rats and rabbits. *Int.J.Toxicol.* 2006;25(3):205-217. [View abstract.](#) **40511**
- Nalini, N., Manju, V., and Menon, V. P. Effect of spices on lipid metabolism in 1,2-dimethylhydrazine-induced rat colon carcinogenesis. *J Med.Food* 2006;9(2):237-245. [View abstract.](#) **40512**
- Ahuja, K. D., Robertson, I. K., Geraghty, D. P., and Ball, M. J. Effects of chili consumption on postprandial glucose, insulin, and energy metabolism. *Am.J.Clin.Nutr.* 2006;84(1):63-69. [View abstract.](#) **40515**
- Ahuja, K. D., Kunde, D. A., Ball, M. J., and Geraghty, D. P. Effects of capsaicin, dihydrocapsaicin, and curcumin on copper-induced oxidation of human serum lipids. *J Agric.Food Chem.* 8-23-2006;54(17):6436-6439. [View abstract.](#) **40516**
- Grossi, L., Cappello, G., and Marzio, L. Effect of an acute intraluminal administration of capsaicin on oesophageal motor pattern in GORD patients with ineffective oesophageal motility. *Neurogastroenterol.Motil.* 2006;18(8):632-636. [View abstract.](#) **40517**
- Ahuja, K. D. and Ball, M. J. Effects of daily ingestion of chilli on serum lipoprotein oxidation in adult men and women. *Br.J Nutr.* 2006;96(2):239-242. [View abstract.](#) **40519**
- Ahuja, K. D., Robertson, I. K., Geraghty, D. P., and Ball, M. J. The effect of 4-week chilli supplementation on metabolic and arterial function in humans. *Eur.J.Clin.Nutr.* 2007;61(3):326-333. [View abstract.](#) **40520**
- Kim, K. S. and Nam, Y. M. The analgesic effects of capsaicum plaster at the Zusanli point after abdominal hysterectomy. *Anesth.Analg.* 2006;103(3):709-713. [View abstract.](#) **40522**
- de Jong, N. W., van der Steen, J. J., Smeekens, C. C., Blacquiere, T., Mulder, P. G., van Wijk, R. G., and de Groot, H. Honeybee interference as a novel aid to reduce pollen exposure and nasal symptoms among greenhouse workers allergic to sweet bell pepper (*Capsicum annuum*) pollen. *Int.Arch.Allergy Immunol.* 2006;141(4):390-395. [View abstract.](#)

- 40524**
- Kim, K. S., Kim, D. W., and Yu, Y. K. The effect of capsicum plaster in pain after inguinal hernia repair in children. *Paediatr.Anaesth.* 2006;16(10):1036-1041. [View abstract.](#)
- 40526**
- De Marino, S., Borbone, N., Gala, F., Zollo, F., Fico, G., Pagiotti, R., and Iorizzi, M. New constituents of sweet *Capsicum annuum* L. fruits and evaluation of their biological activity. *J Agric.Food Chem.* 10-4-2006;54(20):7508-7516. [View abstract.](#)
- 40533**
- Sharpe, P. A., Granner, M. L., Conway, J. M., Ainsworth, B. E., and Dobre, M. Availability of weight-loss supplements: Results of an audit of retail outlets in a southeastern city. *J Am.Diet.Assoc.* 2006;106(12):2045-2051. [View abstract.](#)
- 40534**
- Reilly, C. A. and Yost, G. S. Metabolism of capsaicinoids by P450 enzymes: a review of recent findings on reaction mechanisms, bio-activation, and detoxification processes. *Drug Metab Rev.* 2006;38(4):685-706. [View abstract.](#)
- 40539**
- Inoue, N., Matsunaga, Y., Satoh, H., and Takahashi, M. Enhanced energy expenditure and fat oxidation in humans with high BMI scores by the ingestion of novel and non-pungent capsaicin analogues (capsinoids). *Biosci.Biotechnol.Biochem.* 2007;71(2):380-389. [View abstract.](#)
- 40546**
- Final report on the safety assessment of capsicum annuum extract, capsicum annuum fruit extract, capsicum annuum resin, capsicum annuum fruit powder, capsicum frutescens fruit, capsicum frutescens fruit extract, capsicum frutescens resin, and capsaicin. *Int.J.Toxicol.* 2007;26 Suppl 1:3-106. [View abstract.](#)
- 40547**
- Tandan, R., Lewis, G. A., Krusinski, P. B., Badger, G. B., and Fries, T. J. Topical capsaicin in painful diabetic neuropathy. Controlled study with long-term follow-up. *Diabetes Care* 1992;15(1):8-14. [View abstract.](#)
- 40553**
- Shin, K. O. and Moritani, T. Alterations of autonomic nervous activity and energy metabolism by capsaicin ingestion during aerobic exercise in healthy men. *J.Nutr.Sci.Vitaminol.(Tokyo)* 2007;53(2):124-132. [View abstract.](#)
- 40559**
- Kim, I. K., Abd El-Aty, A. M., Shin, H. C., Lee, H. B., Kim, I. S., and Shim, J. H. Analysis of volatile compounds in fresh healthy and diseased peppers (*Capsicum annuum* L.) using solvent free solid injection coupled with gas chromatography-flame ionization detector and confirmation with mass spectrometry. *J Pharm.Biomed.Anal.* 11-5-2007;45(3):487-494. [View abstract.](#)
- 40567**
- Kobata, K., Tate, H., Iwasaki, Y., Tanaka, Y., Ohtsu, K., Yazawa, S., and Watanabe, T. Isolation of coniferyl esters from *Capsicum baccatum* L., and their enzymatic preparation and agonist activity for TRPV1. *Phytochemistry* 2008;69(5):1179-1184. [View abstract.](#)
- 40569**
- Patane, S., Marte, F., Di Bella, G., Cerrito, M., and Cogliatore, S. Capsaicin, arterial hypertensive crisis and acute myocardial infarction associated with high levels of thyroid stimulating hormone. *Int.J Cardiol.* 5-1-2009;134(1):130-132. [View abstract.](#)
- 40578**
- Hasegawa, G. R. Proposals for chemical weapons during the American Civil War. *Mil.Med.* 2008;173(5):499-506. [View abstract.](#)
- 40586**
- Islam, M. S. and Choi, H. Dietary red chilli (*Capsicum frutescens* L.) is insulinotropic rather than hypoglycemic in type 2 diabetes model of rats. *Phytother.Res.* 2008;22(8):1025-1029. [View abstract.](#)
- 40591**
- Salgado-Roman, M., Botello-Alvarez, E., Rico-Martinez, R., Jimenez-Islas, H., Cardenas-Manriquez, M., and Navarrete-Bolanos, J. L. Enzymatic treatment to improve extraction of capsaicinoids and carotenoids from chili (*Capsicum annuum*) fruits. *J.Agric.Food Chem.* 11-12-2008;56(21):10012-10018. [View abstract.](#)

- Basha, K. M. and Whitehouse, F. W. Capsaicin: a therapeutic option for painful diabetic neuropathy. *Henry.Ford.Hosp.Med.J.* 1991;39(2):138-140. [View abstract](#). **40592**
- Ciabatti, P. G. and D'Ascanio, L. Intranasal Capsicum spray in idiopathic rhinitis: a randomized prospective application regimen trial. *Acta Otolaryngol.* 2009;129(4):367-371. [View abstract](#). **40595**
- Snitker, S., Fujishima, Y., Shen, H., Ott, S., Pi-Sunyer, X., Furuhashi, Y., Sato, H., and Takahashi, M. Effects of novel capsinoid treatment on fatness and energy metabolism in humans: possible pharmacogenetic implications. *Am.J.Clin.Nutr.* 2009;89(1):45-50. [View abstract](#). **40599**
- Patane, S., Marte, F., La Rosa, F. C., and La Rocca R. Capsaicin and arterial hypertensive crisis. *Int J Cardiol.* 10-8-2010;144(2):e26-e27. [View abstract](#). **40606**
- Scheffler, N. M., Sheitel, P. L., and Lipton, M. N. Treatment of painful diabetic neuropathy with capsaicin 0.075%. *J.Am.Podiatr.Med.Assoc.* 1991;81(6):288-293. [View abstract](#). **40607**
- Kim, K. S., Kim, K. N., Hwang, K. G., and Park, C. J. Capsicum plaster at the Hegu point reduces postoperative analgesic requirement after orthognathic surgery. *Anesth.Analg.* 2009;108(3):992-996. [View abstract](#). **40610**
- Wu, F., Eannetta, N. T., Xu, Y., Durrett, R., Mazourek, M., Jahn, M. M., and Tanksley, S. D. A COSII genetic map of the pepper genome provides a detailed picture of synteny with tomato and new insights into recent chromosome evolution in the genus *Capsicum*. *Theor.Appl.Genet.* 2009;118(7):1279-1293. [View abstract](#). **40612**
- Smeets, A. J. and Westerterp-Plantenga, M. S. The acute effects of a lunch containing capsaicin on energy and substrate utilisation, hormones, and satiety. *Eur J Nutr* 2009;48(4):229-234. [View abstract](#). **40613**
- Chaiyasit, K., Khovidhunkit, W., and Wittayalertpanya, S. Pharmacokinetic and the effect of capsaicin in *Capsicum frutescens* on decreasing plasma glucose level. *J Med.Assoc.Thai.* 2009;92(1):108-113. [View abstract](#). **40614**
- Reinbach, H. C., Smeets, A., Martinussen, T., Moller, P., and Westerterp-Plantenga, M. S. Effects of capsaicin, green tea and CH-19 sweet pepper on appetite and energy intake in humans in negative and positive energy balance. *Clin Nutr.* 2009;28(3):260-265. [View abstract](#). **40617**
- Tesfaye, S. Advances in the management of diabetic peripheral neuropathy. *Curr Opin.Support.Palliat.Care* 2009;3(2):136-143. [View abstract](#). **40621**
- Oboh, G. and Ogunraku, O. O. Cyclophosphamide-induced oxidative stress in brain: Protective effect of hot short pepper (*Capsicum frutescens* L. var. *abbreviatum*). *Exp.Toxicol Pathol.* 5-15-2009; [View abstract](#). **40627**
- Tanaka, Y., Hosokawa, M., Otsu, K., Watanabe, T., and Yazawa, S. Assessment of capsaicinoid composition, nonpungent capsaicinoid analogues, in capsicum cultivars. *J Agric.Food Chem.* 6-24-2009;57(12):5407-5412. [View abstract](#). **40628**
- Babbar, S., Marier, J. F., Mouksassi, M. S., Beliveau, M., Vanhove, G. F., Chanda, S., and Bley, K. Pharmacokinetic analysis of capsaicin after topical administration of a high-concentration capsaicin patch to patients with peripheral neuropathic pain. *Ther Drug Monit.* 2009;31(4):502-510. [View abstract](#). **40631**
- Garroway, N., Chhabra, S., Landis, S., and Skolnik, D. C. Clinical inquiries: What measures relieve postherpetic neuralgia? *J Fam.Pract.* 2009;58(7):384d-384f. [View abstract](#). **40639**

- Pagano, L., Proietto, M., and Biondi, R. [Diabetic peripheral neuropathy: reflections and drug-rehabilitative treatment]. *Recenti Prog Med.* 2009;100(7-8):337-342. [View abstract.](#) **40641**
- Jensen, T. S., Madsen, C. S., and Finnerup, N. B. Pharmacology and treatment of neuropathic pains. *Curr Opin.Neurol.* 2009;22(5):467-474. [View abstract.](#) **40643**
- O'Connor, A. B. and Dworkin, R. H. Treatment of neuropathic pain: an overview of recent guidelines. *Am J Med.* 2009;122(10 Suppl):S22-S32.[View abstract.](#) **40644**
- Azevedo-Meleiro, C. H. and Rodriguez-Amaya, D. B. Qualitative and quantitative differences in the carotenoid composition of yellow and red peppers determined by HPLC-DAD-MS. *J Sep.Sci.* 2009;32(21):3652-3658. [View abstract.](#) **40645**
- Derry, S., Lloyd, R., Moore, R. A., and McQuay, H. J. Topical capsaicin for chronic neuropathic pain in adults. *Cochrane.Database.Syst.Rev.* 2009;(4):CD007393. [View abstract.](#) **40647**
- Blanc, P., Liu, D., Juarez, C., and Boushey, H. A. Cough in hot pepper workers. *Chest* 1991;99(1):27-32. [View abstract.](#) **40648**
- Ziegler, D. Painful diabetic neuropathy: advantage of novel drugs over old drugs? *Diabetes Care* 2009;32 Suppl 2:S414-S419. [View abstract.](#) **40652**
- Benzon, H. T., Chekka, K., Darnule, A., Chung, B., Wille, O., and Malik, K. Evidence-based case report: the prevention and management of postherpetic neuralgia with emphasis on interventional procedures. *Reg Anesth.Pain Med.* 2009;34(5):514-521. [View abstract.](#) **40655**
- Katz, J. D. and Shah, T. Persistent pain in the older adult: what should we do now in light of the 2009 American geriatrics society clinical practice guideline? *Pol.Arch.Med.Wewn.* 2009;119(12):795-800. [View abstract.](#) **40657**
- Oyagbemi, A. A., Saba, A. B., and Azeez, O. I. Capsaicin: a novel chemopreventive molecule and its underlying molecular mechanisms of action. *Indian J Cancer* 2010;47(1):53-58. [View abstract.](#) **40658**
- Akcay, A. B., Ozcan, T., Seyis, S., and Acele, A. Coronary vasospasm and acute myocardial infarction induced by a topical capsaicin patch. *Turk.Kardiyol.Dern.Ars* 2009;37(7):497-500. [View abstract.](#) **40659**
- Backonja, M. M., Malan, T. P., Vanhove, G. F., and Tobias, J. K. NGX-4010, a high-concentration capsaicin patch, for the treatment of postherpetic neuralgia: a randomized, double-blind, controlled study with an open-label extension. *Pain Med.* 2010;11(4):600-608. [View abstract.](#) **40666**
- Vadivelu, N., Mitra, S., and Narayan, D. Recent advances in postoperative pain management. *Yale J Biol Med.* 2010;83(1):11-25. [View abstract.](#) **40668**
- Astrup, A., Kristensen, M., Gregersen, N. T., Belza, A., Lorenzen, J. K., Due, A., and Larsen, T. M. Can bioactive foods affect obesity? *Ann N.Y.Acad.Sci* 2010;1190:25-41. [View abstract.](#) **40669**
- Govindarajan, V. S. and Sathyanarayana, M. N. Capsicum--production, technology, chemistry, and quality. Part V. Impact on physiology, pharmacology, nutrition, and metabolism; structure, pungency, pain, and desensitization sequences. *Crit Rev.Food Sci.Nutr.* 1991;29(6):435-474.[View abstract.](#) **40672**
- Niemcunowicz-Janica, A., Ptaszynska-Sarosiek, I., and Wardaszka, Z. [Sudden death caused by an oleoresin capsicum spray]. *Arch.Med.Sadowej.Kryminol.* 2009;59(3):252-254. [View abstract.](#) **40674**

- Wolff, R. F., Bala, M. M., Westwood, M., Kessels, A. G., and Kleijnen, J. 5% lidocaine medicated plaster in painful diabetic peripheral neuropathy (DPN): a systematic review. *Swiss.Med.Wkly.* 5-29-2010;140(21-22):297-306. [View abstract.](#) **40677**
- Dahl, J. B., Mathiesen, O., and Kehlet, H. An expert opinion on postoperative pain management, with special reference to new developments. *Expert.Opin.Pharmacother.* 2010;11(15):2459-2470. [View abstract.](#) **40679**
- Webster, L. R., Malan, T. P., Tuchman, M. M., Mollen, M. D., Tobias, J. K., and Vanhove, G. F. A multicenter, randomized, double-blind, controlled dose finding study of NGX-4010, a high-concentration capsaicin patch, for the treatment of postherpetic neuralgia. *J Pain* 2010;11(10):972-982. [View abstract.](#) **40686**
- Webster, L. R., Tark, M., Rauck, R., Tobias, J. K., and Vanhove, G. F. Effect of duration of postherpetic neuralgia on efficacy analyses in a multicenter, randomized, controlled study of NGX-4010, an 8% capsaicin patch evaluated for the treatment of postherpetic neuralgia. *BMC.Neurol.* 2010;10:92. [View abstract.](#) **40688**
- Wolff, R. F., Bala, M. M., Westwood, M., Kessels, A. G., and Kleijnen, J. 5% lidocaine-medicated plaster vs other relevant interventions and placebo for post-herpetic neuralgia (PHN): a systematic review. *Acta Neurol.Scand.* 2011;123(5):295-309. [View abstract.](#) **40690**
- Diaz-Laviada, I. Effect of capsaicin on prostate cancer cells. *Future.Oncol.* 2010;6(10):1545-1550. [View abstract.](#) **40691**
- Irving, G. A., Backonja, M. M., Dunteman, E., Blonsky, E. R., Vanhove, G. F., Lu, S. P., and Tobias, J. A multicenter, randomized, double-blind, controlled study of NGX-4010, a high-concentration capsaicin patch, for the treatment of postherpetic neuralgia. *Pain Med.* 2011;12(1):99-109. [View abstract.](#) **40692**
- Ludy, M. J. and Mattes, R. D. The effects of hedonically acceptable red pepper doses on thermogenesis and appetite. *Physiol Behav.* 3-1-2011;102(3-4):251-258. [View abstract.](#) **40694**
- Henning, S. M., Zhang, Y., Seeram, N. P., Lee, R. P., Wang, P., Bowerman, S., and Heber, D. Antioxidant capacity and phytochemical content of herbs and spices in dry, fresh and blended herb paste form. *Int J Food Sci Nutr* 2011;62(3):219-225. [View abstract.](#) **40696**
- Campbell, C. M., Bounds, S. C., Simango, M. B., Witmer, K. R., Campbell, J. N., Edwards, R. R., Haythornthwaite, J. A., and Smith, M. T. Self-reported sleep duration associated with distraction analgesia, hyperemia, and secondary hyperalgesia in the heat-capsaicin nociceptive model. *Eur J Pain* 2011;15(6):561-567. [View abstract.](#) **40700**
- Canning, B. J. Functional implications of the multiple afferent pathways regulating cough. *Pulm.Pharmacol.Ther* 2011;24(3):295-299. [View abstract.](#) **40703**
- Greiner, A. N. and Meltzer, E. O. Overview of the treatment of allergic rhinitis and nonallergic rhinopathy. *Proc.Am Thorac.Soc.* 2011;8(1):121-131. [View abstract.](#) **40715**
- Bode, A. M. and Dong, Z. The two faces of capsaicin. *Cancer Res* 4-15-2011;71(8):2809-2814. [View abstract.](#) **40718**
- Bortolotti, M. and Porta, S. Effect of red pepper on symptoms of irritable bowel syndrome: preliminary study. *Dig.Dis.Sci* 2011;56(11):3288-3295. [View abstract.](#) **40719**
- Webster, L. R., Peppin, J. F., Murphy, F. T., Lu, B., Tobias, J. K., and Vanhove, G. F. Efficacy, safety, and tolerability of NGX-4010, capsaicin 8% patch, in an open-label study of patients with peripheral neuropathic pain. *Diabetes Res Clin Pract.* 2011;93(2):187-197. [View abstract.](#)

- 40720**
- Gerber, S., Frueh, B. E., and Tappeiner, C. Conjunctival proliferation after a mild pepper spray injury in a young child. *Cornea* 2011;30(9):1042-1044. [View abstract](#).
- 40725**
- Lim, L. G., Tay, H., and Ho, K. Y. Curry induces acid reflux and symptoms in gastroesophageal reflux disease. *Dig.Dis.Sci* 2011;56(12):3546-3550. [View abstract](#).
- 40726**
- Kushnir, N. M. The role of decongestants, cromolyn, guaifenesin, saline washes, capsaicin, leukotriene antagonists, and other treatments on rhinitis. *Immunol.Allergy Clin North Am* 2011;31(3):601-617. [View abstract](#).
- 40728**
- Irving, G., Backonja, M., Rauck, R., Webster, L. R., Tobias, J. K., and Vanhove, G. F. NGX-4010, a capsaicin 8% dermal patch, administered alone or in combination with systemic neuropathic pain medications, reduces pain in patients with postherpetic neuralgia. *Clin J Pain* 2012;28(2):101-107. [View abstract](#).
- 40730**
- Bernstein, J. A., Davis, B. P., Picard, J. K., Cooper, J. P., Zheng, S., and Levin, L. S. A randomized, double-blind, parallel trial comparing capsaicin nasal spray with placebo in subjects with a significant component of nonallergic rhinitis. *Ann Allergy Asthma Immunol*. 2011;107(2):171-178. [View abstract](#).
- 40732**
- Rajput, S. and Mandal, M. Antitumor promoting potential of selected phytochemicals derived from spices: a review. *Eur J Cancer Prev*. 2012;21(2):205-215. [View abstract](#).
- 40735**
- Barkin, R. L., Barkin, S. J., Irving, G. A., and Gordon, A. Management of chronic noncancer pain in depressed patients. *Postgrad.Med*. 2011;123(5):143-154. [View abstract](#).
- 40738**
- Dulloo, A. G. The search for compounds that stimulate thermogenesis in obesity management: from pharmaceuticals to functional food ingredients. *Obes.Rev*. 2011;12(10):866-883. [View abstract](#).
- 40741**
- Hartrick, C. T., Pestano, C., Carlson, N., and Hartrick, S. Capsaicin instillation for postoperative pain following total knee arthroplasty: a preliminary report of a randomized, double-blind, parallel-group, placebo-controlled, multicentre trial. *Clin Drug Investig*. 12-1-2011;31(12):877-882. [View abstract](#).
- 40745**
- Ludy, M. J., Moore, G. E., and Mattes, R. D. The effects of capsaicin and capsiate on energy balance: critical review and meta-analyses of studies in humans. *Chem Senses* 2012;37(2):103-121. [View abstract](#).
- 40746**
- Clifford, D. B., Simpson, D. M., Brown, S., Moyle, G., Brew, B. J., Conway, B., Tobias, J. K., and Vanhove, G. F. A randomized, double-blind, controlled study of NGX-4010, a capsaicin 8% dermal patch, for the treatment of painful HIV-associated distal sensory polyneuropathy. *J Acquir.Immune.Defic.Syndr*. 2-1-2012;59(2):126-133. [View abstract](#).
- 40752**
- Georgalas, C. and Jovancevic, L. Gustatory rhinitis. *Curr Opin.Otolaryngol.Head Neck Surg*. 2012;20(1):9-14. [View abstract](#).
- 40762**
- Yoneshiro, T., Aita, S., Kawai, Y., Iwanaga, T., and Saito, M. Nonpungent capsaicin analogs (capsinoids) increase energy expenditure through the activation of brown adipose tissue in humans. *Am J Clin Nutr* 2012;95(4):845-850. [View abstract](#).
- 40763**
- Young, A. and Buvanendran, A. Recent advances in multimodal analgesia. *Anesthesiol.Clin* 2012;30(1):91-100. [View abstract](#).
- 40765**
- Warbrick, T., Mobascher, A., Brinkmeyer, J., Musso, F., Stoecker, T., Shah, N. J., Fink, G. R., and Winterer, G. Nicotine effects on brain function during a visual oddball task: a comparison

- between conventional and EEG-informed fMRI analysis. *J Cogn Neurosci.* 2012;24(8):1682-1694. [View abstract.](#) **40768**
- Sayin, M. R., Karabag, T., Dogan, S. M., Akpınar, I., and Aydin, M. A case of acute myocardial infarction due to the use of cayenne pepper pills. *Wien.Klin.Wochenschr.* 2012;124(7-8):285-287. [View abstract.](#) **40771**
- Bley, K., Boorman, G., Mohammad, B., McKenzie, D., and Babbar, S. A comprehensive review of the carcinogenic and anticarcinogenic potential of capsaicin. *Toxicol.Pathol.* 2012;40(6):847-873. [View abstract.](#) **40774**
- Cho, J. H., Brodsky, M., Kim, E. J., Cho, Y. J., Kim, K. W., Fang, J. Y., and Song, M. Y. Efficacy of a 0.1% capsaicin hydrogel patch for myofascial neck pain: a double-blinded randomized trial. *Pain Med.* 2012;13(7):965-970. [View abstract.](#) **40784**
- Derry, S. and Moore, R. A. Topical capsaicin (low concentration) for chronic neuropathic pain in adults. *Cochrane.Database.Syst.Rev.* 2012;9:CD010111. [View abstract.](#) **40800**
- Derry, S., Sven-Rice, A., Cole, P., Tan, T., and Moore, R. A. Topical capsaicin (high concentration) for chronic neuropathic pain in adults. *Cochrane.Database.Syst.Rev.* 2013;2:CD007393. [View abstract.](#) **40802**
- Lopez, H. L., Ziegenfuss, T. N., Hofheins, J. E., Habowski, S. M., Arent, S. M., Weir, J. P., and Ferrando, A. A. Eight weeks of supplementation with a multi-ingredient weight loss product enhances body composition, reduces hip and waist girth, and increases energy levels in overweight men and women. *J Int Soc Sports Nutr* 2013;10(1):22. [View abstract.](#) **40807**
- Ginsberg, F. and Famaey, J. P. A double-blind study of topical massage with Rado-Salil ointment in mechanical low-back pain. *J.Int.Med.Res* 1987;15(3):148-153. [View abstract.](#) **40808**
- Tominack, R. L. and Spyker, D. A. Capsicum and capsaicin--a review: case report of the use of hot peppers in child abuse. *J.Toxicol.Clin.Toxicol.* 1987;25(7):591-601. [View abstract.](#) **40809**
- Schuurs, A. H., Abraham-Inpijn, L., van Straalen, J. P., and Sastrowijoto, S. H. An unusual case of black teeth. *Oral Surg.Oral Med.Oral Pathol.* 1987;64(4):427-431. [View abstract.](#) **40810**
- Lundblad, L., Lundberg, J. M., Anggard, A., and Zetterstrom, O. Capsaicin-sensitive nerves and the cutaneous allergy reaction in man. Possible involvement of sensory neuropeptides in the flare reaction. *Allergy* 1987;42(1):20-25. [View abstract.](#) **40811**
- Govindarajan, V. S. Capsicum--production, technology, chemistry, and quality--Part II. Processed products, standards, world production and trade. *Crit Rev.Food Sci.Nutr.* 1986;23(3):207-288. [View abstract.](#) **40814**
- Lundblad, L., Lundberg, J. M., Anggard, A., and Zetterstrom, O. Capsaicin pretreatment inhibits the flare component of the cutaneous allergic reaction in man. *Eur.J.Pharmacol.* 7-31-1985;113(3):461-462. [View abstract.](#) **40815**
- Chen, H. C., Chang, M. D., and Chang, T. J. [Antibacterial properties of some spice plants before and after heat treatment]. *Zhonghua Min Guo.Wei Sheng Wu Ji.Mian.Yi.Xue.Za Zhi.* 1985;18(3):190-195. [View abstract.](#) **40817**
- Meyer-Bahlburg, H. F. Pilot studies on stimulant effects of capsicum spices. *Nutr.Metab* 1972;14(4):245-254. [View abstract.](#) **40825**

- Jancso, N., Jancso-Gabor, A., and Szolcsanyi, J. Direct evidence for neurogenic inflammation and its prevention by denervation and by pretreatment with capsaicin. *Br.J.Pharmacol.* 1967;31(1):138-151. [View abstract.](#) **40828**
- Kumar, N., Vij, J. C., Sarin, S. K., and Anand, B. S. Do chillies influence healing of duodenal ulcer? *Br.Med.J.(Clin.Res.Ed)* 6-16-1984;288(6433):1803-1804. [View abstract.](#) **40831**
- Monserenusorn, Y. and Glinsukon, T. Inhibitory effect of capsaicin on intestinal glucose absorption in vitro. *Food Cosmet.Toxicol.* 1978;16(5):469-473. [View abstract.](#) **40837**
- Steffee, C. H., Lantz, P. E., Flannagan, L. M., Thompson, R. L., and Jason, D. R. Oleoresin capsicum (pepper) spray and "in-custody deaths". *Am.J.Forensic Med.Pathol.* 1995;16(3):185-192. [View abstract.](#) **40839**
- Lotti, T., Teofoli, P., and Tsampau, D. Treatment of aquagenic pruritus with topical capsaicin cream. *J.Am.Acad.Dermatol.* 1994;30(2 Pt 1):232-235. [View abstract.](#) **40844**
- Yahara, S., Ura, T., Sakamoto, C., and Nohara, T. Steroidal glycosides from *Capsicum annuum*. *Phytochemistry* 1994;37(3):831-835. [View abstract.](#) **40847**
- Knight, T. E. and Hayashi, T. Solar (brachioradial) pruritus--response to capsaicin cream. *Int.J.Dermatol.* 1994;33(3):206-209. [View abstract.](#) **40850**
- Herbert, M. K., Tafler, R., Schmidt, R. F., and Weis, K. H. Cyclooxygenase inhibitors acetylsalicylic acid and indomethacin do not affect capsaicin-induced neurogenic inflammation in human skin. *Agents Actions* 1993;38 Spec No:C25-C27. [View abstract.](#) **40853**
- Rains, C. and Bryson, H. M. Topical capsaicin. A review of its pharmacological properties and therapeutic potential in post-herpetic neuralgia, diabetic neuropathy and osteoarthritis. *Drugs Aging* 1995;7(4):317-328. [View abstract.](#) **40857**
- Watson, W. A., Stremel, K. R., and Westdorp, E. J. Oleoresin capsicum (Cap-Stun) toxicity from aerosol exposure. *Ann.Pharmacother.* 1996;30(7-8):733-735. [View abstract.](#) **40863**
- Kang, J. Y., Teng, C. H., and Chen, F. C. Effect of capsaicin and cimetidine on the healing of acetic acid induced gastric ulceration in the rat. *Gut* 1996;38(6):832-836. [View abstract.](#) **40864**
- Jones, N. L., Shabib, S., and Sherman, P. M. Capsaicin as an inhibitor of the growth of the gastric pathogen *Helicobacter pylori*. *FEMS Microbiol.Lett.* 1-15-1997;146(2):223-227. [View abstract.](#) **40869**
- Caterina, M. J., Schumacher, M. A., Tominaga, M., Rosen, T. A., Levine, J. D., and Julius, D. The capsaicin receptor: a heat-activated ion channel in the pain pathway. *Nature* 10-23-1997;389(6653):816-824. [View abstract.](#) **40873**
- Weisshaar, E., Heyer, G., Forster, C., and Handwerker, H. O. Effect of topical capsaicin on the cutaneous reactions and itching to histamine in atopic eczema compared to healthy skin. *Arch.Dermatol.Res* 1998;290(6):306-311. [View abstract.](#) **40877**
- Teng, C. H., Kang, J. Y., Wee, A., and Lee, K. O. Protective action of capsaicin and chilli on haemorrhagic shock-induced gastric mucosal injury in the rat. *J.Gastroenterol.Hepatol.* 1998;13(10):1007-1014. [View abstract.](#) **40879**
- Busker, R. W. and van Helden, H. P. Toxicologic evaluation of pepper spray as a possible weapon for the Dutch police force: risk assessment and efficacy. *Am.J.Forensic Med.Pathol.* 1998;19(4):309-316. [View abstract.](#) **40880**

Park, K. K., Chun, K. S., Yook, J. I., and Surh, Y. J. Lack of tumor promoting activity of capsaicin, a principal pungent ingredient of red pepper, in mouse skin carcinogenesis. *Anticancer Res.* 1998;18(6A):4201-4205. [View abstract.](#)

40881

Reinbach, H. C., Martinussen, T., and Moller, P. Effects of hot spices on energy intake, appetite, and sensory specific desires in humans. *Food Qual Prefer* 2010;21:655-661.

40882

Schmidt S, Beime B Frerick H Kuhn U Schmidt U. Capsicum Creme bei weichteilrheumatischen Schmerzen - eine randomisierte Placebo-kontrollierte Studie. *Phytopharmaka und Phytotherapie* 2004 - Forschung und Praxis 2004;26-28 February 2004, Berlin, 35

41021

Sausenthaler, S., Koletzko, S., Schaaf, B., Lehmann, I., Borte, M., Herbarth, O., von Berg, A., Wichmann, H. E., and Heinrich, J. Maternal diet during pregnancy in relation to eczema and allergic sensitization in the offspring at 2 y of age. *Am J Clin Nutr* 2007;85(2):530-537. [View abstract.](#)

89560

Nieman DC, Shanely RA, Luo B, Dew D, Meaney MP, Sha W. A commercialized dietary supplement alleviates joint pain in community adults: a double-blind, placebo-controlled community trial. *Nutr J* 2013;12(1):154. [View abstract.](#)

92979

Casanueva B, Rodero B, Quintal C, Llorca J, González-Gay MA. Short-term efficacy of topical capsaicin therapy in severely affected fibromyalgia patients. *Rheumatol Int* 2013;33(10):2665-70. [View abstract.](#)

92980

Copeland S, Nugent K. Persistent respiratory symptoms following prolonged capsaicin exposure. *Int J Occup Environ Med.* 2013;4(4):211-5. [View abstract.](#)

92982

García-Menaya JM, Cordobés -Durán C, Bobadilla-González P, et al. Anaphylactic reaction to bell pepper (*Capsicum annuum*) in a patient with a latex-fruit syndrome. *Allergol Immunopathol (Madr).* 2014;42(3):263-5. [View abstract.](#)

92983

Kim DH, Yoon KB, Park S, et al. Comparison of NSAID patch given as monotherapy and NSAID patch in combination with transcutaneous electric nerve stimulation, a heating pad, or topical capsaicin in the treatment of patients with myofascial pain syndrome of the upper trapezius: a pilot study. *Pain Med.* 2014;15(12):2128-38. [View abstract.](#)

92984

Kulkantrakorn K, Lorsuwansiri C, Meesawatson P. 0.025% capsaicin gel for the treatment of painful diabetic neuropathy: a randomized, double-blind, crossover, placebo-controlled trial. *Pain Pract.* 2013;13(6):497-503. [View abstract.](#)

92985

Mou J, Paillard F, Turnbull B, et al. Qutenza (capsaicin) 8% patch onset and duration of response and effects of multiple treatments in neuropathic pain patients. *Clin J Pain.* 2014;30(4):286-94. [View abstract.](#)

92986

Mou J, Paillard F, Turnbull B, et al. Efficacy of Qutenza (capsaicin) 8% patch for neuropathic pain: a meta-analysis of the Qutenza Clinical Trials Database. *Pain.* 2013;154(9):1632-9. [View abstract.](#)

92988

Pabalan N, Jarjanazi H, Ozcelik H. The impact of capsaicin intake on risk of developing gastric cancers: a meta-analysis. *J Gastrointest Cancer.* 2014;45(3):334-41. [View abstract.](#)

92990

Sandor B, Papp J, Mozsik G, et al. Orally given gastroprotective capsaicin does not modify aspirin-induced platelet aggregation in healthy male volunteers (human phase I examination). *Acta Physiol Hung.* 2014 Dec;101(4):429-37. [View abstract.](#)

92991

Silvestre FJ, Silvestre-Rangil J, Tamarit-Santafé C, et al. Application of a capsaicin rinse in the treatment of burning mouth syndrome. *Med Oral Patol Oral Cir Bucal*. 2012 Jan 1;17(1):e1-4. [View abstract](#).

92992

Whiting S, Derbyshire EJ, Tiwari B. Could capsaicinoids help to support weight management? A systematic review and meta-analysis of energy intake data. *Appetite*. 2014;73:183-8. [View abstract](#).