

References

German Chamomile

- 567
- Subiza J, Subiza JL, Hinojosa M, et al. Anaphylactic reaction after the ingestion of chamomile tea; a study of cross-reactivity with other composite pollens. *J Allergy Clin Immunol* 1989;84:353-8. [View abstract](#).
- 4912
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at:
<https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182>
- 6450
- Budzinski JW, Foster BC, Vandenhoek S, Arnason JT. An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000;7:273-82. [View abstract](#).
- 6655
- Carl W, Emrich LS. Management of oral mucositis during local radiation and systemic chemotherapy: a study of 98 patients. *J Prosthet Dent* 1991;66:361-9. [View abstract](#).
- 6656
- Fidler P, Loprinzi CL, O'Fallon JR, et al. Prospective evaluation of a chamomile mouthwash for prevention of 5-FU-induced oral mucositis. *Cancer* 1996;77:522-5. [View abstract](#).
- 7049
- Holtmann G, Madisch A, Juergen H, et al. A double-blind, randomized, placebo-controlled trial on the effects of an herbal preparation in patients with functional dyspepsia [Abstract]. Ann Mtg Digestive Disease Week 1999 May.
- 8178
- Habersang S, Leuschner F, Isaac O, Thiemer K. [Pharmacological studies with compounds of chamomile. IV. Studies on toxicity of (-)-alpha-bisabolol (author's transl)]. *Planta Med* 1979;37:115-23. [View abstract](#).
- 9765
- Viola H, Wasowski C, Levi de Stein M, et al. Apigenin, a component of Matricaria recutita flowers, is a central benzodiazepine receptors-ligand with anxiolytic effects. *Planta Med* 1995;61:213-6. [View abstract](#).
- 9766
- van Ketel WG. Allergy to Matricaria chamomilla. *Contact Dermatitis* 1982;8:143.
- 9767
- Maiche AG, Grohn P, Maki-Hokkonen H. Effect of chamomile cream and almond ointment on acute radiation skin reaction. *Acta Oncol* 1991;30:395-6.
- 9768
- van Ketel WG. Allergy to Matricaria chamomilla. *Contact Dermatitis* 1987;16:50-1.
- 10377
- Hormann HP, Korting HC. Evidence for the efficacy and safety of topical herbal drugs in dermatology: part I: anti-inflammatory agents. *Phytomedicine* 1994;1:161-71.
- 12724
- Madisch A, Holtmann G, Mayr G, et al. Treatment of functional dyspepsia with a herbal preparation. A double-blind, randomized, placebo-controlled, multicenter trial. *Digestion* 2004;69:45-52. [View abstract](#).
- 12725
- Avallone R, Zanolli P, Puia G, et al. Pharmacological profile of apigenin, a flavonoid isolated from Matricaria chamomilla. *Biochem Pharmacol* 2000;59:1387-94. [View abstract](#).
- 12726
- Gomaa A, Hashem T, Mohamed M, Ashry E. Matricaria chamomilla extract inhibits both development of morphine dependence and expression of abstinence syndrome in rats. *J Pharmacol Sci* 2003;92:50-5. [View abstract](#).
- 12727

- Kobayashi Y, Nakano Y, Inayama K, et al. Dietary intake of the flower extracts of German chamomile (*Matricaria recutita* L.) inhibited compound 48/80-induced itch-scratch responses in mice. *Phytomedicine* 2003;10:657-64. [View abstract](#). **12728**
- Kassi E, Papoutsi Z, Fokialakis N, et al. Greek plant extracts exhibit selective estrogen receptor modulator (SERM)-like properties. *J Agric Food Chem* 2004;52:6956-61. [View abstract](#). **12729**
- Wang Y, Tang H, Nicholson JK, et al. A metabonomic strategy for the detection of the metabolic effects of chamomile (*Matricaria recutita* L.) ingestion. *J Agric Food Chem* 2005;53:191-6. [View abstract](#). **12734**
- Maliakal PP, Wanwimolruk S. Effect of herbal teas on hepatic drug metabolizing enzymes in rats. *J Pharm Pharmacol* 2001;53:1323-9. [View abstract](#). **13089**
- Melzer J, Rosch W, Reichling J, et al. Meta-analysis: phytotherapy of functional dyspepsia with the herbal drug preparation STW 5 (Iberogast). *Aliment Pharmacol Ther* 2004;20:1279-87. [View abstract](#). **13398**
- Storr M, Sibaev A, Weiser D, et al. Herbal extracts modulate the amplitude and frequency of slow waves in circular smooth muscle of mouse small intestine. *Digestion* 2004;70:257-64. [View abstract](#). **14309**
- Segal R, Pilote L. Warfarin interaction with *Matricaria chamomilla*. *CMAJ* 2006;174:1281-2. [View abstract](#). **16735**
- Savino F, Cresi F, Castagno E, et al. A randomized double-blind placebo-controlled trial of a standardized extract of *Matricariae recutita*, *Foeniculum vulgare* and *Melissa officinalis* (ColiMil) in the treatment of breastfed colicky infants. *Phytother Res* 2005;19:335-40. [View abstract](#). **17195**
- Charousaei F, Dabirian A, Mojab F. Using chamomile solution or a 1% topical hydrocortisone ointment in the management of peristomal skin lesions in colostomy patients: results of a controlled clinical study. *Ostomy Wound Manage* 2011;57:28-36. [View abstract](#). **19360**
- Saller R, Beschomer M, Hellenbrecht D, et al. Dose dependency of symptomatic relief of complaints by chamomile steam inhalation in patients with common cold. *Eur J Pharmacol* 1990;183:728-729. **19377**
- Amsterdam JD, Li Y, Soeller I, et al. A randomized, double-blind, placebo-controlled trial of oral *Matricaria recutita* (chamomile) extract therapy for generalized anxiety disorder. *J Clin Psychopharmacol*. 2009;29(4):378-382. [View abstract](#). **19532**
- Madisch A, Melderis H, Mayr G, et al. [A plant extract and its modified preparation in functional dyspepsia. Results of a double-blind placebo controlled comparative study]. *Z Gastroenterol* 2001;39(7):511-7. [View abstract](#). **19702**
- George J, Hegde S, Rajesh KS, et al. The efficacy of a herbal-based toothpaste in the control of plaque and gingivitis: a clinico-biochemical study. *Indian J Dent Res* 2009;20(4):480-482. [View abstract](#). **19705**
- Becker B, Kuhn U, Hardewig-Budny B. Double-blind, randomized evaluation of clinical efficacy and tolerability of an apple pectin-chamomile extract in children with unspecific diarrhea. *Arzneimittelforschung* 2006;56(6):387-393. [View abstract](#). **19706**
- de la Motte S, Bose-O'Reilly S, Heinisch M, Harrison F. [Double-blind comparison of an apple pectin-chamomile extract preparation with placebo in children with diarrhea]. *Arzneimittelforschung* 1997;47(11):1247-1249. [View abstract](#). **19707**

Patzelt-Wenzler R, Ponce-Poschl E. Proof of efficacy of Kamillosan cream in atopic eczema. Eur J Med Res 2000;5:171-175. [View abstract](#).

19708

Aertgeerts P, Albring M, Klaschka F, et al. [Comparative testing of Kamillosan cream and steroidal (0.25% hydrocortisone, 0.75% fluocortin butyl ester) and non-steroidal (5% bufexamac) dermatologic agents in maintenance therapy of eczematous diseases]. Z Hautkr 1985;60(3):270-277. [View abstract](#).

19709

Shimelis ND, Asticcioli S, Baraldo M, et al. Researching accessible and affordable treatment for common dermatological problems in developing countries. An Ethiopian experience. Int J Dermatol 2012;51(7):790-795. [View abstract](#).

19714

Forster CF, Sussmann HE, Patzelt-Wenzler R. [Optimization of the Barron ligature treatment of 2nd and 3rd-degree hemorrhoids using a therapeutic troika]. Praxis (Bern 1994) 1996;85(46):1476-1481. [View abstract](#).

19715

Weizman Z, Alkrinawi S, Goldfarb D, et al. Efficacy of herbal tea preparation in infantile colic. J Pediatr 1993;122(4):650-652. [View abstract](#).

19716

Zick SM, Wright BD, Sen A, Arnedt JT. Preliminary examination of the efficacy and safety of a standardized chamomile extract for chronic primary insomnia: a randomized placebo-controlled pilot study. BMC Complement Altern Med 2011;11:78. [View abstract](#).

19717

Benetti C, Manganelli F. [Clinical experiences in the pharmacological treatment of vaginitis with a camomile-extract vaginal douche]. Minerva Ginecol 1985;37(12):799-801. [View abstract](#).

19718

Glowania HJ, Raulin C, Swoboda M. [Effect of chamomile on wound healing--a clinical double-blind study]. Z Hautkr 1987;62(17):1262, 1267-1271. [View abstract](#).

19719

Loggia RD, Traversa U, Scarcia V, et al. Depressive effects of *Chamomilla recutita* (L.) Rausch, tubular flowers, on central nervous system in mice. Pharmacol Res Commun 1982;14(2):153-162. [View abstract](#).

19720

Ganzena M, Schneider P, Stuppner H. Inhibitory effects of the essential oil of chamomile (*Matricaria recutita* L.) and its major constituents on human cytochrome P450 enzymes. Life Sci 2006;78(8):856-861. [View abstract](#).

90542

Benito P, Rodríguez-Perez R, García F, Juste S, Moneo I, Caballero ML. Occupational allergic rhinoconjunctivitis induced by *Matricaria chamomilla* with tolerance of chamomile tea. J Investig Allergol Clin Immunol. 2014;24(5):369-70. No abstract available. [View abstract](#).

90543

Pirzad A, Alyari H, Shakiba RM, Zehtab-Salmasi S, and Mohammadi SA. Essential Oil Content and Composition of German Chamomile (*Matricaria chamomilla* L.) at Different Irrigation Regimes. Journal of Agronomy. 03/2006; 5(3).

90910

Barene I, Daberte I, Zvirgzdina L, Irste V. The complex technology on products of German chamomile. Medicina (Kaunas). 2003;39(Suppl 2):127-131. [View abstract](#).