

## References

### Horny Goat Weed

- 11  
Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996.
- 12  
McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997.
- 1512  
Anon. In vitro screening of traditional medicines for anti-HIV activity: memorandum from a WHO meeting. Bull World Health Organ 1989;67:613-8. [View abstract](#).
- 10326  
Parisi GC, Zilli M, Miani MP, et al. High-fiber diet supplementation in patients with irritable bowel syndrome (IBS): a multicenter, randomized, open trial comparison between wheat bran diet and partially hydrolyzed guar gum (PHGG). Dig Dis Sci 2002;47:1697-704.. [View abstract](#).
- 10346  
Cirigliano MD, Szapary PO. Horny goat weed for erectile dysfunction. Alt Med Alert 2001;4:19-22.
- 13006  
Partin JF, Pushkin YR. Tachyarrhythmia and hypomania with horny goat weed. Psychosomatics 2004;45:536-7. [View abstract](#).
- 13647  
Lin CC, Ng LT, Hsu FF, et al. Cytotoxic effects of *Coptis chinensis* and *Epimedium sagittatum* extracts and their major constituents (berberine, coptisine and icariin) on hepatoma and leukaemia cell growth. Clin Exp Pharmacol Physiol 2004;31:65-9. [View abstract](#).
- 14900  
Zhang G, Qin L, Shi Y. Epimedium-derived phytoestrogen flavonoids exert beneficial effect on preventing bone loss in late postmenopausal women: a 24-month randomized, double-blind and placebo-controlled trial. J Bone Miner Res 2007;22:1072-9. [View abstract](#).
- 16060  
De Naeyer A, Pocock V, Milligan S, De Keukeleire D. Estrogenic activity of a polyphenolic extract of the leaves of *Epimedium brevicornum*. Fitoterapia 2005;76:35-40. [View abstract](#).
- 16061  
Zhang CZ, Wang SX, Zhang Y, et al. In vitro estrogenic activities of Chinese medicinal plants traditionally used for the management of menopausal symptoms. J Ethnopharmacol 2005;98:295-300. [View abstract](#).
- 16062  
Ning H, Xin ZC, Lin G, et al. Effects of icariin on phosphodiesterase-5 activity in vitro and cyclic guanosine monophosphate level in cavernous smooth muscle cells. Urology 2006;68:1350-4. [View abstract](#).
- 16063  
Yap SP, Shen P, Li J, et al. Molecular and pharmacodynamic properties of estrogenic extracts from the traditional Chinese medicinal herb, Epimedium. J Ethnopharmacol 2007;113:218-24. [View abstract](#).
- 16064  
Shen P, Guo BL, Gong Y, et al. Taxonomic, genetic, chemical and estrogenic characteristics of *Epimedium* species. Phytochemistry 2007;68:1448-58. [View abstract](#).
- 16065  
Yin XX, Chen ZQ, Liu ZJ, et al. Icariine stimulates proliferation and differentiation of human osteoblasts by increasing production of bone morphogenetic protein 2. Chin Med J (Engl) 2007;120:204-10. [View abstract](#).
- 16066  
Zhang X, Li Y, Yang X, et al. Inhibitory effect of Epimedium extract on S-adenosyl-L-homocysteine hydrolase and biomethylation. Life Sci 2005;78:180-6. [View abstract](#).
- 16067

- Meng FH, Li YB, Xiong ZL, et al. Osteoblastic proliferative activity of Epimedium brevicornum Maxim. *Phytomedicine* 2005;12:189-93. [View abstract](#). **17487**
- Phillips M, Sullivan B, Snyder B, et al. Effect of Enzyte on QT and QTc intervals. *Arch Intern Med* 2010;170:1402-4. [View abstract](#). **38418**
- Oh, M. H., Houghton, P. J., Whang, W. K., and Cho, J. H. Screening of Korean herbal medicines used to improve cognitive function for anti-cholinesterase activity. *Phytomedicine* 2004;11(6):544-548. [View abstract](#). **48383**
- Liang, R. N., Liu, J., and Lu, J. [Treatment of refractory polycystic ovary syndrome by bushen huoxue method combined with ultrasound-guided follicle aspiration]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2008;28(4):314-317. [View abstract](#). **52487**
- Wu, B. Y., Zou, J. H., and Meng, S. C. [Effect of wolfberry fruit and epimedium on DNA synthesis of the aging-youth 2BS fusion cells]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2003;23(12):926-928. [View abstract](#). **52886**
- Zheng, M. S. An experimental study of the anti-HSV-II action of 500 herbal drugs. *J Tradit.Chin Med* 1989;9(2):113-116. [View abstract](#). **55432**
- Tan, X. and Weng, W. [Efficacy of epimedium compound pills in the treatment of the aged patients with kidney deficiency syndrome of ischemic cardio-cerebral vascular diseases]. *Hunan.Yi.Ke.Da.Xue.Xue.Bao.* 1998;23(5):450-452. [View abstract](#). **55433**
- Zhao, Y., Cui, Z., and Zhang, L. [Effects of icariin on the differentiation of HL-60 cells]. *Zhonghua Zhong.Liu Za Zhi.* 1997;19(1):53-55. [View abstract](#). **55434**
- Kuroda, M., Mimaki, Y., Sashida, Y., Umegaki, E., Yamazaki, M., Chiba, K., Mohri, T., Kitahara, M., Yasuda, A., Naoi, N., Xu, Z. W., and Li, M. R. Flavonol glycosides from *Epimedium sagittatum* and their neurite outgrowth activity on PC12h cells. *Planta Med* 2000;66(6):575-577. [View abstract](#). **55435**
- Jia, X., Wu, J., and Mao, Q. [Chemical constituents of the root of *Epimedium acuminatum* Franch]. *Zhongguo Zhong.Yao Za Zhi.* 1998;23(3):162-4, 192. [View abstract](#). **55436**
- Chiba, K., Yamazaki, M., Umegaki, E., Li, M. R., Xu, Z. W., Terada, S., Taka, M., Naoi, N., and Mohri, T. Neuritogenesis of herbal (+)- and (-)-syringaresinols separated by chiral HPLC in PC12h and Neuro2a cells. *Biol.Pharm Bull* 2002;25(6):791-793. [View abstract](#). **55437**
- Chen, H. L., Wang, J. K., Zhang, L. L., and Wu, Z. Y. [Contents of general flavonoides in *Epimedium acuminatum* Franch. and its differently-processed products]. *Zhongguo Zhong.Yao Za Zhi.* 2000;25(4):239-241. [View abstract](#). **55438**
- Wu, H., Lien, E. J., and Lien, L. L. Chemical and pharmacological investigations of Epimedium species: a survey. *Prog.Drug Res* 2003;60:1-57. [View abstract](#). **55439**
- Yamamoto, H., Ieda, K., Tsuchiya, S., Yan, K., Tanaka, T., Iinuma, M., and Mizuno, M. Flavonol glycoside production in callus cultures of *Epimedium diphyllyum*. *Phytochemistry* 1992;31(3):837-840. [View abstract](#). **55440**
- Hu, B. H., Zhou, L. D., and Liu, Y. L. [Acuminatin from the aerial part of *Epimedium acuminatum*]. *Yao Xue.Xue.Bao.* 1992;27(5):397-400. [View abstract](#). **55441**
- Chen, K. M., Ge, B. F., Ma, H. P., and Zheng, R. L. The serum of rats administered flavonoid extract from *Epimedium sagittatum* but not the extract itself enhances the development of rat calvarial osteoblast-like cells in vitro. *Pharmazie* 2004;59(1):61-64. [View abstract](#).

**55442**

Sun, Y., Fung, K. P., Leung, P. C., Shi, D., and Shaw, P. C. Characterization of medicinal Epimedium species by 5S rRNA gene spacer sequencing. *Planta Med* 2004;70(3):287-288. [View abstract](#)

**55443**

Ma, A., Qi, S., Xu, D., Zhang, X., Daloze, P., and Chen, H. Baohuoside-1, a novel immunosuppressive molecule, inhibits lymphocyte activation in vitro and in vivo. *Transplantation* 9-27-2004;78(6):831-838. [View abstract](#)

**55444**

Wang, Z. Q. and Lou, Y. J. Proliferation-stimulating effects of icaritin and desmethylcaritin in MCF-7 cells. *Eur.J Pharmacol.* 11-19-2004;504(3):147-153. [View abstract](#)

**55445**

Yin, X. X., Chen, Z. Q., Dang, G. T., Ma, Q. J., and Liu, Z. J. [Effects of Epimedium pubescens icariine on proliferation and differentiation of human osteoblasts]. *Zhongguo Zhong.Yao Za Zhi.* 2005;30(4):289-291. [View abstract](#)

**55446**

Yap, S. P., Shen, P., Butler, M. S., Gong, Y., Loy, C. J., and Yong, E. L. New estrogenic prenylflavone from Epimedium brevicornum inhibits the growth of breast cancer cells. *Planta Med* 2005;71(2):114-119. [View abstract](#)

**55447**

Wang, Y. K. and Huang, Z. Q. Protective effects of icariin on human umbilical vein endothelial cell injury induced by H<sub>2</sub>O<sub>2</sub> in vitro. *Pharmacol.Res* 2005;52(2):174-182. [View abstract](#)

**55448**

Liu, T. Z., Chen, C. Y., Yiin, S. J., Chen, C. H., Cheng, J. T., Shih, M. K., Wang, Y. S., and Chern, C. L. Molecular mechanism of cell cycle blockage of hepatoma SK-Hep-1 cells by Epimedin C through suppression of mitogen-activated protein kinase activation and increased expression of CDK inhibitors p21(Cip1) and p27(Kip1). *Food Chem Toxicol.* 2006;44(2):227-235. [View abstract](#)

**55449**

Wang, T., Zhang, J. C., Chen, Y., Huang, F., Yang, M. S., and Xiao, P. G. [Comparison of antioxidative and antitumor activities of six flavonoids from Epimedium koreanum]. *Zhongguo Zhong.Yao Za Zhi.* 2007;32(8):715-718. [View abstract](#)

**55450**

Zhao, L., Lan, L. G., Min, X. L., Lu, A. H., Zhu, L. Q., He, X. H., and He, L. J. [Integrated treatment of traditional Chinese medicine and western medicine for early- and intermediate-stage diabetic nephropathy]. *Nan.Fang Yi.Ke.Da.Xue.Xue.Bao.* 2007;27(7):1052-1055. [View abstract](#)

**55451**

Yong, E. L., Wong, S. P., Shen, P., Gong, Y. H., Li, J., and Hong, Y. Standardization and evaluation of botanical mixtures: lessons from a traditional Chinese herb, Epimedium, with oestrogenic properties. *Novartis.Found.Symp.* 2007;282:173-188. [View abstract](#)

**55452**

Yan, F. F., Liu, Y., Liu, Y. F., and Zhao, Y. X. Herba Epimedii water extract elevates estrogen level and improves lipid metabolism in postmenopausal women. *Phytother.Res.* 2008;22(9):1224-1228. [View abstract](#)

**55453**

Wei, S. Y., Zhang, P. X., Yang, D. M., Zhang, H. B., and Jiang, B. G. [Traditional Chinese medicine and formulas of improving peripheral nerve regeneration]. *Zhongguo Zhong.Yao Za Zhi.* 2008;33(17):2069-2072. [View abstract](#)

**55454**

Li, J., Lee, L., Gong, Y., Shen, P., Wong, S. P., Wise, S. D., and Yong, E. L. Bioassays for estrogenic activity: development and validation of estrogen receptor (ERalpha/ERbeta) and breast cancer proliferation bioassays to measure serum estrogenic activity in clinical studies. *Assay.Drug Dev.Technol.* 2009;7(1):80-89. [View abstract](#)

**55455**

Iinuma, M., Tanaka, T., Sakakibara, N., Mizuno, M., Matsuda, H., Shiromoto, H., and Kubo, M. [Phagocytic activity of leaves of Epimedium species on mouse reticuloendothelial system]. *Yakugaku Zasshi* 1990;110(3):179-185. [View abstract](#)

**55456**

Chen, M. D., Kuang, A. K., and Chen, J. L. [Influence of yang-restoring herb medicines upon metabolism of thyroid hormone in normal rats and a drug administration schedule]. *Zhong.Xi.Yi.Jie.He.Za Zhi.* 1989;9(2):93-5, 70. [View abstract](#).

**55457**

Liao, H. J., Chen, X. M., and Li, W. G. [Effect of Epimedium sagittatum on quality of life and cellular immunity in patients of hemodialysis maintenance]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1995;15(4):202-204. [View abstract](#).

**55458**

Li, W. K., Xiao, P. G., Tu, G. Z., Ma, L. B., and Zhang, R. Y. Flavonol glycosides from Epimedium koreanum. *Phytochemistry* 1995;38(1):263-265. [View abstract](#).

**55459**

Chen, X., Zhou, M., and Wang, J. [Effect of epimedium sagittatum on soluble IL-2 receptor and IL-6 levels in patients undergoing hemodialysis]. *Zhonghua Nei Ke.Za Zhi.* 1995;34(2):102-104. [View abstract](#).

**55460**

Dong, X. P., Xiao, C. H., Zhang, R., and Li, W. [Chemical studies of Epimedium acuminatum Franch]. *Zhongguo Zhong.Yao Za Zhi.* 1994;19(10):614-5, 639. [View abstract](#).

**55461**

Cheng, Q. L., Chen, X. M., and Shi, S. Z. [Effects of Epimedium sagittatum on immunopathology and extracellular matrices in rats with chronic renal insufficiency]. *Zhonghua Nei Ke.Za Zhi.* 1994;33(2):83-86. [View abstract](#).

**55462**

Li, S. Y., Ping, G., Geng, L., Seow, W. K., and Thong, Y. H. Immunopharmacology and toxicology of the plant flavonoid baohuoside-1 in mice. *Int J Immunopharmacol.* 1994;16(3):227-231. [View abstract](#).

**55463**

Chen, C. C., Huang, Y. L., Sun, C. M., and Shen, C. C. New prenylflavones from the leaves of Epimedium sagittatum. *J Nat.Prod.* 1996;59(4):412-414. [View abstract](#).

**55464**

Li, W. K., Pan, J. Q., Lu, M. J., Xiao, P. G., and Zhang, R. Y. Anhydroicarinin 3-O-rhamnosyl(1-->2)rhamnoside from epimedium koreanum and a reappraisal of other rhamnosyl(1-->2, 1-->3 and 1-->4)rhamnoside structures. *Phytochemistry* 1996;42(1):213-216. [View abstract](#).

**55465**

Lee, M. K., Choi, Y. J., Sung, S. H., Shin, D. I., Kim, J. W., and Kim, Y. C. Antihepatotoxic activity of icariin, a major constituent of Epimedium koreanum. *Planta Med* 1995;61(6):523-526. [View abstract](#).

**55466**

Li, W. K., Zhang, R. Y., and Xiao, P. G. Flavonoids from Epimedium wanshanense. *Phytochemistry* 1996;43(2):527-530. [View abstract](#).

**55467**

Guo, B., Yu, J., and Xiao, P. [Chemical constituents from the whole plant of Epimedium fargesii Franch]. *Zhongguo Zhong.Yao Za Zhi.* 1996;21(6):353-5, 383. [View abstract](#).

**55468**

Gao, B., Yu, J., and Xiao, P. [Chemical constituents from the aerial part of Epimedium brevicornum Maxim.]. *Zhongguo Zhong.Yao Za Zhi.* 1996;21(5):290-2, 319. [View abstract](#).

**55469**

Li, W., Guo, B., Xiao, P., Pan, J., Lu, M., and Zhang, R. [Chemical constituents of Epimedium wanshanense S. Z. He et Guo]. *Zhongguo Zhong.Yao Za Zhi.* 1996;21(10):614-6, 640. [View abstract](#).

**55470**

Guo, B. and Xiao, P. [Determination of flavonoids in different parts of five epimedium plants]. *Zhongguo Zhong.Yao Za Zhi.* 1996;21(9):523-5, 574. [View abstract](#).

**55471**

Chen, C., Sha, M., Yang, S., and Zhang, Z. [Quantitative study of magnoflorine in Epimedium koreanum Nakai.]. *Zhongguo Zhong.Yao Za Zhi.* 1996;21(11):681-2, 704. [View abstract](#).

**55472**

Wu H, Lu Y Du S Chen W Wang Y. [Comparative study on absorption kinetics in intestines of rats of epimedii folium of Xianlinggubao capsules prepared by different processes]. [Article in Chinese]. Zhongguo Zhong Yao Za Zhi. 2011;36(19):2648-2652.

**55473**

Zhao YL, Song HR Fei JX Liang Y Zhang BH Liu QP Wang J Hu P. The effects of Chinese yam-epimedium mixture on respiratory function and quality of life in patients with chronic obstructive pulmonary disease. J Tradit Chin Med. 2012;32(2):203-207.