

References

Ginkgo

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op
Phytother, 1997. **1**
- Olson RE. Osteoporosis and vitamin K intake. *Am J Clin Nutr* 2000;71:1031-2. [View abstract](#). **55**
- Meydani M. Effect of functional food ingredients: vitamin E modulation of cardiovascular diseases
and immune status in the elderly. *Am J Clin Nutr* 2000;71:1665S-8S. [View abstract](#). **97**
- Ashton AK, Ahrens K, Gupta S, Masand PS. Antidepressant-induced sexual dysfunction and
Ginkgo biloba. *Am J Psychiatry* 2000;157:836-7. [View abstract](#). **207**
- Davydov L, Stirling AL. Stevens-Johnson syndrome with Ginkgo biloba. *J Herb Pharmacother*
2001;1:65-9. **208**
- Ginkgo biloba for SSRI-induced sexual dysfunction. *Pharmacist's Letter / Prescriber's Letter*
1997;13(9):130916. **212**
- Paick J, Lee J. An experimental study of the effect of ginkgo biloba extract on the human and
rabbit corpus cavernosum tissue. *J Urol* 1996;156:1876-80. [View abstract](#). **213**
- Drew S, Davies E. Effectiveness of Ginkgo biloba in treating tinnitus: double blind, placebo
controlled trial. *BMJ* 2001;322:73. [View abstract](#). **221**
- Benjamin J, Muir T, Briggs K, Pentland B. A case of cerebral haemorrhage-can Ginkgo biloba be
implicated? *Postgrad Med J* 2001;77:112-3. [View abstract](#). **244**
- Dupuis C. Poison ivy. *Pharmacy Practice* 1995;11:51-2,54-5. **380**
- Matthews, MK. Association of Ginkgo biloba with intracerebral hemorrhage. *Neurology*
1998;50:1934. **576**
- Rowin J, Lewis SL. Spontaneous bilateral subdural hematomas with chronic Ginkgo biloba
ingestion. *Neurology* 1996;46:1775-6. [View abstract](#). **578**
- Rosenblatt M, Mindel T. Spontaneous hyphema associated with ingestion of Ginkgo biloba
extract. *N Engl J Med* 1997;336:1108. [View abstract](#). **579**
- Fessenden JM, Wittenborn W, Clarke L. Ginkgo biloba: a case report of herbal medicine and
bleeding postoperatively from a laparoscopic cholecystectomy. *Am Surg* 2001;67:33-5. [View
abstract](#). **887**
- Vorberg G. Ginkgo biloba extract (GBE): A long-term study of chronic cerebral insufficiency in
geriatric patients. *Clin Trials J* 1985;22:149-57. **910**
- Gurley BJ, Gardner SF, Hubbard MA. Clinical assessment of potential cytochrome P450-
mediated herb-drug interactions. *AAPS Ann Mtg & Expo Indianapolis, IN: 2000; Oct 29 - Nov
2:presentation #3460*. **1303**
- Le Bars PL, Katz MM, Berman N, et al. A placebo-controlled, double-blind, randomized trial of an
extract of Ginkgo biloba for dementia. North American EGb Study Group. *JAMA* 1997;278:1327-
32. [View abstract](#). **1514**
- 1515**

- Oken BS, Storzbach DM, Kaye JA. The efficacy of Ginkgo biloba on cognitive function in Alzheimer disease. *Arch Neurol* 1998;55:1409-15. [View abstract](#). **2660**
- Logani S, Chen MC, Tran T, et al. Actions of Ginkgo Biloba related to potential utility for the treatment of conditions involving cerebral hypoxia. *Life Sci* 2000;67:1389-96. [View abstract](#). **2665**
- Wesnes K, Simmons D, Rook M, Simpson P. A double-blind placebo-controlled trial of Tanakan in the treatment of idiopathic cognitive impairment in the elderly. *Human Psychopharmacol* 1987;2:159-69. **2666**
- Hofferberth B. The efficacy of Egb 761 in patients with senile dementia of the Alzheimer type, A double-blind, placebo-controlled study on different levels of investigation. *Human Psychopharmacol* 1994;9:215-22. **3461**
- Schweizer J, Hautmann C. Comparison of two dosages of Ginkgo biloba extract Egb 761 in patients with peripheral arterial occlusive disease Fontain's stage IIb / a randomised, double-blind, multicentric clinical trial. *Arzneimittelforschung* 1999;49:900-4. [View abstract](#). **3965**
- Cohen AJ, Bartlik B. Ginkgo biloba for antidepressant-induced sexual dysfunction. *J Sex Marital Ther* 1998;24:139-43. [View abstract](#). **3966**
- Balon R. Ginkgo biloba for antidepressant-induced sexual dysfunction? *J Sex Marital Ther* 1999;25:1-2. [View abstract](#). **3967**
- Ellison JM, DeLuca P. Fluoxetine-induced genital anesthesia relieved by Ginkgo biloba extract. *J Clin Psychiatry* 1998;59:199-200. [View abstract](#). **3969**
- Levine SB. Caution recommended. *J Sex Marital Ther* 1999;25:2-5. [View abstract](#). **4239**
- Ondrizek RR, Chan PJ, Patton WC, King A. Inhibition of human sperm motility by specific herbs used in alternative medicine. *J Assist Reprod Genet* 1999;16:87-91. [View abstract](#). **4240**
- Ondrizek RR, Chan PJ, Patton WC, King A. An alternative medicine study of herbal effects on the penetration of zona-free hamster oocytes and the integrity of sperm deoxyribonucleic acid. *Fertil Steril* 1999;71:517-22. [View abstract](#). **5011**
- Lininger S. *The Natural Pharmacy*. Prima Health. Rocklin, CA: 1998. **5714**
- Siegers CP. Cytotoxicity of alkylphenols from Ginkgo biloba. *Phytomedicine* 1999;6:281-3. [View abstract](#). **5715**
- Ranchon I, Gorrard JM, Cluzel J, et al. Functional protection of photoreceptors from light-induced damage by dimethylurea and Ginkgo biloba extract. *Invest Ophthalmol Vis Sci* 1999;40:1191-9. [View abstract](#). **5716**
- Gardiner P, Wornham W. Recent review of complementary and alternative medicine used by adolescents. *Curr Opin Pediatr* 2000;12:298-302. [View abstract](#). **5717**
- Brautigam MR, Blommaert FA, Verleye G, et al. Treatment of age-related memory complaints with Ginkgo biloba extract: a randomized double blind placebo-controlled study. *Phytomedicine* 1998;5:425-34. [View abstract](#). **5718**
- Mix JA, Crews WD Jr. An examination of the efficacy of Ginkgo biloba extract EGb761 on the neuropsychologic functioning of cognitively intact older adults. *J Altern Complement Med* 2000;6:219-29. [View abstract](#). **5719**

- Kudolo GB. The effect of 3-month ingestion of Ginkgo biloba extract on pancreatic beta-cell function in response to glucose loading in normal glucose tolerant individuals. *J Clin Pharmacol* 2000;40:647-54. [View abstract](#). **5720**
- van Dongen MC, van Rossum E, Kessels AG, et al. The efficacy of ginkgo for elderly people with dementia and age-associated memory impairment: new results of a randomized clinical trial. *J Am Geriatr Soc* 2000;48:1183-94. [View abstract](#). **5721**
- Diamond BJ, Shiflett SC, Reiwel N, et al. Ginkgo biloba extract: mechanisms and clinical indications. *Arch Phys Med Rehabil* 2000;81:668-78. [View abstract](#). **5723**
- Marcilhac A, Dakine N, Bourhim N, et al. Effect of chronic administration of Ginkgo biloba extract or Ginkgolide on the hypothalamic-pituitary-adrenal axis in the rat. *Life Sci* 1998;62:2329-40. [View abstract](#). **5724**
- Amri H, Ogwuegbu SO, Boujrad N, et al. In vivo regulation of peripheral-type benzodiazepine and glucocorticoid synthesis by Ginkgo biloba extract EGb 761 and isolated ginkgolides. *Endocrinology* 1996;137:5707-18. [View abstract](#). **6048**
- Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. *Am J Health Syst Pharm* 2000;57:1221-7. [View abstract](#). **6067**
- Itil TM, Eralp E, Ahmed I, Kunitz A, et al. The pharmacological effects of ginkgo biloba, a plant extract, on the brain of dementia patients in comparison with tacrine. *Psychopharmacol Bull* 1998;34:391-7. [View abstract](#). **6069**
- Mazzanti G, Mascellino MT, Battinelli L, Coluccia D, et al. Antimicrobial investigation of semipurified fractions of Ginkgo biloba leaves. *J Ethnopharmacol* 2000;71:83-8. [View abstract](#). **6175**
- Lanthonny P, Cosson JP. [The course of color vision in early diabetic retinopathy treated with ginkgo biloba extract. A preliminary, double-blind versus placebo study]. *J Fr Ophtalmol* 1988;11:671-4. [View abstract](#). **6211**
- Pittler MH, Ernst E. Ginkgo biloba extract for the treatment of intermittent claudication: a meta-analysis of randomized trials. *Am J Med* 2000;108:276-81. [View abstract](#). **6212**
- Li AL, Shi YD, Landsmann B, et al. Hemorheology and walking of peripheral arterial occlusive diseases patients during treatment with Ginkgo biloba extract. *Chung Kuo Yao Li Hsueh Pao* 1998;19:417-21. [View abstract](#). **6213**
- Peters H, Kieser M, Holscher U. Demonstration of the efficacy of ginkgo biloba special extract EGb 761 on intermittent claudication - a placebo-controlled, double-blind multicenter trial. *Vasa* 1998;27:106-10. [View abstract](#). **6214**
- Rigney U, Kimber S, Hindmarch I. The effects of acute doses of standardized Ginkgo biloba extract on memory and psychomotor performance in volunteers. *Phytother Res* 1999;13:408-15. [View abstract](#). **6215**
- Subhan Z, Hindmarch I. The psychopharmacological effects of Ginkgo biloba extract in normal healthy volunteers. *Int J Clin Pharmacol Res* 1984;4:89-93. [View abstract](#). **6216**
- Rai GS, Shovlin C, Wesnes KA. A double-blind, placebo-controlled study of Ginkgo biloba extract ('tanakan') in elderly outpatients with mild to moderate memory impairment. *Curr Med Res Opin* 1991;12:350-5. [View abstract](#). **6218**
- Holgers KM, Axelsson A, Pringle I. Ginkgo biloba extract for the treatment of tinnitus. *Audiol* 1994;33:85-92. [View abstract](#).

- Meyer B. [Multicenter, randomized, double-blind drug vs. placebo study of the treatment of tinnitus with Ginkgo biloba extract]. *Presse Med* 1986;15:1562-4. [View abstract](#). **6219**
- Cesarani A, Meloni F, Alpini D, et al. Ginkgo biloba (EGb 761) in the treatment of equilibrium disorders. *Adv Ther* 1998;15:291-304. [View abstract](#). **6220**
- Haguenauer JP, Cantenot F, Koskas H, Pierart H. [Treatment of equilibrium disorders with Ginkgo biloba extract. A multicenter, double-blind drug vs. placebo study]. *Presse Med* 1986;15:1569-72. [View abstract](#). **6221**
- Hopfenmuller W. [Evidence for a therapeutic effect of Ginkgo biloba special extract. Meta-analysis of 11 clinical studies in patients with cerebrovascular insufficiency in old age]. *Arzneimittelforschung* 1994;44:1005-13. [View abstract](#). **6222**
- Kleijnen J, Knipschild P. Ginkgo biloba for cerebral insufficiency. *Br J Clin Pharmacol* 1992;34:352-8. [View abstract](#). **6223**
- Wettstein A. Cholinesterase inhibitors and Ginkgo extracts- are they comparable in the treatment of dementia? Comparison of published, placebo-controlled efficacy studies of at least six months duration (abstract). *Phytomedicine* 2000;6:393-401. [View abstract](#). **6224**
- Kanowski S, Herrmann WM, Stephan K, et al. Proof of efficacy of the ginkgo biloba special extract (EGb 761) in outpatients suffering from mild to moderate primary degenerative dementia of the Alzheimer type or multi-infarct dementia. *Pharmacopsychiatry* 1996;29:47-56. [View abstract](#). **6225**
- National Institutes of Health. Clinical trials. Available at: www.clinicaltrials.gov/ct/gui/c/r (Accessed 15 June 2000). **6226**
- Lebuisson DA, Leroy L, Rigal G. [Treatment of senile macular degeneration with Ginkgo biloba extract. A preliminary double-blind drug vs. placebo study]. (Abstract). *Presse Med* 1986;15:1556-8. [View abstract](#). **6227**
- Evans JR. Ginkgo biloba extract for age-related macular degeneration. *Cochrane Database Syst Rev* 2000;(2):CD001775. [View abstract](#). **6228**
- Tamborini A, Taurelle R. [Value of standardized Ginkgo biloba extract (EGb 761) in the management of congestive symptoms of premenstrual syndrome]. *Rev Fr Gynecol Obstet* 1993;88:447-57. [View abstract](#). **6229**
- Roncin JP, Schwartz F, D'Arbigny P. Ginkgo biloba (EGb 761) in control of acute mountain sickness and vascular reactivity to cold exposure. *Aviat Space Environ Med* 1996;67:445-52. [View abstract](#). **6230**
- Fowler JS, Wang GJ, Volkow ND et al. Evidence that ginkgo biloba extract does not inhibit MAO A and B in living human brain. *Life Sci* 2000;66:141-6. [View abstract](#). **6231**
- Porsolt RD, Roux S, Drieu K. Evaluation of a ginkgo biloba extract (EGb 761) in functional tests for monoamine oxidase inhibition. *Arzneimittelforschung* 2000;50:232-5. [View abstract](#). **6232**
- White HL, Scates PW, Cooper BR. Extracts of Ginkgo biloba leaves inhibit monoamine oxidase. *Life Sci* 1996;58:1315-21. [View abstract](#). **6233**
- Galluzzi S, Zanetti O, Binetti G, et al. Coma in a patient with Alzheimer's disease taking low dose trazodone and Ginkgo biloba. *J Neurol Neurosurg Psychiatry* 2000;68:679-80. [View abstract](#). **6423**
- 6450**

- Budzinski JW, Foster BC, Vandenhoeck S, Arnason JT. An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000;7:273-82. [View abstract](#). **6490**
- Le Bars PL, Kieser M, Itil KZ. A 26-week analysis of a double-blind, placebo-controlled trial of the Ginkgo biloba extract EGb 761 in dementia. *Dement Geriatr Cogn Disord* 2000;11:230-7. [View abstract](#). **6491**
- Forstl H. Clinical issues in current drug therapy for dementia. *Alzheimer Dis Assoc Disord* 2000;14:S103-S108. [View abstract](#). **6492**
- Campos-Toimil M, Lugnier C, Droy-Lefaix M, et al. Inhibition of type 4 phosphodiesterase by rolipram and Ginkgo biloba extract (EGb 761) decreases agonist-induced rises in internal calcium in human endothelial cells. *Arterioscler Thromb Vasc Biol* 2000;20:e34-e40. [View abstract](#). **6494**
- Bastianetto S, Ramassamy C, Dore S, et al. The ginkgo biloba extract (EGb 761) protects hippocampal neurons against cell death induced by beta-amyloid. *Eur J Neurosci* 2000;12:1882-90. [View abstract](#). **7030**
- Gregory PJ. Seizure associated with Ginkgo biloba? *Ann Intern Med* 2001;134:344. [View abstract](#). **7090**
- Granger AS. Ginkgo biloba precipitating epileptic seizures. *Age Ageing* 2001;30:523-5. [View abstract](#). **8231**
- Kajiyama Y, Fujii K, Takeuchi H, Manabe Y. Ginkgo seed poisoning. *Pediatrics* 2002;109:325-7. [View abstract](#). **8232**
- Miwa H, Iijima M, Tanaka S, Mizuno Y. Generalized convulsions after consuming a large amount of ginkgo nuts. *Epilepsia* 2001;42:280-1. [View abstract](#). **8233**
- Lingaerde O, Foreland AR, Magnusson A. Can winter depression be prevented by Ginkgo biloba extract? A placebo-controlled trial. *Acta Psychiatr Scand* 1999;100:62-6. [View abstract](#). **8235**
- Lyon MR, Cline JC, Totosy de Zepetnek J, et al. Effect of the herbal extract combination Panax quinquefolium and Ginkgo biloba on attention-deficit hyperactivity disorder: a pilot study. *J Psychiatry Neurosci* 2001;26:221-8. [View abstract](#). **8236**
- Kennedy DO, Scholey AB, Wesnes KA. The dose-dependent cognitive effects of acute administration of Ginkgo biloba to healthy young volunteers. *Psychopharmacology (Berl)* 2000;151:416-23. [View abstract](#). **8541**
- Petty HR, Fernando M, Kindzelskii AL, et al. Identification of colchicine in placental blood from patients using herbal medicines. *Chem Res Toxicol* 2001;14:1254-8. [View abstract](#). **8542**
- Li W, Fitzloff JF, Farnsworth NR, Fong HH. Evaluation of commercial Ginkgo biloba dietary supplements for the presence of colchicine by high-performance liquid chromatography. *Phytomedicine* 2002;9:442-6. [View abstract](#). **8543**
- Burschka MA, Hassan HA, Reineke T, et al. Effect of treatment with Ginkgo biloba extract EGb 761 (oral) on unilateral idiopathic sudden hearing loss in a prospective randomized double-blind study of 106 outpatients. *Eur Arch Otorhinolaryngol* 2001;258:213-9. [View abstract](#). **8544**
- Polich J, Gloria R. Cognitive effects of a Ginkgo biloba/vinpocetine compound in normal adults: systematic assessment of perception, attention and memory. *Hum Psychopharmacol* 2001;16:409-16. [View abstract](#).

- 8581**
- Miller LG, Freeman B. Possible subdural hematoma associated with Ginkgo biloba. *J Herb Pharmacother* 2002;2:57-63. [View abstract.](#)
- 8582**
- Spinella M, Eaton LA. Hypomania induced by herbal and pharmaceutical psychotropic medicines following mild traumatic brain injury. *Brain Inj* 2002;16:359-67. [View abstract.](#)
- 8583**
- Kudolo G. Ingestion of Ginkgo biloba extract significantly inhibits collagen-induced platelet aggregation and thromboxane A2 synthesis. *Alt Ther* 2001;7:105.
- 8584**
- Kressmann S, Muller WE, Blume HH. Pharmaceutical quality of different Ginkgo biloba brands. *J Pharm Pharmacol* 2002;54:661-9. [View abstract.](#)
- 8585**
- Stough C, Clarke J, Lloyd J, Nathan PJ. Neuropsychological changes after 30-day Ginkgo biloba administration in healthy participants. *Int J Neuropsychopharmacol* 2001;4:131-4. [View abstract.](#)
- 8586**
- Solomon PR, Adams F, Silver A, et al. Ginkgo for memory enhancement: a randomized controlled trial. *JAMA* 2002;288:835-40. [View abstract.](#)
- 8587**
- Nathan PJ, Ricketts E, Wesnes K, et al. The acute nootropic effects of Ginkgo biloba in healthy older human subjects: a preliminary investigation. *Hum Psychopharmacol* 2002;17:45-9. [View abstract.](#)
- 8588**
- Mix JA, Crews WD. A double-blind, placebo-controlled, randomized trial of Ginkgo biloba extract EGb 761 in a sample of cognitively intact older adults: neuropsychological findings. *Hum Psychopharmacol* 2002;17:267-277. [View abstract.](#)
- 8591**
- Scholey AB, Kennedy DO. Acute, dose-dependent cognitive effects of Ginkgo biloba, Panax ginseng and their combination in healthy young volunteers: differential interactions with cognitive demand. *Hum Psychopharmacol* 2002;17:35-44. [View abstract.](#)
- 9759**
- Wesnes KA, Ward T, McGinty A, Petrini O. The memory enhancing effects of a Ginkgo biloba/Panax ginseng combination in healthy middle-aged volunteers. *Psychopharmacology (Berl)* 2000;152:353-61. [View abstract.](#)
- 9760**
- Kudolo GB, Dorsey S, Blodgett J. Effect of the ingestion of Ginkgo biloba extract on platelet aggregation and urinary prostanoid excretion in healthy and Type 2 diabetic subjects. *Thromb Res* 2002;108:151-60. [View abstract.](#)
- 9871**
- Morgenstern C, Biermann E. The efficacy of Ginkgo special extract EGb 761 in patients with tinnitus. *Int J Clin Pharmacol Ther* 2002;40:188-197. [View abstract.](#)
- 9872**
- Hauns B, Haring B, Kohler S, et al. Phase II study of combined 5-fluorouracil/ Ginkgo biloba extract (GBE 761 ONC) therapy in 5-fluorouracil pretreated patients with advanced colorectal cancer. *Phytother Res* 2001;15:34-38. [View abstract.](#)
- 10378**
- Quaranta L, Bettelli S, Uva MG, et al. Effect of Ginkgo biloba extract on preexisting visual field damage in normal tension glaucoma. *Ophthalmology* 2003;110:359-62. [View abstract.](#)
- 10450**
- Fong KC, Kinnear PE. Retrobulbar haemorrhage associated with chronic Ginkgo biloba ingestion. *Postgrad Med J* 2003;79:531-2. [View abstract.](#)
- 10847**
- Gurley BJ, Gardner SF, Hubbard MA, et al. Cytochrome P450 phenotypic ratios for predicting herb-drug interactions in humans. *Clin Pharmacol Ther* 2002;72:276-87. [View abstract.](#)
- 10893**

- Kang BJ, Lee SJ, Kim MD, Cho MJ. A placebo-controlled, double-blind trial of Ginkgo biloba for antidepressant-induced sexual dysfunction. *Hum Psychopharmacol* 2002;17:279-84. [View abstract](#). **11026**
- Yale SH, Glurich I. Analysis of the inhibitory potential of Ginkgo biloba, Echinacea purpurea, and Serenoa repens on the metabolic activity of cytochrome P450 3A4, 2D6, and 2C9. *J Altern Complement Med* 2005;11:433-9. [View abstract](#). **11027**
- Yasui-Furukori N, Furukori H, Kaneda A, et al. The effects of Ginkgo biloba extracts on the pharmacokinetics and pharmacodynamics of donepezil. *J Clin Pharmacol* 2004;44:538-42. [View abstract](#). **11028**
- von Moltke LL, Weemhoff JL, Bedir E, et al. Inhibition of human cytochromes P450 by components of Ginkgo biloba. *J Pharm Pharmacol* 2004;56:1039-44. [View abstract](#). **11029**
- Markowitz JS, Donovan JL, Lindsay DeVane C, et al. Multiple-dose administration of Ginkgo biloba did not affect cytochrome P-450 2D6 or 3A4 activity in normal volunteers. *J Clin Psychopharmacol* 2003;23:576-81. [View abstract](#). **11296**
- Arenz A, Kelin M, Flehe K, et al. Occurrence of neurotoxic 4'-O-methylpyridoxine in ginkgo biloba leaves, ginkgo medications and Japanese ginkgo food. *Planta Med* 1996;62:548-51. [View abstract](#). **11363**
- Muir AH, Robb R, McLaren M, et al. The use of Ginkgo biloba in Raynaud's disease: a double-blind placebo-controlled trial. *Vasc Med* 2002;7:265-7. [View abstract](#). **11701**
- Wang H, Ng TB. Ginkbilobin, a novel antifungal protein from Ginkgo biloba seeds with sequence similarity to embryo-abundant protein. *Biochem Biophys Res Commun* 2000;279:407-11. [View abstract](#). **11702**
- Yang X, Chen J, Qian Z, Guo T. [Study on the antibacterial activity of ginkgolic acids]. *Zhong Yao Cai* 2002;25:651-3. [View abstract](#). **11766**
- Gertsch JH, Basnyat B, Johnson EW, et al. Randomised, double blind, placebo controlled comparison of ginkgo biloba and acetazolamide for prevention of acute mountain sickness among Himalayan trekkers: the prevention of high altitude illness trial (PHAIT). *BMJ* 2004;328:797. [View abstract](#). **11797**
- Fies P, Dienel A. [Ginkgo extract in impaired vision--treatment with special extract EGb 761 of impaired vision due to dry senile macular degeneration]. *Wien Med Wochenschr* 2002;152:423-6. [View abstract](#). **11905**
- Engelsen J, Nielsen JD, Winther K. Effect of coenzyme Q10 and Ginkgo biloba on warfarin dosage in stable, long-term warfarin treated outpatients. A randomised, double blind, placebo-crossover trial. *Thromb Haemost* 2002;87:1075-6. [View abstract](#). **11981**
- Kurz A, Van Baelen B. Ginkgo biloba compared with cholinesterase inhibitors in the treatment of dementia: a review based on meta-analyses by the Cochrane collaboration. *Dement Geriatr Cogn Disord* 2004;18:217-26. [View abstract](#). **12061**
- Gaudineau C, Beckerman R, Welbourn S, Auclair K. Inhibition of human P450 enzymes by multiple constituents of the Ginkgo biloba extract. *Biochem Biophys Res Comm* 2004;318:1072-8. [View abstract](#). **12114**
- Kohler S, Funk P, Kieser M. Influence of a 7-day treatment with Ginkgo biloba special extract EGb 761 on bleeding time and coagulation: a randomized, placebo-controlled, double-blind study in healthy volunteers. *Blood Coagul Fibrinolysis* 2004;15:303-9. [View abstract](#).

- 12183**
- Shannon M, McElroy EA, Liebelt EL. Toxic seizures in children: Case scenarios and treatment strategies. *Pediatr Emerg Care* 2003;19:206-10. [View abstract.](#)
- 12881**
- Jiang X, Williams KM, Liauw WS, et al. Effect of ginkgo and ginger on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2005;59:425-32. [View abstract.](#)
- 13002**
- Destro MW, Speranzini MB, Cavalheiro Filho C, et al. Bilateral haematoma after rhytidoplasty and blepharoplasty following chronic use of Ginkgo biloba. *Br J Plast Surg* 2005;58:100-1. [View abstract.](#)
- 13108**
- Yin OQ, Tomlinson B, Waye MM, et al. Pharmacogenetics and herb-drug interactions: experience with Ginkgo biloba and omeprazole. *Pharmacogenetics* 2004;14:841-50. [View abstract.](#)
- 13135**
- Bent S, Goldberg H, Padula A, Avins AL. Spontaneous bleeding associated with Ginkgo biloba: a case report and systematic review of the literature. *J Gen Intern Med* 2005;20:657-61. [View abstract.](#)
- 13179**
- Meisel C, Johne A, Roots I. Fatal intracerebral mass bleeding associated with Ginkgo biloba and ibuprofen. *Atherosclerosis* 2003;167:367. [View abstract.](#)
- 13194**
- Bebbington A, Kulkarni R, Roberts P. Ginkgo biloba: Persistent bleeding after total hip arthroplasty caused by herbal self-medication. *J Arthroplasty* 2005;20:125-6. [View abstract.](#)
- 13423**
- Buss K, Drewke C, Lohmann S, et al. Properties and interaction of heterologously expressed glutamate decarboxylase isoenzymes GAD(65kDa) and GAD(67kDa) from human brain with ginkgotoxin and its 5'-phosphate. *J Med Chem* 2001;44:3166-74. [View abstract.](#)
- 14281**
- Kupiec T, Raj V. Fatal seizures due to potential herb-drug interactions with Ginkgo biloba. *J Anal Toxicol* 2005;7:55-8. [View abstract.](#)
- 14315**
- Hauser D, Gayowski T, Singh N. Bleeding complications precipitated by unrecognized Ginkgo biloba use after liver transplantation. *Transpl Int* 2002;15:377-9. [View abstract.](#)
- 14337**
- Mohutsky MA, Anderson GD, Miller JW, Elmer GW. Ginkgo biloba: evaluation of CYP2C9 drug interactions in vitro and in vivo. *Am J Ther* 2006;13:24-31. [View abstract.](#)
- 14350**
- Kudolo GB, Wang W, Elrod R, et al. Short-term ingestion of Ginkgo biloba extract does not alter whole body insulin sensitivity in non-diabetic, pre-diabetic or type 2 diabetic subjects--a randomized double-blind placebo-controlled crossover study. *Clin Nutr* 2006;25:123-34. [View abstract.](#)
- 14383**
- Wheatley D. Triple-blind, placebo-controlled trial of Ginkgo biloba in sexual dysfunction due to antidepressant drugs. *Hum Psychopharmacol* 2004;19:545-8. [View abstract.](#)
- 14435**
- Zeng X, Liu M, Yang Y, et al. Ginkgo biloba for acute ischaemic stroke. *Cochrane Database Syst Rev* 2005;(4):CD003691. [View abstract.](#)
- 14448**
- Kudolo GB. The effect of 3-month ingestion of Ginkgo biloba extract (EGb 761) on pancreatic beta-cell function in response to glucose loading in individuals with non-insulin-dependent diabetes mellitus. *J Clin Pharmacol* 2001;41:600-11. [View abstract.](#)
- 14449**
- Pennisi RS. Acute generalised exanthematous pustulosis induced by the herbal remedy Ginkgo biloba. *Med J Aust* 2006;184:583-4. [View abstract.](#)
- 14451**

- Lu WJ, Huang JD, Lai ML. The effects of ergoloid mesylates and ginkgo biloba on the pharmacokinetics of ticlopidine. *J Clin Pharmacol* 2006;46:628-34. [View abstract](#). **14452**
- Chatterjee SS, Doelman CJ, Noldner M, et al. Influence of the Ginkgo extract EGb 761 on rat liver cytochrome P450 and steroid metabolism and excretion in rats and man. *J Pharm Pharmacol* 2005;57:641-50. [View abstract](#). **14453**
- Yagmur E, Piatkowski A, Groger A, et al. Bleeding complication under Ginkgo biloba medication. *Am J Hematol* 2005;79:343-4. [View abstract](#). **14454**
- Kudolo GB, Wang W, Javors M, Blodgett J. The effect of the ingestion of Ginkgo biloba extract (EGb 761) on the pharmacokinetics of metformin in non-diabetic and type 2 diabetic subjects-A double blind placebo-controlled, crossover study. *Clin Nutr* 2006;25:606-16. [View abstract](#). **14455**
- Kudolo GB, Delaney D, Blodgett J. Short-term oral ingestion of Ginkgo biloba extract (EGb 761) reduces malondialdehyde levels in washed platelets of type 2 diabetic subjects. *Diabetes Res Clin Pract* 2005;68:29-38. [View abstract](#). **14456**
- Vale S. Subarachnoid haemorrhage associated with Ginkgo biloba. *Lancet* 1998;352:36. [View abstract](#). **14499**
- Mazza M, Capuano A, Bria P, Mazza S. Ginkgo biloba and donepezil: a comparison in the treatment of Alzheimer's dementia in a randomized placebo-controlled double blind study. *Eur J Neurol* 2006;13:981-5. [View abstract](#). **14806**
- Bush TM, Rayburn KS, Holloway SW, et al. Adverse interactions between herbal and dietary substances and prescription medications: a clinical survey. *Altern Ther Health Med* 2007;13:30-5. [View abstract](#). **14811**
- Aruna D, Naidu MU. Pharmacodynamic interaction studies of Ginkgo biloba with cilostazol and clopidogrel in healthy human subjects. *Br J Clin Pharmacol* 2007;63:333-8. [View abstract](#). **14812**
- Dartigues JF, Carcaillon L, Helmer C, et al. Vasodilators and nootropics as predictors of dementia and mortality in the PAQUID cohort. *J Am Geriatr Soc* 2007;55:395-9. [View abstract](#). **14813**
- Ye B, Aponte M, Dai Y, et al. Ginkgo biloba and ovarian cancer prevention: epidemiological and biological evidence. *Cancer Lett* 2007;251:43-52. [View abstract](#). **15052**
- Dugoua JJ, Mills E, Perri D, Koren G. Safety and efficacy of ginkgo (Ginkgo biloba) during pregnancy and lactation. *Can J Clin Pharmacol* 2006;13:e277-84. [View abstract](#). **15176**
- Jiang X, Blair EY, McLachlan AJ. Investigation of the effects of herbal medicines on warfarin response in healthy subjects: a population pharmacokinetic-pharmacodynamic modeling approach. *J Clin Pharmacol* 2006;46:1370-8. [View abstract](#). **15578**
- Woelk H, Arnoldt KH, Kieser M, Hoerr R. Ginkgo biloba special extract EGb 761 in generalized anxiety disorder and adjustment disorder with anxious mood: a randomized, double-blind, placebo-controlled trial. *J Psychiatr Res* 2007;41:472-80. [View abstract](#). **16634**
- DeKosky ST, Williamson JD, Fitzpatrick AL, et al. Ginkgo biloba for prevention of dementia. *JAMA* 2008;300:2253-62. [View abstract](#). **16635**
- Dodge HH, Zitzelberger T, Oken BS, et al. A randomized placebo-controlled trial of ginkgo biloba for the prevention of cognitive decline. *Neurology* 2008;70(19 Pt 2):1809-17. [View abstract](#). **16636**
- Birks J, Grimley Evans J. Ginkgo biloba for cognitive impairment and dementia. *Cochrane Database Syst Rev* 2007;(2):CD003120. [View abstract](#).

- 16637**
- Schneider LS, DeKosky ST, Farlow MR, et al. A randomized, double-blind, placebo controlled trial of two doses of Ginkgo biloba extract in dementia of the Alzheimer's type. *Curr Alzheimer Res* 2005;2:541-51. [View abstract.](#)
- 16638**
- Gardner CD, Taylor-Piliae RE, Kiazand A, et al. Effect of Ginkgo biloba (EGb 761) on treadmill walking time among adults with peripheral artery disease: a randomized clinical trial. *J Cardiopulm Rehabil Prev* 2008;28:258-65. [View abstract.](#)
- 16640**
- Meston CM, Rellini AH, Telch MJ. Short- and long-term effects of Ginkgo biloba extract on sexual dysfunction in women. *Arch Sex Behav* 2008;37:530-47. [View abstract.](#)
- 16821**
- Wiegman DJ, Brinkman K, Franssen EJ. Interaction of Ginkgo biloba with efavirenz. *AIDS* 2009;23:1184-5. [View abstract.](#)
- 17111**
- Kim BH, Kim KP, Lim KS, et al. Influence of Ginkgo biloba extract on the pharmacodynamic effects and pharmacokinetic properties of ticlopidine: An open-label, randomized, two-period, two-treatment, two-sequence, single-dose crossover study in healthy Korean male volunteers. *Clin Ther* 2010;32:380-90. [View abstract.](#)
- 17112**
- Salehi B, Imani R, Mohammadi MR, et al. Ginkgo biloba for attention-deficit/hyperactivity disorder in children and adolescents: a double blind, randomized controlled trial. *Prog Neuropsychopharmacol Biol Psychiatry* 2010;34:76-80. [View abstract.](#)
- 17179**
- Kellermann AJ, Kloft C. Is there a risk of bleeding associated with standardized ginkgo biloba extract therapy? A systematic review and meta-analysis. *Pharmacotherapy* 2011;31:490-502. [View abstract.](#)
- 17191**
- Ihl R, Tribanek M, Bachinskaya N; GOTADAY Study Group. Efficacy and tolerability of a once daily formulation of Ginkgo biloba extract EGb761 in Alzheimer's disease and vascular dementia: results from a randomised controlled trial. *Pharmacopsychiatry* 2012;45:41-6. [View abstract.](#)
- 17297**
- Fehske CJ, Leuner K, Muller WE. Ginkgo biloba extract (EGb761) influences monoaminergic neurotransmission via inhibition of NE uptake, but not MAO activity after chronic treatment. *Pharmacol Res* 2009;60:68-73. [View abstract.](#)
- 17298**
- Yoshitake T, Yoshitake S, Kehr J. The Ginkgo biloba extract EGb 761 and its main constituent flavonoids and ginkgolides increase extracellular dopamine levels in the rat prefrontal cortex. *Br J Pharmacol* 2010;159:659-68. [View abstract.](#)
- 17402**
- Kuller LH, Ives DG, Fitzpatrick AL, et al. Does Ginkgo biloba reduce the risk of cardiovascular events? *Circ Cardiovasc Qual Outcomes* 2010;3:41-7. [View abstract.](#)
- 17716**
- Lister RE. An open, pilot study to evaluate the potential benefits of coenzyme Q10 combined with Ginkgo biloba extract in fibromyalgia syndrome. *J Int Med Res* 2002;30:195-9. [View abstract.](#)
- 17717**
- Ihl R, Tribanek M, Bachinskaya N. Baseline neuropsychiatric symptoms are effect modifiers in Ginkgo biloba extract (EGb 761) treatment of dementia with neuropsychiatric features. Retrospective data analyses of a randomized controlled trial. *J Neurol Sci* 2010;299:184-7. [View abstract.](#)
- 17718**
- Szczurko O, Shear N, Taddio A, Boon H. Ginkgo biloba for the treatment of vitiligo vulgaris: an open label pilot clinical trial. *BMC Complement Altern Med* 2011;11:21. [View abstract.](#)
- 17719**
- Emerit I, Ogansian N, Sarkisian T, et al. Clastogenic factors in the plasma of Chernobyl accident recovery workers: anticlastogenic effect of Ginkgo biloba extract. *Radiat Res* 1995;144:198-205. [View abstract.](#)

18272

National Toxicology Program. Technical report on the toxicology and carcinogenesis studies of Ginkgo biloba extract in F344/N rats and B6C3F1/N mice. Research Triangle Park, NC. March 2013. NIH publication number 13-5920. Available at: http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/TR578_508.pdf (Accessed 9 May 2013).

24638

Ramassamy, C., Christen, Y., Clostre, F., and Costentin, J. The Ginkgo biloba extract, EGb761, increases synaptosomal uptake of 5- hydroxytryptamine: in-vitro and ex-vivo studies. *J Pharm Pharmacol* 1992;44(11):943-945. [View abstract.](#)

25464

Naccarato M, Yoong D, Gough K. A potential drug-herbal interaction between Ginkgo biloba and efavirenz. *J Int Assoc Physicians AIDS Care (Chic)*. 2012;11(2):98-100. doi: 10.1177/1545109711435364. Epub 2012 Feb 9. [View abstract.](#)

44103

D'Andrea, G., Bussone, G., Allais, G., Aguggia, M., D'Onofrio, F., Maggio, M., Moschiano, F., Saracco, M. G., Terzi, M. G., Petretta, V., and Benedetto, C. Efficacy of Ginkgolide B in the prophylaxis of migraine with aura. *Neurol.Sci* 2009;30 Suppl 1:S121-S124. [View abstract.](#)

44181

Esposito, M. and Carotenuto, M. Ginkgolide B complex efficacy for brief prophylaxis of migraine in school-aged children: an open-label study. *Neurol.Sci* 9-25-2010; [View abstract.](#)

46933

Ito, T. Y., Trant, A. S., and Polan, M. L. A double-blind placebo-controlled study of ArginMax, a nutritional supplement for enhancement of female sexual function. *J Sex Marital Ther* 2001;27(5):541-549. [View abstract.](#)

87699

Hauns, B., Haring, B., Kohler, S., Mross, K., Robben-Bathe, P., and Unger, C. Phase II study with 5-fluorouracil and ginkgo biloba extract (GBE 761 ONC) in patients with pancreatic cancer. *Arzneimittelforschung* 1999;49(12):1030-1034. [View abstract.](#)

87708

Zhang, X. Y., Zhou, D. F., Zhang, P. Y., Wu, G. Y., Su, J. M., and Cao, L. Y. A double-blind, placebo-controlled trial of extract of Ginkgo biloba added to haloperidol in treatment-resistant patients with schizophrenia. *J Clin Psychiatry* 2001;62(11):878-883. [View abstract.](#)

87715

Cockle, S. M., Kimber, S., and Hindmarch, I. The effects of Ginkgo biloba extract (LI 1370) supplementation on activities of daily living in free living older volunteers: a questionnaire survey. *Hum.Psychopharmacol.* 2000;15(4):227-235. [View abstract.](#)

87722

Deng, F. and Zito, S. W. Development and validation of a gas chromatographic-mass spectrometric method for simultaneous identification and quantification of marker compounds including bilobalide, ginkgolides and flavonoids in Ginkgo biloba L. extract and pharmaceutical preparations. *J Chromatogr.A* 1-31-2003;986(1):121-127. [View abstract.](#)

87723

Kampman, K., Majewska, M. D., Tourian, K., Dackis, C., Cornish, J., Poole, S., and O'Brien, C. A pilot trial of piracetam and ginkgo biloba for the treatment of cocaine dependence. *Addict.Behav* 2003;28(3):437-448. [View abstract.](#)

87726

Van Dongen, M., van Rossum, E., Kessels, A., Sielhorst, H., and Knipschild, P. Ginkgo for elderly people with dementia and age-associated memory impairment: a randomized clinical trial. *J Clin Epidemiol.* 2003;56(4):367-376. [View abstract.](#)

87727

Engelsen, J., Nielsen, J. D., and Hansen, K. F. [Effect of Coenzyme Q10 and Ginkgo biloba on warfarin dosage in patients on long-term warfarin treatment. A randomized, double-blind, placebo-controlled cross-over trial]. *Ugeskr.Laeger* 4-28-2003;165(18):1868-1871. [View abstract.](#)

87728

Parsad, D., Pandhi, R., and Juneja, A. Effectiveness of oral Ginkgo biloba in treating limited, slowly spreading vitiligo. *Clin Exp.Dermatol.* 2003;28(3):285-287. [View abstract.](#)

87732

Bal Dit, Sollier C., Caplain, H., and Drouet, L. No alteration in platelet function or coagulation induced by EGb761 in a controlled study. *Clin Lab Haematol.* 2003;25(4):251-253. [View abstract.](#)

87735

Biber, A. Pharmacokinetics of Ginkgo biloba extracts. *Pharmacopsychiatry* 2003;36 Suppl 1:S32-S37. [View abstract.](#)

87739

Brochet, B., Orgogozo, J. M., Guinot, P., Dartigues, J. F., Henry, P., and Loiseau, P. [Pilot study of Ginkgolide B, a PAF-acether specific inhibitor in the treatment of acute outbreaks of multiple sclerosis]. *Rev.Neurol (Paris)* 1992;148(4):299-301.

[View abstract.](#)

87740

Wang, F. M., Yao, T. W., and Zeng, S. Disposition of quercetin and kaempferol in human following an oral administration of Ginkgo Biloba extract tablets. *Eur.J Drug Metab Pharmacokinet.* 2003;28(3):173-177. [View abstract.](#)

87742

Xu, A. H., Chen, H. S., Sun, B. C., Xiang, X. R., Chu, Y. F., Zhai, F., and Jia, L. C. Therapeutic mechanism of ginkgo biloba exocarp polysaccharides on gastric cancer. *World J Gastroenterol.* 2003;9(11):2424-2427. [View abstract.](#)

87748

Nathan, P. J., Tanner, S., Lloyd, J., Harrison, B., Curran, L., Oliver, C., and Stough, C. Effects of a combined extract of Ginkgo biloba and Bacopa monniera on cognitive function in healthy humans. *Hum.Psychopharmacol.* 2004;19(2):91-96.

[View abstract.](#)

87751

Sumboonnanonda, K. and Lertsithichai, P. Clinical study of the Ginkgo biloba--Troloxerutin-Heptaminol Hcl in the treatment of acute hemorrhoidal attacks. *J Med.Assoc.Thai.* 2004;87(2):137-142. [View abstract.](#)

87754

Rejali, D., Sivakumar, A., and Balaji, N. Ginkgo biloba does not benefit patients with tinnitus: a randomized placebo-controlled double-blind trial and meta-analysis of randomized trials. *Clin.Otolaryngol.Allied Sci.* 2004;29(3):226-231.

[View abstract.](#)

87758

Singh, B., Song, H., Liu, X. D., Hardy, M., Liu, G. Z., Vinjamury, S. P., and Martirosian, C. D. Dangshen (*Codonopsis pilosula*) and Bai guo (*Ginkgo biloba*) enhance learning and memory. *Altern Ther Health Med* 2004;10(4):52-56. [View abstract.](#)

87760

Trick, L., Boyle, J., and Hindmarch, I. The effects of Ginkgo biloba extract (LI 1370) supplementation and discontinuation on activities of daily living and mood in free living older volunteers. *Phytother.Res.* 2004;18(7):531-537. [View abstract.](#)

87764

Yoshioka, M., Ohnishi, N., Koishi, T., Obata, Y., Nakagawa, M., Matsumoto, T., Tagagi, K., Takara, K., Ohkuni, T., Yokoyama, T., and Kuroda, K. Studies on interactions between functional foods or dietary supplements and medicines. IV. Effects of ginkgo biloba leaf extract on the pharmacokinetics and pharmacodynamics of nifedipine in healthy volunteers. *Biol.Pharm.Bull.* 2004;27(12):2006-2009. [View abstract.](#)

87765

Yoshioka, M., Ohnishi, N., Sone, N., Egami, S., Takara, K., Yokoyama, T., and Kuroda, K. Studies on interactions between functional foods or dietary supplements and medicines. III.

Effects of ginkgo biloba leaf extract on the pharmacokinetics of nifedipine in rats. *Biol.Pharm.Bull.* 2004;27(12):2042-2045. [View abstract.](#)

87767

Hartley, D. E., Elsabagh, S., and File, S. E. Gincosan (a combination of Ginkgo biloba and Panax ginseng): the effects on mood and cognition of 6 and 12 weeks' treatment in post-menopausal women. *Nutr.Neurosci.* 2004;7(5-6):325-333. [View abstract.](#)

87771

Satoh, H. Comparative Electropharmacological Actions of Some Constituents from Ginkgo biloba Extract in Guinea-pig Ventricular Cardiomyocytes. *Evid.Based.Complement Alternat.Med.* 2004;1(3):277-284. [View abstract.](#)

87772

He, M., Zhang, X. M., and Yuan, H. Q. [Clinical study on treatment of pulmonary interstitial fibrosis with ginkgo extract]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2005;25(3):222-224. [View abstract.](#)

87785

Schennen, A. and Holzl, J. [6-Hydroxykynurenic Acid, the First N-Containing Compound from the Ginkgo biloba Leaf.]. *Planta Med* 1986;52(3):235-236. [View abstract.](#)

87786

Thomas, M., Sheran, J., Smith, N., Fonseca, S., and Lee, A. J. AKL1, a botanical mixture for the treatment of asthma: a randomised, double-blind, placebo-controlled, cross-over study. *BMC.Pulm.Med* 2007;7:4. [View abstract.](#)

87787

Lovera, J., Bagert, B., Smoot, K., Morris, C. D., Frank, R., Bogardus, K., Wild, K., Oken, B., Whitham, R., and Bourdette, D. Ginkgo biloba for the improvement of cognitive performance in multiple sclerosis: a randomized, placebo-controlled trial. *Mult.Scler.* 2007;13(3):376-385. [View abstract.](#)

87788

Kennedy, D. O., Haskell, C. F., Mauri, P. L., and Scholey, A. B. Acute cognitive effects of standardised Ginkgo biloba extract complexed with phosphatidylserine. *Hum.Psychopharmacol.* 2007;22(4):199-210. [View abstract.](#)

87789

Canter, P. H. and Ernst, E. Ginkgo biloba is not a smart drug: an updated systematic review of randomised clinical trials testing the nootropic effects of G. biloba extracts in healthy people. *Hum.Psychopharmacol.* 2007;22(5):265-278. [View abstract.](#)

87790

Donfrancesco, R. and Ferrante, L. Ginkgo biloba in dyslexia: a pilot study. *Phytomedicine* 2007;14(6):367-370. [View abstract.](#)

87794

Scripnikov, A., Khomenko, A., and Napryeyenko, O. Effects of Ginkgo biloba extract EGb 761 on neuropsychiatric symptoms of dementia: findings from a randomised controlled trial. *Wien.Med Wochenschr.* 2007;157(13-14):295-300. [View abstract.](#)

87796

Lin, Y. Y., Chu, S. J., and Tsai, S. H. Association between priapism and concurrent use of risperidone and Ginkgo biloba. *Mayo Clin Proc* 2007;82(10):1289-1290. [View abstract.](#)

87800

Robertson, S. M., Davey, R. T., Voell, J., Formentini, E., Alfaro, R. M., and Penzak, S. R. Effect of Ginkgo biloba extract on lopinavir, midazolam and fexofenadine pharmacokinetics in healthy subjects. *Curr Med Res Opin* 2008;24(2):591-599. [View abstract.](#)

87805

Penzak, S. R., Busse, K. H., Robertson, S. M., Formentini, E., Alfaro, R. M., and Davey, R. T., Jr. Limitations of using a single postdose midazolam concentration to predict CYP3A-mediated drug interactions. *J Clin Pharmacol* 2008;48(6):671-680. [View abstract.](#)

87813

May, B. H., Yang, A. W., Zhang, A. L., Owens, M. D., Bennett, L., Head, R., Cobiac, L., Li, C. G., Hugel, H., Story, D. F., and Xue, C. C. Chinese herbal medicine for Mild Cognitive Impairment and Age Associated Memory Impairment: a review of randomised controlled trials. *Biogerontology.* 2009;10(2):109-123. [View abstract.](#)

- 87818**
- Choi, W. S., Choi, C. J., Kim, K. S., Lee, J. H., Song, C. H., Chung, J. H., Ock, S. M., Lee, J. B., and Kim, C. M. To compare the efficacy and safety of nifedipine sustained release with Ginkgo biloba extract to treat patients with primary Raynaud's phenomenon in South Korea; Korean Raynaud study (KOARA study). *Clin Rheumatol.* 2009;28(5):553-559. [View abstract.](#)
- 87819**
- Birks, J. and Grimley, Evans J. Ginkgo biloba for cognitive impairment and dementia. *Cochrane Database Syst.Rev.* 2009;(1):CD003120. [View abstract.](#)
- 87823**
- Napryeyenko, O., Sonnik, G., and Tartakovsky, I. Efficacy and tolerability of Ginkgo biloba extract EGb 761 by type of dementia: analyses of a randomised controlled trial. *J Neurol.Sci* 8-15-2009;283(1-2):224-229. [View abstract.](#)
- 87824**
- Lei, H. P., Wang, G., Wang, L. S., Ou-yang, D. S., Chen, H., Li, Q., Zhang, W., Tan, Z. R., Fan, L., He, Y. J., and Zhou, H. H. Lack of effect of Ginkgo biloba on voriconazole pharmacokinetics in Chinese volunteers identified as CYP2C19 poor and extensive metabolizers. *Ann Pharmacother.* 2009;43(4):726-731. [View abstract.](#)
- 87825**
- Deng, Y. K., Wei, F., and An, B. Q. [Effect of ginkgo biloba extract on plasma vascular endothelial growth factor during peri-operative period of cardiac surgery]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2009;29(1):40-42. [View abstract.](#)
- 87826**
- Yancheva, S., Ihl, R., Nikolova, G., Panayotov, P., Schlaefke, S., and Hoerr, R. Ginkgo biloba extract EGb 761(R), donepezil or both combined in the treatment of Alzheimer's disease with neuropsychiatric features: a randomised, double-blind, exploratory trial. *Aging Ment.Health* 2009;13(2):183-190. [View abstract.](#)
- 87827**
- Leadbetter, G., Keyes, L. E., Maakestad, K. M., Olson, S., Tissot van Patot, M. C., and Hackett, P. H. Ginkgo biloba does--and does not--prevent acute mountain sickness. *Wilderness.Enviro.Med* 2009;20(1):66-71. [View abstract.](#)
- 87829**
- Russo, V., Stella, A., Appezzati, L., Barone, A., Stagni, E., Roszkowska, A., and Delle, Noci N. Clinical efficacy of a Ginkgo biloba extract in the topical treatment of allergic conjunctivitis. *Eur J Ophthalmol.* 2009;19(3):331-336. [View abstract.](#)
- 87830**
- Fan, L., Tao, G. Y., Wang, G., Chen, Y., Zhang, W., He, Y. J., Li, Q., Lei, H. P., Jiang, F., Hu, D. L., Huang, Y. F., and Zhou, H. H. Effects of Ginkgo biloba extract ingestion on the pharmacokinetics of talinolol in healthy Chinese volunteers. *Ann Pharmacother.* 2009;43(5):944-949. [View abstract.](#)
- 87832**
- Szabo, M. E., Droy-Lefaix, M. T., Doly, M., and Braquet, P. Free radical-mediated effects in reperfusion injury: a histologic study with superoxide dismutase and EGB 761 in rat retina. *Ophthalmic Res* 1991;23(4):225-234. [View abstract.](#)
- 87833**
- Hao, Y., Sun, Y., Xu, C., Jiang, X., Sun, H., Wu, Q., Yan, C., and Gu, S. Improvement of contractile function in isolated cardiomyocytes from ischemia-reperfusion rats by ginkgolide B pretreatment. *J Cardiovasc.Pharmacol* 2009;54(1):3-9. [View abstract.](#)
- 87836**
- Kaschel, R. Ginkgo biloba: specificity of neuropsychological improvement--a selective review in search of differential effects. *Hum.Psychopharmacol.* 2009;24(5):345-370. [View abstract.](#)
- 87839**
- Ozgoli, G., Selselei, E. A., Mojab, F., and Majd, H. A. A randomized, placebo-controlled trial of Ginkgo biloba L. in treatment of premenstrual syndrome. *J Altern.Complement Med* 2009;15(8):845-851. [View abstract.](#)
- 87840**
- Xie, Z. Q., Liang, G., Zhang, L., Wang, Q., Qu, Y., Gao, Y., Lin, L. B., Ye, S., Zhang, J., Wang, H., Zhao, G. P., and Zhang, Q. H. Molecular mechanisms underlying the cholesterol-lowering

effect of Ginkgo biloba extract in hepatocytes: a comparative study with lovastatin. *Acta Pharmacol Sin.* 2009;30(9):1262-1275. [View abstract.](#)

87844

Singh, V., Singh, S. P., and Chan, K. Review and meta-analysis of usage of ginkgo as an adjunct therapy in chronic schizophrenia. *Int J Neuropsychopharmacol.* 2010;13(2):257-271. [View abstract.](#)

87846

Kim, T. E., Kim, B. H., Kim, J., Kim, K. P., Yi, S., Shin, H. S., Lee, Y. O., Lee, K. H., Shin, S. G., Jang, I. J., and Yu, K. S. Comparison of the pharmacokinetics of ticlopidine between administration of a combined fixed-dose tablet formulation of ticlopidine 250 mg/ginkgo extract 80 mg, and concomitant administration of ticlopidine 250-mg and ginkgo extract 80-mg tablets: an open-label, two-treatment, single-dose, randomized-sequence crossover study in healthy Korean male volunteers. *Clin Ther* 2009;31(10):2249-2257. [View abstract.](#)

87848

Snitz, B. E., O'Meara, E. S., Carlson, M. C., Arnold, A. M., Ives, D. G., Rapp, S. R., Saxton, J., Lopez, O. L., Dunn, L. O., Sink, K. M., and DeKosky, S. T. Ginkgo biloba for preventing cognitive decline in older adults: a randomized trial. *JAMA* 12-23-2009;302(24):2663-2670. [View abstract.](#)

87849

Woelkart, K., Feizlmayr, E., Dittrich, P., Beubler, E., Pinl, F., Suter, A., and Bauer, R. Pharmacokinetics of bilobalide, ginkgolide A and B after administration of three different Ginkgo biloba L. preparations in humans. *Phytother.Res* 2010;24(3):445-450. [View abstract.](#)

87851

Wang, B. S., Wang, H., Song, Y. Y., Qi, H., Rong, Z. X., Wang, B. S., Zhang, L., and Chen, H. Z. Effectiveness of standardized ginkgo biloba extract on cognitive symptoms of dementia with a six-month treatment: a bivariate random effect meta-analysis. *Pharmacopsychiatry* 2010;43(3):86-91. [View abstract.](#)

87853

Brinkley, T. E., Lovato, J. F., Arnold, A. M., Furberg, C. D., Kuller, L. H., Burke, G. L., Nahin, R. L., Lopez, O. L., Yasar, S., and Williamson, J. D. Effect of Ginkgo biloba on blood pressure and incidence of hypertension in elderly men and women. *Am J Hypertens.* 2010;23(5):528-533. [View abstract.](#)

87855

Weinmann, S., Roll, S., Schwarzbach, C., Vauth, C., and Willich, S. N. Effects of Ginkgo biloba in dementia: systematic review and meta-analysis. *BMC.Geriatr.* 2010;10:14. [View abstract.](#)

87858

Nicolai, S. P., Gerardu, V. C., Kruidenier, L. M., Prins, M. H., and Tejjink, J. A. From the Cochrane library: Ginkgo biloba for intermittent claudication. *Vasa* 2010;39(2):153-158. [View abstract.](#)

87862

Patel, N. Herbal remedies. *Br.Dent.J* 8-28-2010;209(4):153. [View abstract.](#)

87864

Zhang, W. F., Tan, Y. L., Zhang, X. Y., Chan, R. C., Wu, H. R., and Zhou, D. F. Extract of Ginkgo biloba treatment for tardive dyskinesia in schizophrenia: a randomized, double-blind, placebo-controlled trial. *J Clin Psychiatry* 2011;72(5):615-621. [View abstract.](#)

87866

Janssen, I. M., Sturtz, S., Skipka, G., Zentner, A., Velasco, Garrido M., and Busse, R. Ginkgo biloba in Alzheimer's disease: a systematic review. *Wien.Med Wochenschr.* 2010;160(21-22):539-546. [View abstract.](#)

87868

Pedroso, J. L., Henriques Aquino, C. C., Escorcio Bezerra, M. L., Baiense, R. F., Suarez, M. M., Dutra, L. A., Braga-Neto, P., and Povoas Barsottini, O. G. Ginkgo biloba and cerebral bleeding: a case report and critical review. *Neurologist.* 2011;17(2):89-90. [View abstract.](#)

87871

Zhang, S., Chen, B., Wu, W., Bao, L., and Qi, R. Ginkgolide B reduces inflammatory protein expression in oxidized low-density lipoprotein-stimulated human vascular endothelial cells. *J Cardiovasc.Pharmacol* 2011;57(6):721-727. [View abstract.](#)

87872

Thorpe, L. B., Goldie, M., and Dolan, S. Central and local administration of Ginkgo biloba extract EGb 761(R) inhibits thermal hyperalgesia and inflammation in the rat carrageenan model. *Anesth.Analg.* 2011;112(5):1226-1231. [View abstract.](#)

87874

Plaschke, K., Bergmann, M., and Kopitz, J. Ginkgo extract EGb 761((R)) shields from slowly accumulating neurodegenerative-like changes in a newly developed cell culture model induced by the combined action of low doses of antimycin A1 and 2-deoxy-D-glucose. *J Neural Transm.* 2011;118(8):1247-1254. [View abstract.](#)

87876

Usai, S., Grazi, L., and Bussone, G. Ginkgolide B as migraine preventive treatment in young age: results at 1-year follow-up. *Neurol.Sci* 2011;32 Suppl 1:S197-S199.

[View abstract.](#)

87879

Kaschel, R. Specific memory effects of Ginkgo biloba extract EGb 761 in middle-aged healthy volunteers. *Phytomedicine* 11-15-2011;18(14):1202-1207. [View abstract.](#)

87882

Jiang, W., Qiu, W., Wang, Y., Cong, Q., Edwards, D., Ye, B., and Xu, C. Ginkgo may prevent genetic-associated ovarian cancer risk: multiple biomarkers and anticancer pathways induced by ginkgolide B in BRCA1-mutant ovarian epithelial cells. *Eur J Cancer Prev.* 2011;20(6):508-517. [View abstract.](#)

87884

Russo, V., Rago, A., Russo, G. M., Calabro, R., and Nigro, G. Ginkgo biloba: an ancient tree with new arrhythmic side effects. *J Postgrad.Med* 2011;57(3):221. [View abstract.](#)

87888

Bredie, S. J. and Jong, M. C. No significant effect of ginkgo biloba special extract EGb 761 in the treatment of primary Raynaud phenomenon: a randomized controlled trial. *J Cardiovasc.Pharmacol* 2012;59(3):215-221. [View abstract.](#)

87889

Zhou, Y. and Zeng, R. [Effects of Ginkgo biloba extract on anticoagulation and blood drug level of warfarin in healthy wolunteers]. *Zhongguo Zhong Yao Za Zhi* 2011;36(16):2290-2293. [View abstract.](#)

87890

Suter, A., Niemer, W., and Klopp, R. A new ginkgo fresh plant extract increases microcirculation and radical scavenging activity in elderly patients. *Adv.Ther* 2011;28(12):1078-1088. [View abstract.](#)

87892

Dardano, A., Ballardin, M., Caraccio, N., Boni, G., Traino, C., Mariani, G., Ferdeghini, M., Barale, R., and Monzani, F. The effect of Ginkgo biloba extract on genotoxic damage in patients with differentiated thyroid carcinoma receiving thyroid remnant ablation with iodine-131. *Thyroid* 2012;22(3):318-324. [View abstract.](#)

87894

Baliutyte, G., Baniene, R., Gendviliene, V., Martisiene, I., Trumbeckaite, S., Borutaite, V., and Toleikis, A. Influence of ethanol extract of Ginkgo biloba leaves on the isolated rat heart work and mitochondria functions. *J Cardiovasc.Pharmacol* 2012;59(5):450-457. [View abstract.](#)

87897

Herrschaft, H., Nacu, A., Likhachev, S., Sholomov, I., Hoerr, R., and Schlaefke, S. Ginkgo biloba extract EGb 761(R) in dementia with neuropsychiatric features: a randomised, placebo-controlled trial to confirm the efficacy and safety of a daily dose of 240 mg. *J Psychiatr.Res* 2012;46(6):716-723. [View abstract.](#)

87900

Lee, J., Sohn, S. W., and Kee, C. Effect of Ginkgo biloba Extract on Visual Field Progression in Normal Tension Glaucoma. *J Glaucoma.* 5-16-2012; [View abstract.](#)

87901

- Han, S. S., Nam, E. C., Won, J. Y., Lee, K. U., Chun, W., Choi, H. K., and Levine, R. A. Clonazepam quiets tinnitus: a randomised crossover study with Ginkgo biloba. *J Neurol.Neurosurg.Psychiatry* 2012;83(8):821-827. [View abstract](#). **87902**
- Zhang, S. J. and Xue, Z. Y. Effect of Western medicine therapy assisted by Ginkgo biloba tablet on vascular cognitive impairment of none dementia. *Asian Pac.J Trop.Med* 2012;5(8):661-664. [View abstract](#). **87903**
- Lovera, J. F., Kim, E., Heriza, E., Fitzpatrick, M., Hunziker, J., Turner, A. P., Adams, J., Stover, T., Sangeorzan, A., Sloan, A., Howieson, D., Wild, K., Haselkorn, J., and Bourdette, D. Ginkgo biloba does not improve cognitive function in MS: a randomized placebo-controlled trial. *Neurology* 9-18-2012;79(12):1278-1284. [View abstract](#). **87904**
- Vellas, B., Coley, N., Ousset, P. J., Berrut, G., Dartigues, J. F., Dubois, B., Grandjean, H., Pasquier, F., Piette, F., Robert, P., Touchon, J., Garnier, P., Mathiex-Fortunet, H., and Andrieu, S. Long-term use of standardised Ginkgo biloba extract for the prevention of Alzheimer's disease (GuidAge): a randomised placebo-controlled trial. *Lancet Neurol.* 2012;11(10):851-859. [View abstract](#). **87907**
- Laws, K. R., Sweetnam, H., and Kondel, T. K. Is Ginkgo biloba a cognitive enhancer in healthy individuals? A meta-analysis. *Hum.Psychopharmacol.* 2012;27(6):527-533. [View abstract](#). **87914**
- Koltai, M., Tosaki, A., Hosford, D., and Braquet, P. Ginkgolide B protects isolated hearts against arrhythmias induced by ischemia but not reperfusion. *Eur J Pharmacol* 5-19-1989;164(2):293-302. [View abstract](#). **87917**
- Guillon, J. M., Rochette, L., and Baranes, J. [Effects of Ginkgo biloba extract on 2 models of experimental myocardial ischemia]. *Presse Med* 9-25-1986;15(31):1516-1519. [View abstract](#). **87929**
- Oberpichler, H., Beck, T., Abdel-Rahman, M. M., Bielenberg, G. W., and Krieglstein, J. Effects of Ginkgo biloba constituents related to protection against brain damage caused by hypoxia. *Pharmacol Res Commun* 1988;20(5):349-368. [View abstract](#). **87941**
- Janssens, D., Michiels, C., Delaive, E., Eliaers, F., Drieu, K., and Remacle, J. Protection of hypoxia-induced ATP decrease in endothelial cells by ginkgo biloba extract and bilobalide. *Biochem Pharmacol* 9-28-1995;50(7):991-999. [View abstract](#). **87945**
- Kose, K. and Dogan, P. Lipoperoxidation induced by hydrogen peroxide in human erythrocyte membranes. 1. Protective effect of Ginkgo biloba extract (EGb 761). *J Int Med Res* 1995;23(1):1-8. [View abstract](#). **87947**
- Brochet, B., Guinot, P., Orgogozo, J. M., Confavreux, C., Rumbach, L., and Lavergne, V. Double blind placebo controlled multicentre study of ginkgolide B in treatment of acute exacerbations of multiple sclerosis. The Ginkgolide Study Group in multiple sclerosis. *J Neurol Neurosurg Psychiatry* 1995;58(3):360-362. [View abstract](#). **87955**
- Sticher, O. Quality of Ginkgo preparations. *Planta Med* 1993;59(1):2-11. [View abstract](#). **87957**
- Szabo, M. E., Droy-Lefaix, M. T., and Doly, M. EGb 761 and the recovery of ion imbalance in ischemic reperfused diabetic rat retina. *Ophthalmic Res* 1995;27(2):102-109. [View abstract](#). **87968**
- Szabo, M. E., Droy-Lefaix, M. T., and Doly, M. Direct measurement of free radicals in ischemic/reperfused diabetic rat retina. *Clin Neurosci.* 1997;4(5):240-245. [View abstract](#). **87975**
- Zhu, L., Gao, J., Wang, Y., Zhao, X. N., and Zhang, Z. X. Neuron degeneration induced by verapamil and attenuated by EGb761. *J Basic Clin Physiol Pharmacol* 1997;8(4):301-314. [View abstract](#).

- Skogh, M. Extracts of Ginkgo biloba and bleeding or haemorrhage. *Lancet* 10-3-1998;352(9134):1145-1146. [View abstract](#). **87977**
- Fessenden JM, Wittenborn W, and Clarke L. Ginkgo biloba: a case report of herbal medicine and bleeding postoperatively from a laparoscopic cholecystectomy. *Am Surg* 2001;67(1):33-35. **88000**
- Yang Z, Li W Huang T Chen J Zhang X. Meta-analysis of Ginkgo biloba extract for the treatment of Alzheimer's disease. *Neural Regeneration Research*. 2011;6(15):1125-1129. **88006**
- Burkard G. [The efficacy and safety of ginkgo biloba extract in dementia]. *Fortschr Med [Suppl]* 1991;109(107):6-8. **88007**
- Zaghlool SS, Hanaf LK Afifi NM Ibrahim ER. Histological and immunohistochemical study on the protective effect of Ginkgo biloba extract against glutamate-induced neurotoxicity in male albino rat retinal cells. *The Egyptian Journal of Histology*. 2012;35(1):176-188. **88051**
- Victoire C, Haag-Berrurier M, Lobstein-Guth A, and et al. Isolation of flavonoid glycosides from Ginkgo biloba leaves. *Planta Med* 1988;54:245-247. **88053**
- Nicolaï SPA, Kruidenier LM, Bendermacher BL, et al. Ginkgo biloba for intermittent claudication. *Cochrane Database Syst Rev*. 2013;6:CD006888. [View abstract](#). **89440**
- Barton DL, Burger K, Novotny PJ, Fitch TR, Kohli S, Soori G, Wilwerding MB, Sloan JA, Kottschade LA, Rowland KM Jr, Dakhil SR, Nikcevich DA, Loprinzi CL. The use of Ginkgo biloba for the prevention of chemotherapy-related cognitive dysfunction in women receiving adjuvant treatment for breast cancer, N00C9. *Support Care Cancer* 2013;21(4):1185-92. [View abstract](#). **89701**
- Brockwell C, Ampikaipakan S, Sexton DW, Price D, Freeman D, Thomas M, Ali M, Wilson AM. Adjunctive treatment with oral AKL1, a botanical nutraceutical, in chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis* 2014;9:715-21. [View abstract](#). **89702**
- Canevelli M, Adali N, Kelaiditi E, Cantet C, Ousset PJ, Cesari M; ICTUS/DSA Group. Effects of Ginkgo biloba supplementation in Alzheimer's disease patients receiving cholinesterase inhibitors: data from the ICTUS study. *Phytomedicine* 2014;21(6):888-92. [View abstract](#). **89703**
- Dai LL, Fan L, Wu HZ, Tan ZR, Chen Y, Peng XD, Shen MX, Yang GP, Zhou HH. Assessment of a pharmacokinetic and pharmacodynamic interaction between simvastatin and Ginkgo biloba extracts in healthy subjects. *Xenobiotica* 2013;43(10):862-7. [View abstract](#). **89704**
- Diamond BJ, Johnson SK, Kaufman M, Shiflett SC, Graves L. A randomized controlled pilot trial: the effects of EGb 761 on information processing and executive function in multiple sclerosis. *Explore (NY)* 2013;9(2):106-7. [View abstract](#). **89705**
- Guo CX, Pei Q, Yin JY, Peng XD, Zhou BT, Zhao YC, Wu LX, Meng XG, Wang G, Li Q, Ouyang DS, Liu ZQ, Zhang W, Zhou HH. Effects of Ginkgo biloba extracts on pharmacokinetics and efficacy of atorvastatin based on plasma indices. *Xenobiotica* 2012;42(8):784-90. [View abstract](#). **89706**
- Guo X, Kong X, Huang R, Jin L, Ding X, He M, Liu X, Patel MC, Congdon NG. Effect of Ginkgo biloba on visual field and contrast sensitivity in Chinese patients with normal tension glaucoma: a randomized, crossover clinical trial. *Invest Ophthalmol Vis Sci* 2014;55(1):110-6. [View abstract](#). **89707**
- Hasanzadeh E, Mohammadi MR, Ghanizadeh A, Rezaadeh SA, Tabrizi M, Rezaei F, Akhondzadeh S. A double-blind placebo controlled trial of Ginkgo biloba added to risperidone in patients with autistic disorders. *Child Psychiatry Hum Dev* 2012;43(5):674-82. [View abstract](#). **89708**
- 89709**

- Lai SW, Chen JH, Kao WY. Acute hemolytic anemia in glucose-6-phosphate dehydrogenase deficiency complicated by Ginkgo biloba. *Acta Haematol* 2013;130(4):288-90. [View abstract](#). **89710**
- Nasab NM, Bahrammi MA, Nikpour MR, Rahim F, Naghibis SN. Efficacy of rivastigmine in comparison to ginkgo for treating Alzheimer's dementia. *J Pak Med Assoc* 2012;62(7):677-80. [View abstract](#). **89711**
- Rainer M, Mucke H, Schlaefke S. Ginkgo biloba extract EGb 761 in the treatment of dementia: a pharmaco-economic analysis of the Austrian setting. *Wien Klin Wochenschr* 2013;125(1-2):8-15. [View abstract](#). **89712**
- Yakoot M, Salem A, Helmy S. Effect of Memo, a natural formula combination, on Mini-Mental State Examination scores in patients with mild cognitive impairment. *Clin Interv Aging* 2013;8:975-81. [View abstract](#). **89713**
- Yang M, Xu DD, Zhang Y, Liu X, Hoeven R, Cho WC. A systematic review on natural medicines for the prevention and treatment of Alzheimer's disease with meta-analyses of intervention effect of ginkgo. *Am J Chin Med* 2014;42(3):505-21. [View abstract](#). **89714**
- Briskin DP. Medicinal plants and phytomedicines. Linking plant biochemistry and physiology to human health. *Plant Physiol* 2000;124(2):507-14. [View abstract](#). **89715**
- Singh B, Kaur P, Singh GRD, Ahuja PS. Biology and chemistry of Ginkgo biloba. *Fitoterapia* 2008;79(6):401-18. **89727**
- Di Franco R, Sammarco E, Calvanese MG, De Natale F, Falivene S, Di Lecce A, Giugliano FM, Murino P, Manzo R, Cappabianca S, Muto P, Ravo V. Preventing the acute skin side effects in patients treated with radiotherapy for breast cancer: the use of corneometry in order to evaluate the protective effect of moisturizing creams. *Radiat Oncol* 2013;8:57. [View abstract](#). **91326**
- Stoddard GJ, Archer M, Shane-McWhorter L, Bray BE, Redd DF, Proulx J, Zeng-Treitler Q. Ginkgo and Warfarin Interaction in a Large Veterans Administration Population. *AMIA Annu Symp Proc*. 2015 Nov 5;2015:1174-83. [View abstract](#). **93578**
- Jalloh MA, Gregory PJ, Hein D, et al. Dietary supplement interactions with antiretrovirals: a systematic review. *Int J STD AIDS*. 2017 Jan;28(1):4-15. [View abstract](#).