

References

Reishi Mushroom

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997. **1**
- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. **3**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Tao J, Feng KY. Experimental and clinical studies on inhibitory effect of ganoderma lucidum on platelet aggregation. J Tongji Med Univ 1990;10:240-3. [View abstract](#). **5476**
- Wasser SP, Weis AL. Therapeutic effects of substances occurring in higher Basidiomycetes mushrooms: a modern perspective. Crit Rev Immunol 1999;19:65-96. [View abstract](#). **5477**
- Gau JP, Lin CK, Lee SS, et al. The lack of antiplatelet effect of crude extracts from ganoderma lucidum on HIV-positive hemophiliacs. Am J Chin Med 1990;18:175-9. [View abstract](#). **5478**
- Singh AB, Gupta SK, Pereira BM, Prakash D. Sensitization to Ganoderma lucidum in patients with respiratory allergy in India. Clin Exp Allergy 1995;25:440-7. [View abstract](#). **5479**
- Min BS, Nakamura N, Miyashiro H, et al. Triterpenes from the spores of Ganoderma lucidum and their inhibitory activity against HIV-1 protease. Chem Pharm Bull (Tokyo) 1998;46:1607-12. [View abstract](#). **5480**
- el-Mekkawy S, Meselhy MR, Nakamura N, et al. Anti-HIV-1 and anti-HIV-1-protease substances from Ganoderma lucidum. Phytochem 1998;49:1651-7. [View abstract](#). **5481**
- Kim RS, Kim HW, Kim BK. Suppressive effects of Ganoderma lucidum on proliferation of peripheral blood mononuclear cells. Mol Cells 1997;7:52-7. [View abstract](#). **5482**
- Wang SY, Hsu ML, Hsu HC, et al. The anti-tumor effect of Ganoderma lucidum is mediated by cytokines released from activated macrophages and T lymphocytes. Int J Cancer 1997;70:699-705. [View abstract](#). **5483**
- Kim HS, Kacew S, Lee BM. In vitro chemopreventive effects of plant polysaccharides (Aloe barbadensis miller, Lentinus edodes, Ganoderma lucidum and Coriolus versicolor). Carcinogenesis 1999;20:1637-40. [View abstract](#). **5484**
- Hijikata Y, Yamada S. Effect of Ganoderma lucidum on postherpetic neuralgia. Am J Chin Med 1998;26:375-81. [View abstract](#). **5485**
- Komoda Y, Shimizu M, Sonoda Y, et al. Ganoderic acid and its derivatives as cholesterol synthesis inhibitors. Chem Pharm Bull (Tokyo) 1989;37:531-3. [View abstract](#). **5486**
- Hikino H, Ishiyama M, Suzuki Y, et al. Mechanisms of hypoglycemic activity of ganoderan B: a glycan of Ganoderma lucidum fruit bodies. Planta Med 1989;55:423-8. [View abstract](#). **5487**
- Lee SY, Rhee HM. Cardiovascular effects of mycelium extract of Ganoderma lucidum: inhibition of sympathetic outflow as a mechanism of its hypotensive action. Chem Pharm Bull (Tokyo) 1990;38:1359-64. [View abstract](#). **5488**
- 5489**

- Kim DH, Shim SB, Kim NJ, et al. Beta-glucuronidase-inhibitory activity and hepatoprotective effect of *Ganoderma lucidum*. *Biol Pharm Bull* 1999;22:162-4. [View abstract](#). **5490**
- Yoon SY, Eo SK, Kim YS, et al. Antimicrobial activity of *Ganoderma lucidum* extract alone and in combination with some antibiotics. *Arch Pharm Res* 1994;17:438-42. [View abstract](#). **5492**
- van der Hem LG, van der Vliet JA, Bocken CF, et al. Ling Zhi-8: studies of a new immunomodulating agent. *Transplantation* 1995;60:438-43. [View abstract](#). **5548**
- DiPaola RS, Zhang H, Lambert GH, et al. Clinical and biologic activity of an estrogenic herbal combination (PC-SPES) in prostate cancer. *N Engl J Med* 1998;339:785-91. [View abstract](#). **13235**
- Kwok Y, Ng KFJ, Li, CCF, et al. A prospective, randomized, double-blind, placebo-controlled study of the platelet and global hemostatic effects of *Ganoderma lucidum* (Ling-Zhi) in healthy volunteers. *Anesth Analg* 2005;101:423-6. [View abstract](#). **13236**
- Sun J, He H, Xie BJ. Novel antioxidant peptides from fermented mushroom *Ganoderma lucidum*. *J Agric Food Chem* 2004;52:6646-52. [View abstract](#). **15021**
- Yuen JW, Gohel MD. Anticancer effects of *Ganoderma lucidum*: a review of scientific evidence. *Nutr Cancer* 2005;53:11-7. [View abstract](#). **15125**
- Gao Y, Zhou S, Jiang W, et al. Effects of ganopoly (a *Ganoderma lucidum* polysaccharide extract) on the immune functions in advanced-stage cancer patients. *Immunol Invest* 2003;32:201-15. [View abstract](#). **53238**
- Haniadka, R., Popouri, S., Palatty, P. L., Arora, R., and Baliga, M. S. Medicinal plants as antiemetics in the treatment of cancer: a review. *Integr.Cancer Ther.* 2012;11(1):18-28. [View abstract](#). **65170**
- Olaku, O. and White, J. D. Herbal therapy use by cancer patients: a literature review on case reports. *Eur.J.Cancer* 2011;47(4):508-514. [View abstract](#). **70725**
- Kim, K. C. and Kim, I. G. *Ganoderma lucidum* extract protects DNA from strand breakage caused by hydroxyl radical and UV irradiation. *Int J Mol.Med* 1999;4(3):273-277. [View abstract](#). **70726**
- Mizushima, Y., Takahashi, N., Hanashima, L., Koshino, H., Esumi, Y., Uzawa, J., Sugawara, F., and Sakaguchi, K. Lucidenic acid O and lactone, new terpene inhibitors of eukaryotic DNA polymerases from a basidiomycete, *Ganoderma lucidum*. *Bioorg.Med.Chem.* 1999;7(9):2047-2052. [View abstract](#). **70727**
- Yun, T. K. Update from Asia. Asian studies on cancer chemoprevention. *Ann.N.Y Acad.Sci.* 1999;889:157-192. [View abstract](#). **70728**
- Chiu, S. W., Wang, Z. M., Leung, T. M., and Moore, D. Nutritional value of *ganoderma* extract and assessment of its genotoxicity and antigenotoxicity using comet assays of mouse lymphocytes. *Food Chem Toxicol.* 2000;38(2-3):173-178. [View abstract](#). **70729**
- Su, C., Shiao, M., and Wang, C. Potentiation of ganodermic acid S on prostaglandin E(1)-induced cyclic AMP elevation in human platelets. *Thromb.Res* 7-15-2000;99(2):135-145. [View abstract](#). **70730**
- Eo, S. K., Kim, Y. S., Lee, C. K., and Han, S. S. Possible mode of antiviral activity of acidic protein bound polysaccharide isolated from *Ganoderma lucidum* on herpes simplex viruses. *J Ethnopharmacol.* 2000;72(3):475-481. [View abstract](#). **70731**

- Zhu, H. S., Yang, X. L., Wang, L. B., Zhao, D. X., and Chen, L. Effects of extracts from sporoderm-broken spores of *Ganoderma lucidum* on HeLa cells. *Cell Biol.Toxicol.* 2000;16(3):201-206. [View abstract.](#) **70732**
- Lee, J. M., Kwon, H., Jeong, H., Lee, J. W., Lee, S. Y., Baek, S. J., and Surh, Y. J. Inhibition of lipid peroxidation and oxidative DNA damage by *Ganoderma lucidum*. *Phytother Res* 2001;15(3):245-249. [View abstract.](#) **70733**
- Lai, N. S., Lin, R. H., Lai, R. S., Kun, U. C., and Leu, S. C. Prevention of autoantibody formation and prolonged survival in New Zealand Black/New Zealand White F1 mice with an ancient Chinese herb, *Ganoderma tsugae*. *Lupus* 2001;10(7):461-465. [View abstract.](#) **70734**
- Wu, T. S., Shi, L. S., and Kuo, S. C. Cytotoxicity of *Ganoderma lucidum* Triterpenes. *J Nat Prod* 2001;64(8):1121-1122. [View abstract.](#) **70735**
- Min, B. S., Gao, J. J., Hattori, M., Lee, H. K., and Kim, Y. H. Anticomplement activity of terpenoids from the spores of *Ganoderma lucidum*. *Planta Med.* 2001;67(9):811-814. [View abstract.](#) **70736**
- Ma, J., Ye, Q., Hua, Y., Zhang, D., Cooper, R., Chang, M. N., Chang, J. Y., and Sun, H. H. New lanostanoids from the mushroom *Ganoderma lucidum*. *J.Nat.Prod.* 2002;65(1):72-75. [View abstract.](#) **70737**
- Gao, J. J., Min, B. S., Ahn, E. M., Nakamura, N., Lee, H. K., and Hattori, M. New triterpene aldehydes, lucialdehydes A-C, from *Ganoderma lucidum* and their cytotoxicity against murine and human tumor cells. *Chem.Pharm.Bull.(Tokyo)* 2002;50(6):837-840. [View abstract.](#) **70738**
- Zhong, L., Jiang, D., and Wang, Q. [Effects of *Ganoderma lucidum* (Leyss ex Fr) Karst compound on the proliferation and differentiation of K562 leukemic cells]. *Hunan.Yi.Ke.Da.Xue.Xue.Bao.* 1999;24(6):521-524. [View abstract.](#) **70739**
- Futrakul, N., Boongen, M., Tosukhowong, P., Patumraj, S., and Futrakul, P. Treatment with vasodilators and crude extract of *Ganoderma lucidum* suppresses proteinuria in nephrosis with focal segmental glomerulosclerosis. *Nephron* 2002;92(3):719-720. [View abstract.](#) **70740**
- Hu, H., Ahn, N. S., Yang, X., Lee, Y. S., and Kang, K. S. *Ganoderma lucidum* extract induces cell cycle arrest and apoptosis in MCF-7 human breast cancer cell. *Int.J.Cancer* 11-20-2002;102(3):250-253. [View abstract.](#) **70741**
- Sliva, D., Labarrere, C., Slivova, V., Sedlak, M., Lloyd, F. P., Jr., and Ho, N. W. *Ganoderma lucidum* suppresses motility of highly invasive breast and prostate cancer cells. *Biochem.Biophys.Res.Commun.* 11-8-2002;298(4):603-612. [View abstract.](#) **70742**
- Xiao, G. L., Liu, F. Y., and Chen, Z. H. [Clinical observation on treatment of *Russula subnigricans* poisoning patients by *Ganoderma lucidum* decoction]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2003;23(4):278-280. [View abstract.](#) **70743**
- Berovic, M., Habijanac, J., Zore, I., Wraber, B., Hodzar, D., Boh, B., and Pohleven, F. Submerged cultivation of *Ganoderma lucidum* biomass and immunostimulatory effects of fungal polysaccharides. *J.Biotechnol.* 6-12-2003;103(1):77-86. [View abstract.](#) **70744**
- Hsu, M. J., Lee, S. S., Lee, S. T., and Lin, W. W. Signaling mechanisms of enhanced neutrophil phagocytosis and chemotaxis by the polysaccharide purified from *Ganoderma lucidum*. *Br.J.Pharmacol.* 2003;139(2):289-298. [View abstract.](#) **70745**

Shiao, M. S. Natural products of the medicinal fungus *Ganoderma lucidum*: occurrence, biological activities, and pharmacological functions. *Chem.Rec.* 2003;3(3):172-180. [View abstract.](#)

70746

Sliva, D., Sedlak, M., Slivova, V., Valachovicova, T., Lloyd, F. P., Jr., and Ho, N. W. Biologic activity of spores and dried powder from *Ganoderma lucidum* for the inhibition of highly invasive human breast and prostate cancer cells. *J.Altern.Complement Med.* 2003;9(4):491-497. [View abstract.](#)

70747

Wachtel-Galor, S., Szeto, Y. T., Tomlinson, B., and Benzie, I. F. *Ganoderma lucidum* ('Lingzhi'); acute and short-term biomarker response to supplementation. *Int.J.Food Sci.Nutr.* 2004;55(1):75-83. [View abstract.](#)

70748

Iwatsuki, K., Akihisa, T., Tokuda, H., Ukiya, M., Oshikubo, M., Kimura, Y., Asano, T., Nomura, A., and Nishino, H. Lucidenic acids P and Q, methyl lucidenate P, and other triterpenoids from the fungus *Ganoderma lucidum* and their inhibitory effects on Epstein-Barr virus activation. *J.Nat.Prod.* 2003;66(12):1582-1585. [View abstract.](#)

70749

Futrakul, N., Boonyen, M., Patumraj, S., Siriviriyakul, P., Tosukhowong, P., and Futrakul, P. Treatment of glomerular endothelial dysfunction in steroid-resistant nephrosis with *Ganoderma lucidum*, vitamins C, E and vasodilators. *Clin.Hemorheol.Microcirc.* 2003;29(3-4):205-210. [View abstract.](#)

70750

Wachtel-Galor, S., Tomlinson, B., and Benzie, I. F. *Ganoderma lucidum* ("Lingzhi"), a Chinese medicinal mushroom: biomarker responses in a controlled human supplementation study. *Br.J.Nutr.* 2004;91(2):263-269. [View abstract.](#)

70751

Berger, A., Rein, D., Kratky, E., Monnard, I., Hajjaj, H., Meirim, I., Piguet-Welsch, C., Hauser, J., Mace, K., and Niederberger, P. Cholesterol-lowering properties of *Ganoderma lucidum* in vitro, ex vivo, and in hamsters and minipigs. *Lipids Health Dis.* 2-18-2004;3:2. [View abstract.](#)

70752

Lieu, C. W., Lee, S. S., and Wang, S. Y. The effect of *Ganoderma lucidum* on induction of differentiation in leukemic U937 cells. *Anticancer Res.* 1992;12(4):1211-1215. [View abstract.](#)

70753

Jiang, J., Slivova, V., Valachovicova, T., Harvey, K., and Sliva, D. *Ganoderma lucidum* inhibits proliferation and induces apoptosis in human prostate cancer cells PC-3. *Int.J.Oncol.* 2004;24(5):1093-1099. [View abstract.](#)

70754

Cao, Q. Z. and Lin, Z. B. Antitumor and anti-angiogenic activity of *Ganoderma lucidum* polysaccharides peptide. *Acta Pharmacol.Sin.* 2004;25(6):833-838. [View abstract.](#)

70755

Lu, Q. Y., Sartippour, M. R., Brooks, M. N., Zhang, Q., Hardy, M., Go, V. L., Li, F. P., and Heber, D. *Ganoderma lucidum* spore extract inhibits endothelial and breast cancer cells in vitro. *Oncol.Rep.* 2004;12(3):659-662. [View abstract.](#)

70756

Hong, K. J., Dunn, D. M., Shen, C. L., and Pence, B. C. Effects of *Ganoderma lucidum* on apoptotic and anti-inflammatory function in HT-29 human colonic carcinoma cells. *Phytother.Res.* 2004;18(9):768-770. [View abstract.](#)

70757

Lu, Q. Y., Jin, Y. S., Zhang, Q., Zhang, Z., Heber, D., Go, V. L., Li, F. P., and Rao, J. Y. *Ganoderma lucidum* extracts inhibit growth and induce actin polymerization in bladder cancer cells in vitro. *Cancer Lett.* 12-8-2004;216(1):9-20. [View abstract.](#)

70758

Hsu, H. Y., Hua, K. F., Lin, C. C., Lin, C. H., Hsu, J., and Wong, C. H. Extract of Reishi polysaccharides induces cytokine expression via TLR4-modulated protein kinase signaling pathways. *J.Immunol.* 11-15-2004;173(10):5989-5999. [View abstract.](#)

70759

- Futrakul, N., Panichakul, T., Butthep, P., Futrakul, P., Jetanalin, P., Patumraj, S., and Siriviriyakul, P. Ganoderma lucidum suppresses endothelial cell cytotoxicity and proteinuria in persistent proteinuric focal segmental glomerulosclerosis (FSGS) nephrosis. *Clin.Hemorheol.Microcirc.* 2004;31(4):267-272. [View abstract.](#) **70760**
- Jong, S. C. and Birmingham, J. M. Medicinal benefits of the mushroom Ganoderma. *Adv.Appl Microbiol* 1992;37:101-134. [View abstract.](#) **70761**
- Wang, C. N., Chen, J. C., Shiao, M. S., and Wang, C. T. The inhibition of human platelet function by ganodermic acids. *Biochem J* 7-1-1991;277 (Pt 1):189-197. [View abstract.](#) **70762**
- Chen, T. W., Wong, Y. K., and Lee, S. S. [In vitro cytotoxicity of Ganoderma lucidum on oral cancer cells]. *Chung Hua I.Hsueh Tsa Chih (Taipei)* 1991;48(1):54-58. [View abstract.](#) **70763**
- Cheuk, W., Chan, J. K., Nuovo, G., Chan, M. K., and Fok, M. Regression of gastric large B-Cell lymphoma accompanied by a florid lymphoma-like T-cell reaction: immunomodulatory effect of Ganoderma lucidum (Lingzhi)? *Int J Surg Pathol* 2007;15(2):180-186. [View abstract.](#) **70764**
- Ni, T., Hu, Y., Sun, L., Chen, X., Zhong, J., Ma, H., and Lin, Z. Oral route of mini-proinsulin-expressing Ganoderma lucidum decreases blood glucose level in streptozocin-induced diabetic rats. *Int.J.Mol.Med.* 2007;20(1):45-51. [View abstract.](#) **70765**
- Wicks, S. M., Tong, R., Wang, C. Z., O'Connor, M., Karrison, T., Li, S., Moss, J., and Yuan, C. S. Safety and tolerability of Ganoderma lucidum in healthy subjects: a double-blind randomized placebo-controlled trial. *Am J Chin Med* 2007;35(3):407-414. [View abstract.](#) **70766**
- Wanmuang, H., Leopairut, J., Kositchaiwat, C., Wananukul, W., and Bunyaratvej, S. Fatal fulminant hepatitis associated with Ganoderma lucidum (Lingzhi) mushroom powder. *J Med Assoc Thai.* 2007;90(1):179-181. [View abstract.](#) **70767**
- Li, E. K., Tam, L. S., Wong, C. K., Li, W. C., Lam, C. W., Wachtel-Galor, S., Benzie, I. F., Bao, Y. X., Leung, P. C., and Tomlinson, B. Safety and efficacy of Ganoderma lucidum (lingzhi) and San Miao San supplementation in patients with rheumatoid arthritis: a double-blind, randomized, placebo-controlled pilot trial. *Arthritis Rheum* 10-15-2007;57(7):1143-1150. [View abstract.](#) **70768**
- Lin, C. N., Tome, W. P., and Won, S. J. Novel cytotoxic principles of Formosan Ganoderma lucidum. *J Nat Prod* 1991;54(4):998-1002. [View abstract.](#) **70769**
- Seto, S. W., Lam, T. Y., Tam, H. L., Au, A. L., Chan, S. W., Wu, J. H., Yu, P. H., Leung, G. P., Ngai, S. M., Yeung, J. H., Leung, P. S., Lee, S. M., and Kwan, Y. W. Novel hypoglycemic effects of Ganoderma lucidum water-extract in obese/diabetic (+db/+db) mice. *Phytomedicine.* 2009;16(5):426-436. [View abstract.](#) **70770**
- Zhuang, S. R., Chen, S. L., Tsai, J. H., Huang, C. C., Wu, T. C., Liu, W. S., Tseng, H. C., Lee, H. S., Huang, M. C., Shane, G. T., Yang, C. H., Shen, Y. C., Yan, Y. Y., and Wang, C. K. Effect of citronellol and the Chinese medical herb complex on cellular immunity of cancer patients receiving chemotherapy/radiotherapy. *Phytother.Res.* 2009;23(6):785-790. [View abstract.](#) **70771**
- Liu, J., Shiono, J., Shimizu, K., Kukita, A., Kukita, T., and Kondo, R. Ganoderic acid DM: anti-androgenic osteoclastogenesis inhibitor. *Bioorg.Med.Chem.Lett.* 4-15-2009;19(8):2154-2157. [View abstract.](#) **70772**
- Wang, C. N., Chen, J. C., Shiao, M. S., and Wang, C. T. The effect of ganodermic acid S on human platelets. *Adv Exp Med Biol* 1990;281:265-269. [View abstract.](#) **70773**

- Weng, C. J. and Yen, G. C. The in vitro and in vivo experimental evidences disclose the chemopreventive effects of Ganoderma lucidum on cancer invasion and metastasis. Clin.Exp.Metastasis 2010;27(5):361-369. [View abstract.](#) **70774**
- Oka, S., Tanaka, S., Yoshida, S., Hiyama, T., Ueno, Y., Ito, M., Kitadai, Y., Yoshihara, M., and Chayama, K. A water-soluble extract from culture medium of Ganoderma lucidum mycelia suppresses the development of colorectal adenomas. Hiroshima J.Med.Sci. 2010;59(1):1-6. [View abstract.](#) **70775**
- Xu, Z., Chen, X., Zhong, Z., Chen, L., and Wang, Y. Ganoderma lucidum polysaccharides: immunomodulation and potential anti-tumor activities. Am.J.Chin Med. 2011;39(1):15-27. [View abstract.](#) **70776**
- Chu, T. T., Benzie, I. F., Lam, C. W., Fok, B. S., Lee, K. K., and Tomlinson, B. Study of potential cardioprotective effects of Ganoderma lucidum (Lingzhi): results of a controlled human intervention trial. Br.J.Nutr. 2012;107(7):1017-1027. [View abstract.](#) **70777**
- Lu, H., Song, J., Jia, X. B., and Feng, L. Antihepatoma activity of the acid and neutral components from Ganoderma lucidum. Phytother.Res. 2012;26(9):1294-1300. [View abstract.](#) **70778**
- Liu, R. M., Li, Y. B., and Zhong, J. J. Cytotoxic and pro-apoptotic effects of novel ganoderic acid derivatives on human cervical cancer cells in vitro. Eur.J.Pharmacol. 4-15-2012;681(1-3):23-33. [View abstract.](#) **70779**
- Jin, X., Ruiz, Beguerie J., Sze, D. M., and Chan, G. C. Ganoderma lucidum (Reishi mushroom) for cancer treatment. Cochrane.Database.Syst.Rev. 2012;6:CD007731. [View abstract.](#) **70780**
- Sliva, D., Loganathan, J., Jiang, J., Jedinak, A., Lamb, J. G., Terry, C., Baldrige, L. A., Adamec, J., Sandusky, G. E., and Dudhgaonkar, S. Mushroom Ganoderma lucidum prevents colitis-associated carcinogenesis in mice. PLoS.One. 2012;7(10):e47873. [View abstract.](#) **70781**
- Hikino, H. and Mizuno, T. Hypoglycemic actions of some heteroglycans of Ganoderma lucidum fruit bodies. Planta Med 1989;55(4):385. [View abstract.](#) **70782**
- Wang, C. N., Chen, J. C., Shiao, M. S., and Wang, C. T. The aggregation of human platelet induced by ganodermic acid S. Biochim.Biophys Acta 11-17-1989;986(1):151-160. [View abstract.](#) **70783**
- Morigiwa, A., Kitabatake, K., Fujimoto, Y., and Ikekawa, N. Angiotensin converting enzyme-inhibitory triterpenes from Ganoderma lucidum. Chem Pharm Bull.(Tokyo) 1986;34(7):3025-3028. [View abstract.](#) **70784**
- Kabir, Y., Kimura, S., and Tamura, T. Dietary effect of Ganoderma lucidum mushroom on blood pressure and lipid levels in spontaneously hypertensive rats (SHR). J Nutr Sci Vitaminol.(Tokyo) 1988;34(4):433-438. [View abstract.](#) **70785**
- Shimizu, A., Yano, T., Saito, Y., and Inada, Y. Isolation of an inhibitor of platelet aggregation from a fungus, Ganoderma lucidum. Chem Pharm Bull.(Tokyo) 1985;33(7):3012-3015. [View abstract.](#) **70786**
- Kanmatsuse, K., Kajiwara, N., Hayashi, K., Shimogaichi, S., Fukinbara, I., Ishikawa, H., and Tamura, T. [Studies on Ganoderma lucidum. I. Efficacy against hypertension and side effects]. Yakugaku Zasshi 1985;105(10):942-947. [View abstract.](#) **70787**
- Kubo, M., Matsuda, H., Nogami, M., Arichi, S., and Takahashi, T. [Ganoderma lucidum. (4) Effects on disseminated intravascular coagulation]. Yakugaku Zasshi 1983;103(8):871-877. [View abstract.](#) **70788**

- Lin, J. M., Lin, C. C., Chen, M. F., Ujiie, T., and Takada, A. Radical scavenger and antihepatotoxic activity of *Ganoderma formosanum*, *Ganoderma lucidum* and *Ganoderma neo-japonicum*. *J Ethnopharmacol* 6-23-1995;47(1):33-41. [View abstract](#). **70789**
- Haak-Frendscho, M., Kino, K., Sone, T., and Jardieu, P. Ling Zhi-8: a novel T cell mitogen induces cytokine production and upregulation of ICAM-1 expression. *Cell Immunol.* 1993;150(1):101-113. [View abstract](#). **70790**
- van der Hem, L. G., van der Vliet, J. A., Bocken, C. F., Kino, K., Hoitsma, A. J., and Tax, W. J. Prolongation of allograft survival with Ling Zhi-8, a new immunosuppressive drug. *Transplant.Proc.* 1994;26(2):746. [View abstract](#). **70791**
- Kawagishi, H., Mitsunaga, S., Yamawaki, M., Ido, M., Shimada, A., Kinoshita, T., Murata, T., Usui, T., Kimura, A., and Chiba, S. A lectin from mycelia of the fungus *Ganoderma lucidum*. *Phytochemistry* 1997;44(1):7-10. [View abstract](#). **70792**
- Park, E. J., Ko, G., Kim, J., and Sohn, D. H. Antifibrotic effects of a polysaccharide extracted from *Ganoderma lucidum*, glycyrrhizin, and pentoxifylline in rats with cirrhosis induced by biliary obstruction. *Biol Pharm Bull.* 1997;20(4):417-420. [View abstract](#). **70793**
- He W, Yi J. Study of clinical efficacy of Lingzhi spore capsule on tumour patients with chemotherapy/radiotherapy. *Clinical Journal of Traditional Chinese Medicine* 1997;9(6):292-293. **70794**
- Leng K, LuM. Investigation of ZhengQing Lingzhi liquid as adjuvant treatment on patients with colon cancer. *Journal of Guiyang Medical College* 2003;28(5):1. **70795**
- Yan B, Wei Y Li Y. Effect of Laojunxian Lingzhi oral liquid combined with chemotherapy on non-parvicellular lung cancer at stage II and III. *Traditional Chinese Drug Research & Clinical Pharmacology* 1998;9(2):78-80. **70796**
- Zhang X, Jia Y Li Q Niu S Zhu S Shen C. Clinical curative effect investigation of Lingzhi tablet on lung cancer. *Chinese Traditional Patent Medicine* 2000;22(7):486-488. **70797**
- Gao, Y., Dai, X., Chen, G., Ye, J., and Zhou, S. A Randomized, Placebo-Controlled, Multicenter Study of **70798**
- Gao, Y., Zhou, S., Chen, G., Dai, X., and Ye, J. A Phase I/II Study of a **70799**
- Gao, Y., Zhou, S., Chen, G., Dai, X., Ye, J., and Gao, H. A Phase I/II Study of a **70800**
- Gao, Y., Chen, G., Dai, X., Ye, J., and Zhou, S. A Phase I/II Study of Ling Zhi Mushroom **70801**
- Gao, Y., Lan, J., Dai, X., Ye, J., and Zhou, S. A Phase I/II Study of Ling Zhi Mushroom **70802**
- Jin H, Zhang G, Cao X, and et al. Treatment of hypertension by linzhi combined with hypotensor and its effects on arterial, arteriolar and capillary pressure and microcirculation. In: Niimi H, Xiu RJ, Sawada T, and et al. *Microcirculatory Approach to Asian Traditional Medicine*. New York: Elsevier Science;1996. **70803**
- Mizuno, T. Bioactive biomolecules of mushrooms: food function and medicinal effect of mushroom fungi. *Fd Rev Internat* 1995;11(1):7-21.