

# References

## Thyme

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997. **1**
- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Ultee A, Kets EP, Smid EJ. Mechanisms of action of carvacrol on the food-borne pathogen *Bacillus cereus*. *Appl Environ Microbiol* 1999;65:4606-10. [View abstract](#). **165**
- Hammer KA, Carson CF, Riley TV. Antimicrobial activity of essential oils and other plant extracts. *J Appl Microbiol* 1999;86:985-90. [View abstract](#). **316**
- Cartier LC, Lehrer A, Malo JL. Occupational asthma caused by aromatic herbs. *Allergy* 1996;51:647-9. [View abstract](#). **783**
- Daferera DJ, Ziogas BN, Polissiou MG. GC-MS analysis of essential oils from some Greek aromatic plants and their fungitoxicity on *Penicillium digitatum*. *J Agric Food Chem* 2000;48:2576-81. [View abstract](#). **2129**
- Zava DT, Dollbaum CM, Blen M. Estrogen and progestin bioactivity of foods, herbs, and spices. *Proc Soc Exp Biol Med* 1998;217:369-78. [View abstract](#). **3701**
- Akgul A, Kivanc M. Inhibitory effects of selected Turkish spices and oregano components on some foodborne fungi. *Int J Food Microbiol* 1988;6:263-8. [View abstract](#). **3704**
- Benito M, Jorro G, Morales C, et al. Labiatae allergy: systemic reactions due to ingestion of oregano and thyme. *Ann Allergy Asthma Immunol* 1996;76:416-8. [View abstract](#). **3808**
- Viollon C, Chaumont JP. Antifungal properties of essential oils and their main components upon *Cryptococcus neoformans*. *Mycopathologia* 1994;128:151-3. [View abstract](#). **4063**
- Ultee A, Gorris LG, Smid EJ. Bactericidal activity of carvacrol towards the food-borne pathogen *Bacillus cereus*. *J Appl Microbiol* 1998;85:211-8. [View abstract](#). **4065**
- Aeschbach R, Loliger J, Scott BC. Antioxidant actions of thymol, carvacrol, 6-gingerol, zingerone and hydroxytyrosol. *Food Chem Toxicol* 1994;32:31-6. [View abstract](#). **4067**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182> **4912**
- Hay IC, Jamieson M, Ormerod AD. Randomized trial of aromatherapy. Successful treatment for alopecia areata. *Arch Dermatol* 1998;134:1349-52. [View abstract](#). **5177**
- Stordy BJ. Dark adaptation, motor skills, docosahexaenoic acid, and dyslexia. *Am J Clin Nutr* 2000;71:323S-6S. [View abstract](#). **5708**
- Snow LA, Hovanec L, Brandt J. A controlled trial of aromatherapy for agitation in nursing home patients with dementia. *J Altern Complement Med* 2004;10(3):431-7. [View abstract](#). **12213**

- 13164**
- Sasaki K, Wada K, Tanaka Y, et al. Thyme (*Thymus vulgaris* L.) leaves and its constituents increase the activities of xenobiotic metabolizing enzymes in mouse liver. *J Med Food* 2005;8:184-9.
- 13447**
- Ramsewak RS, Nair MG, Stommel M, Selanders L. In vitro antagonistic activity of monoterpenes and their mixtures against 'toe nail fungus' pathogens. *Phytother Res* 2003;17:376-9.. [View abstract](#).
- 13448**
- Kitajima J, Ishikawa T, Urabe A, Satoh M. Monoterpenoids and their glycosides from the leaf of thyme. *Phytochemistry* 2004;65:3279-87. . [View abstract](#).
- 13449**
- Kohlert C, Schindler G, Marz RW, et al. Systemic availability and pharmacokinetics of thymol in humans. *J Clin Pharmacol* 2002;42:731-7. . [View abstract](#).
- 13450**
- Proestos C, Chorianopoulos N, Nychas GJ, Komaitis M. RP-HPLC analysis of the phenolic compounds of plant extracts. investigation of their antioxidant capacity and antimicrobial activity. *J Agric Food Chem* 2005;53:1190-5.. [View abstract](#).
- 13451**
- Hersch-Martinez P, Leanos-Miranda BE, Solorzano-Santos F. Antibacterial effects of commercial essential oils over locally prevalent pathogenic strains in Mexico. *Fitoterapia* 2005;76:453-7. . [View abstract](#).
- 13452**
- Pina-Vaz C, Goncalves Rodrigues A, Pinto E, et al. Antifungal activity of *Thymus* oils and their major compounds. *J Eur Acad Dermatol Venereol* 2004;18:73-8. . [View abstract](#).
- 13453**
- Giordani R, Regli P, Kaloustian J, et al. Antifungal effect of various essential oils against *Candida albicans*. Potentiation of antifungal action of amphotericin B by essential oil from *Thymus vulgaris*. *Phytother Res* 2004;18:990-5. . [View abstract](#).
- 13454**
- Aydin S, Basaran AA, Basaran N. Modulating effects of thyme and its major ingredients on oxidative DNA damage in human lymphocytes. *J Agric Food Chem* 2005;53:1299-305. . [View abstract](#).
- 13455**
- Agbor GA, Oben JE, Ngogang JY, et al. Antioxidant capacity of some herbs/spices from cameroon: a comparative study of two methods. *J Agric Food Chem* 2005;53:6819-24. . [View abstract](#).
- 13456**
- Meister A, Bernhardt G, Christoffel V, Buschauer A. Antispasmodic activity of *Thymus vulgaris* extract on the isolated guinea-pig trachea: discrimination between drug and ethanol effects. *Planta Med* 1999;65:512-6. . [View abstract](#).
- 13457**
- Okazaki K, Kawazoe K, Takaishi Y. Human platelet aggregation inhibitors from thyme (*Thymus vulgaris* L.). *Phytother Res* 2002;16:398-9. . [View abstract](#).
- 13458**
- Vigo E, Cepeda A, Gualillo O, Perez-Fernandez R. In-vitro anti-inflammatory effect of *Eucalyptus globulus* and *Thymus vulgaris*: nitric oxide inhibition in J774A.1 murine macrophages. *J Pharm Pharmacol* 2004;56:257-63. [View abstract](#).
- 13459**
- Watanabe J, Shinmoto H, Tsushida T. Coumarin and flavone derivatives from estragon and thyme as inhibitors of chemical mediator release from RBL-2H3 Cells. *Biosci Biotechnol Biochem* 2005;69:1-6.. [View abstract](#).
- 13460**
- Grande S, Bogani P, de Saizieu A, et al. Vasomodulating potential of mediterranean wild plant extracts. *J Agric Food Chem* 2004;52:5021-6. . [View abstract](#).
- 13461**

- Dursun N, Liman N, Ozyazgan I, et al. Role of thymus oil in burn wound healing. *J Burn Care Rehabil.* 2003;24:395-9. . [View abstract.](#) **13462**
- Park BS, Choi WS, Kim JH, et al. Monoterpenes from thyme (*Thymus vulgaris*) as potential mosquito repellents. *J Am Mosq Control Assoc* 2005;21:80-3. . [View abstract.](#) **13463**
- Spiewak R, Skorska C, Dutkiewicz J. Occupational airborne contact dermatitis caused by thyme dust. *Contact Dermatitis* 2001;44:235-9. . [View abstract.](#) **13464**
- Golec M, Skorska C, Mackiewicz B, et al. Respiratory effects of exposure to dust from herbs. *Ann Agric Environ Med* 2005;12:5-10. . [View abstract.](#) **13557**
- Ernst E, Marz R, Sieder C. A controlled multi-centre study of herbal versus synthetic secretolytic drugs for acute bronchitis. *Phytomedicine* 1997;4:287-93. **18330**
- Swain AR, Dutton SP, Truswell AS. Salicylates in foods. *J Am Diet.Assoc* 1985;85(8):950-60. [View abstract.](#) **18335**
- Yamamoto J, Yamada K, Naemura A, et al. Testing various herbs for antithrombotic effect. *Nutrition* 2005;21(5):580-7. [View abstract.](#) **18336**
- Naemura A, Ura M, Yamashita T, et al. Long-term intake of rosemary and common thyme herbs inhibits experimental thrombosis without prolongation of bleeding time. *Thromb Res* 2008;122(4):517-22. [View abstract.](#) **19726**
- Sourgens H, Winterhoff H, Gumbinger HG, et al. Antihormonal effects of plant extracts. TSH- and prolactin-suppressing properties of *Lithospermum officinale* and other plants. *Planta Med.* 1982 Jun;45:78-86. [View abstract.](#) **25259**
- Ray, S. and Ghosal, S. K. Release and skin permeation studies of Naproxen from hydrophillic gels and effect of terpenes as enhancers on its skin permeation. *Boll.Chim.Farm.* 2003;142(3):125-129. [View abstract.](#) **25260**
- El Kattan, A. F., Asbill, C. S., Kim, N., and Michniak, B. B. Effect of formulation variables on the percutaneous permeation of ketoprofen from gel formulations. *Drug Deliv.* 2000;7(3):147-153. [View abstract.](#) **30627**
- Nakatani, N. Phenolic antioxidants from herbs and spices. *Biofactors* 2000;13(1-4):141-146. [View abstract.](#) **30630**
- Bagamboula, C. F., Uyttendaele, M., and Debevere, J. Antimicrobial effect of spices and herbs on *Shigella sonnei* and *Shigella flexneri*. *J Food Prot.* 2003;66(4):668-673. [View abstract.](#) **30632**
- Kobayashi, S., Watanabe, J., Fukushi, E., Kawabata, J., Nakajima, M., and Watanabe, M. Polyphenols from some foodstuffs as inhibitors of ovalbumin permeation through caco-2 cell monolayers. *Biosci Biotechnol Biochem* 2003;67(6):1250-1257. [View abstract.](#) **30634**
- Kim, S. I., Yi, J. H., Tak, J. H., and Ahn, Y. J. Acaricidal activity of plant essential oils against *Dermanyssus gallinae* (Acari: Dermanyssidae). *Vet.Parasitol.* 4-15-2004;120(4):297-304. [View abstract.](#) **30636**
- Blomhoff, R. [Antioxidants and oxidative stress]. *Tidsskr.Nor Laegeforen.* 6-17-2004;124(12):1643-1645. [View abstract.](#) **30638**
- Masatcioglu, T. M. and Avsar, Y. K. Effects of flavorings, storage conditions, and storage time on survival of *Staphylococcus aureus* in Surk cheese. *J Food Prot.* 2005;68(7):1487-1491. [View abstract.](#)

- 30640**
- Tsai, P. J., Tsai, T. H., Yu, C. H., and Ho, S. C. Evaluation of NO-suppressing activity of several Mediterranean culinary spices. *Food Chem.Toxicol.* 2007;45(3):440-447. [View abstract.](#)
- 30642**
- Kluth, D., Banning, A., Paur, I., Blomhoff, R., and Brigelius-Flohe, R. Modulation of pregnane X receptor- and electrophile responsive element-mediated gene expression by dietary polyphenolic compounds. *Free Radic.Biol.Med* 2-1-2007;42(3):315-325. [View abstract.](#)
- 30653**
- Conner, D. E. and Beuchat, L. R. Sensitivity of heat-stressed yeasts to essential oils of plants. *Appl.Environ.Microbiol.* 1984;47(2):229-233. [View abstract.](#)
- 30655**
- Hitokoto, H., Morozumi, S., Wauke, T., Sakai, S., and Kurata, H. Inhibitory effects of spices on growth and toxin production of toxigenic fungi. *Appl.Environ.Microbiol.* 1980;39(4):818-822. [View abstract.](#)
- 31325**
- Hummelbrunner, L. A. and Isman, M. B. Acute, sublethal, antifeedant, and synergistic effects of monoterpenoid essential oil compounds on the tobacco cutworm, *Spodoptera litura* (Lep., Noctuidae). *J Agric.Food Chem.* 2001;49(2):715-720. [View abstract.](#)
- 31326**
- Weissinger, W. R., McWatters, K. H., and Beuchat, L. R. Evaluation of volatile chemical treatments for lethality to *Salmonella* on alfalfa seeds and sprouts. *J Food Prot.* 2001;64(4):442-450. [View abstract.](#)
- 31344**
- Soliman, K. M. and Badaea, R. I. Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food Chem.Toxicol* 2002;40(11):1669-1675. [View abstract.](#)
- 31363**
- Lee, H. S. Acaricidal activity of constituents identified in *Foeniculum vulgare* fruit oil against *Dermatophagoides* spp. (Acari: Pyroglyphidae). *J Agric.Food Chem.* 5-19-2004;52(10):2887-2889. [View abstract.](#)
- 31381**
- Diaz-Maroto, M. C., Diaz-Maroto, Hidalgo, I, Sanchez-Palomo, E., and Perez-Coello, M. S. Volatile components and key odorants of fennel (*Foeniculum vulgare* Mill.) and thyme (*Thymus vulgaris* L.) oil extracts obtained by simultaneous distillation-extraction and supercritical fluid extraction. *J Agric.Food Chem.* 6-29-2005;53(13):5385-5389. [View abstract.](#)
- 31385**
- Ozcan, M. Effect of spice hydrosols on the growth of *Aspergillus parasiticus* NRRL 2999 strain. *J Med.Food* 2005;8(2):275-278. [View abstract.](#)
- 31409**
- Knio, K. M., Usta, J., Dagher, S., Zournajian, H., and Kreydiyyeh, S. Larvicidal activity of essential oils extracted from commonly used herbs in Lebanon against the seaside mosquito, *Ochlerotatus caspius*. *Bioresour.Technol.* 2008;99(4):763-768. [View abstract.](#)
- 31418**
- Koch, C., Reichling, J., Schneelee, J., and Schnitzler, P. Inhibitory effect of essential oils against herpes simplex virus type 2. *Phytomedicine* 2008;15(1-2):71-78. [View abstract.](#)
- 31438**
- Orhan, I., Kartal, M., Kan, Y., and Sener, B. Activity of essential oils and individual components against acetyl- and butyrylcholinesterase. *Z.Naturforsch.C.* 2008;63(7-8):547-553. [View abstract.](#)
- 31441**
- Oka, Y., Nacar, S., Putievsky, E., Ravid, U., Yaniv, Z., and Spiegel, Y. Nematicidal activity of essential oils and their components against the root-knot nematode. *Phytopathology* 2000;90(7):710-715. [View abstract.](#)
- 31454**
- Topal, U., Sasaki, M., Goto, M., and Otles, S. Chemical compositions and antioxidant properties of essential oils from nine species of Turkish plants obtained by supercritical carbon dioxide extraction and steam distillation. *Int.J.Food Sci.Nutr.* 2008;59(7-8):619-634. [View abstract.](#)
- 31503**

- Reiter, M. and Brandt, W. Relaxant effects on tracheal and ileal smooth muscles of the guinea pig. *Arzneimittelforschung*. 1985;35(1A):408-414. [View abstract](#). **31530**
- Muller-Limmroth, W. and Frohlich, H. H. [Effect of various phytotherapeutic expectorants on mucociliary transport]. *Fortschr Med* 1-24-1980;98(3):95-101. [View abstract](#). **33807**
- Kanat, M. and Alma, M. H. Insecticidal effects of essential oils from various plants against larvae of pine processionary moth (*Thaumetopoea pityocampa* Schiff) (Lepidoptera: Thaumetopoeidae). *Pest.Manag.Sci* 2004;60(2):173-177. [View abstract](#). **33821**
- Soylu, E. M., Soylu, S., and Kurt, S. Antimicrobial activities of the essential oils of various plants against tomato late blight disease agent *Phytophthora infestans*. *Mycopathologia* 2006;161(2):119-128. [View abstract](#). **34384**
- Buyukbalci, A. and El, S. N. Determination of in vitro antidiabetic effects, antioxidant activities and phenol contents of some herbal teas. *Plant Foods Hum.Nutr.* 2008;63(1):27-33. [View abstract](#). **34398**
- Hotta, M., Nakata, R., Katsukawa, M., Hori, K., Takahashi, S., and Inoue, H. Carvacrol, a component of thyme oil, activates PPARalpha and gamma and suppresses COX-2 expression. *J Lipid Res* 2010;51(1):132-139. [View abstract](#). **36019**
- Jadayil, S. A., Tukan, S. K., and Takruri, H. R. Bioavailability of iron from four different local food plants in Jordan. *Plant Foods Hum.Nutr.* 1999;54(4):285-294. [View abstract](#). **36020**
- Kruk, I., Michalska, T., Lichszteld, K., Kladna, A., and Aboul-Enein, H. Y. The effect of thymol and its derivatives on reactions generating reactive oxygen species. *Chemosphere* 2000;41(7):1059-1064. [View abstract](#). **36029**
- Enomoto, S., Asano, R., Iwahori, Y., Narui, T., Okada, Y., Singab, A. N., and Okuyama, T. Hematological studies on black cummin oil from the seeds of *Nigella sativa* L. *Biol.Pharm.Bull* 2001;24(3):307-310. [View abstract](#). **36118**
- Marsik, P., Kokoska, L., Landa, P., Nepovim, A., Soudek, P., and Vanek, T. In vitro inhibitory effects of thymol and quinones of *Nigella sativa* seeds on cyclooxygenase-1- and -2-catalyzed prostaglandin E2 biosyntheses. *Planta Med* 2005;71(8):739-742. [View abstract](#). **36135**
- Mourad, A. K., Zaghloul, O. A., El Kady, M. B., Nemat, F. M., and Morsy, M. E. A novel approach for the management of the chalkbrood disease infesting honeybee *Apis mellifera* L. (Hymenoptera: Apidae) colonies in Egypt. *Commun.Agric.Appl.Biol.Sci* 2005;70(4):601-611. [View abstract](#). **36673**
- Nelson, R. F., Rodasti, P. C., Tichnor, A., and Lio, Y. L. Comparative study of four over-the-counter mouthrinses claiming antiplaque and/or antigingivitis benefits. *Clin Prev.Dent.* 1991;13(6):30-33. [View abstract](#). **39557**
- Dupeyron, J. P., Quattrocchi, F., Castaing, H., and Fabiani, P. [Acute poisoning of an infant by cutaneous application of a local counterirritant and pulmonary antiseptic salve]. *Eur J Toxicol Environ.Hyg* 1976;9(5):313-320. [View abstract](#). **39803**
- Park, I. K., Kim, J. N., Lee, Y. S., Lee, S. G., Ahn, Y. J., and Shin, S. C. Toxicity of plant essential oils and their components against *Lycoriella ingenua* (Diptera: Sciaridae). *J Econ.Entomol.* 2008;101(1):139-144. [View abstract](#). **39804**
- George, D. R., Smith, T. J., Sparagano, O. A., and Guy, J. H. The influence of 'time since last blood meal' on the toxicity of essential oils to the poultry red mite (*Dermanyssus gallinae*). *Vet.Parasitol.* 8-17-2008;155(3-4):333-335. [View abstract](#).

- 39811**
- George, D. R., Sparagano, O. A., Port, G., Okello, E., Shiel, R. S., and Guy, J. H. Repellence of plant essential oils to *Dermapterus gallinae* and toxicity to the non-target invertebrate *Tenebrio molitor*. *Vet.Parasitol.* 5-26-2009;162(1-2):129-134. [View abstract.](#)
- 39827**
- Llewellyn, G. C., Burkett, M. L., and Eadie, T. Potential mold growth, aflatoxin production, and antimycotic activity of selected natural spices and herbs. *J Assoc.Off Anal.Chem.* 1981;64(4):955-960. [View abstract.](#)
- 39866**
- Beddows, C. G., Jagait, C., and Kelly, M. J. Preservation of alpha-tocopherol in sunflower oil by herbs and spices. *Int.J Food Sci.Nutr.* 2000;51(5):327-339. [View abstract.](#)
- 40201**
- Zhu, J., Zeng, X., Yanma, Liu, T., Qian, K., Han, Y., Xue, S., Tucker, B., Schultz, G., Coats, J., Rowley, W., and Zhang, A. Adult repellency and larvicidal activity of five plant essential oils against mosquitoes. *J Am Mosq.Control Assoc* 2006;22(3):515-522. [View abstract.](#)
- 40843**
- Azizan, A. and Blevins, R. D. Mutagenicity and antimutagenicity testing of six chemicals associated with the pungent properties of specific spices as revealed by the Ames Salmonella/microsomal assay. *Arch.Environ.Contam Toxicol.* 1995;28(2):248-258. [View abstract.](#)
- 43342**
- Lindberg, C. M., Melathopoulos, A. P., and Winston, M. L. Laboratory evaluation of miticides to control *Varroa jacobsoni* (Acari: Varroidae), a honey bee (Hymenoptera: Apidae) parasite. *J Econ.Entomol.* 2000;93(2):189-198. [View abstract.](#)
- 43358**
- Lee, K. G. and Shibamoto, T. Inhibition of malonaldehyde formation from blood plasma oxidation by aroma extracts and aroma components isolated from clove and eucalyptus. *Food Chem.Toxicol.* 2001;39(12):1199-1204. [View abstract.](#)
- 43364**
- Smith-Palmer, A., Stewart, J., and Fyfe, L. Inhibition of listeriolysin O and phosphatidylcholine-specific production in *Listeria monocytogenes* by subinhibitory concentrations of plant essential oils. *J Med Microbiol.* 2002;51(7):567-574. [View abstract.](#)
- 43369**
- Walsh, S. E., Maillard, J. Y., Russell, A. D., Catrenich, C. E., Charbonneau, D. L., and Bartolo, R. G. Activity and mechanisms of action of selected biocidal agents on Gram-positive and -negative bacteria. *J Appl.Microbiol.* 2003;94(2):240-247. [View abstract.](#)
- 43375**
- Guynot, M. E., Ramos, A. J., Seto, L., Purroy, P., Sanchis, V., and Marin, S. Antifungal activity of volatile compounds generated by essential oils against fungi commonly causing deterioration of bakery products. *J Appl.Microbiol.* 2003;94(5):893-899. [View abstract.](#)
- 43381**
- Valero, M. and Salmeron, M. C. Antibacterial activity of 11 essential oils against *Bacillus cereus* in tyndallized carrot broth. *Int.J Food Microbiol.* 8-15-2003;85(1-2):73-81. [View abstract.](#)
- 43399**
- Bennis, S., Chami, F., Chami, N., Bouchikhi, T., and Remmal, A. Surface alteration of *Saccharomyces cerevisiae* induced by thymol and eugenol. *Lett.Appl.Microbiol.* 2004;38(6):454-458. [View abstract.](#)
- 43401**
- Smith-Palmer, A., Stewart, J., and Fyfe, L. Influence of subinhibitory concentrations of plant essential oils on the production of enterotoxins A and B and alpha-toxin by *Staphylococcus aureus*. *J Med Microbiol.* 2004;53(Pt 10):1023-1027. [View abstract.](#)
- 43404**
- Kim, D. O. and Lee, C. Y. Comprehensive study on vitamin C equivalent antioxidant capacity (VCEAC) of various polyphenolics in scavenging a free radical and its structural relationship. *Crit Rev.Food Sci.Nutr.* 2004;44(4):253-273. [View abstract.](#)
- 43451**
- Xu, H., Delling, M., Jun, J. C., and Clapham, D. E. Oregano, thyme and clove-derived flavors and skin sensitizers activate specific TRP channels. *Nat.Neurosci.* 2006;9(5):628-635. [View abstract.](#)

- 43476**
- Inouye, S., Uchida, K., Nishiyama, Y., Hasumi, Y., Yamaguchi, H., and Abe, S. Combined effect of heat, essential oils and salt on fungicidal activity against *Trichophyton mentagrophytes* in a foot bath. *Nippon Ishinkin.Gakkai Zasshi* 2007;48(1):27-36. [View abstract.](#)
- 43489**
- Braga, P. C., Sasso, M. D., Culici, M., and Alfieri, M. Eugenol and thymol, alone or in combination, induce morphological alterations in the envelope of *Candida albicans*. *Fitoterapia* 2007;78(6):396-400. [View abstract.](#)
- 43497**
- Pezo, D., Salafranca, J., and Nerin, C. Determination of the antioxidant capacity of active food packagings by in situ gas-phase hydroxyl radical generation and high-performance liquid chromatography-fluorescence detection. *J Chromatogr.A* 1-18-2008;1178(1-2):126-133. [View abstract.](#)
- 43523**
- Reiner, G. N., Labuckas, D. O., and Garcia, D. A. Lipophilicity of some GABAergic phenols and related compounds determined by HPLC and partition coefficients in different systems. *J Pharm.Biomed.Anal.* 4-5-2009;49(3):686-691. [View abstract.](#)
- 43540**
- Barbosa, L. N., Rall, V. L., Fernandes, A. A., Ushimaru, P. I., da, Silva Probst, I, and Fernandes, A., Jr. Essential oils against foodborne pathogens and spoilage bacteria in minced meat. *Foodborne.Pathog.Dis.* 2009;6(6):725-728. [View abstract.](#)
- 43601**
- Azuma, Y., Ozasa, N., Ueda, Y., and Takagi, N. Pharmacological studies on the anti-inflammatory action of phenolic compounds. *J Dent.Res.* 1986;65(1):53-56. [View abstract.](#)
- 43610**
- Ramanoelina, A. R., Terrom, G. P., Bianchini, J. P., and Coulanges, P. [Antibacterial action of essential oils extracted from Madagascar plants]. *Arch.Inst.Pasteur Madagascar* 1987;53(1):217-226. [View abstract.](#)
- 43660**
- El Maraghy, S. S. Effect of some spices as preservatives for storage of lentil (*Lens esculenta* L.) seeds. *Folia Microbiol.(Praha)* 1995;40(5):490-492. [View abstract.](#)
- 43672**
- Montes-Belmont, R. and Carvajal, M. Control of *Aspergillus flavus* in maize with plant essential oils and their components. *J Food Prot.* 1998;61(5):616-619. [View abstract.](#)
- 46198**
- Apak, R., Guclu, K., Ozyurek, M., Esin, Karademir S., and Ercag, E. The cupric ion reducing antioxidant capacity and polyphenolic content of some herbal teas. *Int.J Food Sci.Nutr.* 2006;57(5-6):292-304. [View abstract.](#)
- 46242**
- Tantaoui-Elaraki, A. and Beraoud, L. Inhibition of growth and aflatoxin production in *Aspergillus parasiticus* by essential oils of selected plant materials. *J Environ.Pathol.Toxicol Oncol.* 1994;13(1):67-72. [View abstract.](#)
- 46357**
- Ryzhikov, M. A. and Ryzhikova, V. O. [Application of chemiluminescent methods for analysis of the antioxidant activity of herbal extracts]. *Vopr.Pitan.* 2006;75(2):22-26. [View abstract.](#)
- 46855**
- Haroun, E. M., Mahmoud, O. M., and Adam, S. E. Effect of feeding *Cuminum cyminum* fruits, *Thymus vulgaris* leaves or their mixture to rats. *Vet.Hum.Toxicol.* 2002;44(2):67-69. [View abstract.](#)
- 46890**
- Irkin, R. and Korukluoglu, M. Growth inhibition of pathogenic bacteria and some yeasts by selected essential oils and survival of *L. monocytogenes* and *C. albicans* in apple-carrot juice. *Foodborne.Pathog.Dis.* 2009;6(3):387-394. [View abstract.](#)
- 47786**
- Amer, A. and Mehlhorn, H. Persistency of larvicidal effects of plant oil extracts under different storage conditions. *Parasitol.Res.* 2006;99(4):473-477. [View abstract.](#)
- 47787**

- Amer, A. and Mehlhorn, H. Larvicidal effects of various essential oils against *Aedes*, *Anopheles*, and *Culex* larvae (Diptera, Culicidae). *Parasitol.Res.* 2006;99(4):466-472. [View abstract](#). **47816**
- Lis-Balchin, M. and Hart, S. A preliminary study of the effect of essential oils on skeletal and smooth muscle in vitro. *J Ethnopharmacol* 1997;58(3):183-187. [View abstract](#). **48928**
- Fine, D. H., Furgang, D., Barnett, M. L., Drew, C., Steinberg, L., Charles, C. H., and Vincent, J. W. Effect of an essential oil-containing antiseptic mouthrinse on plaque and salivary *Streptococcus mutans* levels. *J Clin Periodontol.* 2000;27(3):157-161. [View abstract](#). **48929**
- Pan, P., Barnett, M. L., Coelho, J., Brogdon, C., and Finnegan, M. B. Determination of the in situ bactericidal activity of an essential oil mouthrinse using a vital stain method. *J Clin Periodontol.* 2000;27(4):256-261. [View abstract](#). **48939**
- Charles, C. H., Sharma, N. C., Galustians, H. J., Qaqish, J., McGuire, J. A., and Vincent, J. W. Comparative efficacy of an antiseptic mouthrinse and an antiplaque/antigingivitis dentifrice. A six-month clinical trial. *J Am Dent Assoc* 2001;132(5):670-675. [View abstract](#). **48940**
- Fine, D. H., Furgang, D., and Barnett, M. L. Comparative antimicrobial activities of antiseptic mouthrinses against isogenic planktonic and biofilm forms of *Actinobacillus actinomycetemcomitans*. *J Clin Periodontol.* 2001;28(7):697-700. [View abstract](#). **48942**
- Westermeyer, R. R. and Terpolilli, R. N. Cardiac asystole after mouthwash ingestion: a case report and review of the contents. *Mil.Med* 2001;166(9):833-835. [View abstract](#). **48951**
- Maruniak, J., Clark, W. B., Walker, C. B., Magnusson, I., Marks, R. G., Taylor, M., and Clouser, B. The effect of 3 mouthrinses on plaque and gingivitis development. *J Clin Periodontol.* 1992;19(1):19-23. [View abstract](#). **48956**
- Soo Hoo, G. W., Hinds, R. L., Dinovo, E., and Renner, S. W. Fatal large-volume mouthwash ingestion in an adult: a review and the possible role of phenolic compound toxicity. *J.Intensive Care Med.* 2003;18(3):150-155. [View abstract](#). **48961**
- McKenzie, W. T., Forgas, L., Vernino, A. R., Parker, D., and Limestall, J. D. Comparison of a 0.12% chlorhexidine mouthrinse and an essential oil mouthrinse on oral health in institutionalized, mentally handicapped adults: one-year results. *J Periodontol.* 1992;63(3):187-193. [View abstract](#). **48963**
- Brecx, M., Brownstone, E., MacDonald, L., Gelskey, S., and Cheang, M. Efficacy of Listerine, Meridol and chlorhexidine mouthrinses as supplements to regular tooth cleaning measures. *J Clin Periodontol.* 1992;19(3):202-207. [View abstract](#). **48978**
- Overholser, C. D., Meiller, T. F., DePaola, L. G., Minah, G. E., and Niehaus, C. Comparative effects of 2 chemotherapeutic mouthrinses on the development of supragingival dental plaque and gingivitis. *J Clin Periodontol.* 1990;17(8):575-579. [View abstract](#). **48979**
- Brecx, M., Netuschil, L., Reichert, B., and Schreil, G. Efficacy of Listerine, Meridol and chlorhexidine mouthrinses on plaque, gingivitis and plaque bacteria vitality. *J Clin Periodontol.* 1990;17(5):292-297. [View abstract](#). **48980**
- Fisher, A. A. Allergic contact dermatitis due to thymol in Listerine for treatment of paronychia. *Cutis* 1989;43(6):531-532. [View abstract](#). **48981**
- DePaola, L. G., Overholser, C. D., Meiller, T. F., Minah, G. E., and Niehaus, C. Chemotherapeutic inhibition of supragingival dental plaque and gingivitis development. *J Clin Periodontol.* 1989;16(5):311-315. [View abstract](#). **48982**



- Minah, G. E., DePaola, L. G., Overholser, C. D., Meiller, T. F., Niehaus, C., Lamm, R. A., Ross, N. M., and Dills, S. S. Effects of 6 months use of an antiseptic mouthrinse on supragingival dental plaque microflora. *J Clin Periodontol.* 1989;16(6):347-352. [View abstract.](#) **48986**
- Gordon, J. M., Lamster, I. B., and Seiger, M. C. Efficacy of Listerine antiseptic in inhibiting the development of plaque and gingivitis. *J Clin Periodontol.* 1985;12(8):697-704. [View abstract.](#) **48989**
- Pitts, G., Brogdon, C., Hu, L., Masurat, T., Pianotti, R., and Schumann, P. Mechanism of action of an antiseptic, anti-odor mouthwash. *J Dent.Res* 1983;62(6):738-742. [View abstract.](#) **48992**
- Dennison, D. K., Meredith, G. M., Shillitoe, E. J., and Caffesse, R. G. The antiviral spectrum of Listerine antiseptic. *Oral Surg Oral Med Oral Pathol Oral Radiol.Endod.* 1995;79(4):442-448. [View abstract.](#) **49020**
- Lamster IB. The effect of Listerine antiseptic on reduction of existing plaque and gingivitis. *Clin Prev Dent* 1983;5:12-16. **49219**
- Gruenwald, J., Graubaum, H. J., and Busch, R. Efficacy and tolerability of a fixed combination of thyme and primrose root in patients with acute bronchitis. A double-blind, randomized, placebo-controlled clinical trial. *Arzneimittelforschung* 2005;55(11):669-676. [View abstract.](#) **49223**
- Gruenwald, J., Graubaum, H. J., and Busch, R. Evaluation of the non-inferiority of a fixed combination of thyme fluid- and primrose root extract in comparison to a fixed combination of thyme fluid extract and primrose root tincture in patients with acute bronchitis. A single-blind, randomized, bi-centric clinical trial. *Arzneimittelforschung* 2006;56(8):574-581. [View abstract.](#) **49224**
- Kemmerich, B. Evaluation of efficacy and tolerability of a fixed combination of dry extracts of thyme herb and primrose root in adults suffering from acute bronchitis with productive cough. A prospective, double-blind, placebo-controlled multicentre clinical trial. *Arzneimittelforschung* 2007;57(9):607-615. [View abstract.](#) **49445**
- Tognolini, M., Barocelli, E., Ballabeni, V., Bruni, R., Bianchi, A., Chiavarini, M., and Impicciatore, M. Comparative screening of plant essential oils: phenylpropanoid moiety as basic core for antiplatelet activity. *Life Sci.* 2-23-2006;78(13):1419-1432. [View abstract.](#) **49470**
- Chohan, M., Forster-Wilkins, G., and Opara, E. I. Determination of the antioxidant capacity of culinary herbs subjected to various cooking and storage processes using the ABTS(\*+) radical cation assay. *Plant Foods Hum.Nutr.* 2008;63(2):47-52. [View abstract.](#) **49661**
- El Ghawi, U. M. and Al Sadeq, A. A. Determination of iodine in Libyan food samples using epithermal instrumental neutron activation analysis. *Biol.Trace Elem.Res* 2006;111(1-3):31-40. [View abstract.](#) **51787**
- Singh, V. K., Singh, S., and Singh, D. K. Effect of active molluscicidal component of spices on different enzyme activities and biogenic amine levels in the nervous tissue of *Lymnaea acuminata*. *Phytother.Res* 1999;13(8):649-654. [View abstract.](#) **51821**
- Alzoreky, N. S. and Nakahara, K. Antibacterial activity of extracts from some edible plants commonly consumed in Asia. *Int J Food Microbiol.* 2-15-2003;80(3):223-230. [View abstract.](#) **51865**
- Nguefack, J., Leth, V., Amvam Zollo, P. H., and Mathur, S. B. Evaluation of five essential oils from aromatic plants of Cameroon for controlling food spoilage and mycotoxin producing fungi. *Int J Food Microbiol.* 8-1-2004;94(3):329-334. [View abstract.](#) **52026**
- Pozzatti, P., Scheid, L. A., Spader, T. B., Atayde, M. L., Santurio, J. M., and Alves, S. H. In vitro activity of essential oils extracted from plants used as spices against fluconazole-resistant and fluconazole-susceptible *Candida* spp. *Can J Microbiol.* 2008;54(11):950-956. [View abstract.](#)

- 52052**
- Shati, A. A. and Elsaid, F. G. Effects of water extracts of thyme (*Thymus vulgaris*) and ginger (*Zingiber officinale* Roscoe) on alcohol abuse. *Food Chem.Toxicol.* 2009;47(8):1945-1949. [View abstract.](#)
- 54598**
- Bonjar, G. H. Inhibition of Clotrimazole-resistant *Candida albicans* by plants used in Iranian folkloric medicine. *Fitoterapia* 2004;75(1):74-76. [View abstract.](#)
- 55071**
- Ceyhan, N. and Ugur, A. Investigation of in vitro antimicrobial activity of honey. *Riv.Biol.* 2001;94(2):363-371. [View abstract.](#)
- 58049**
- Anderson C, Lis-Balchin M, Kirk-Smith M. Evaluation of massage with essential oils on childhood atopic eczema. *Phytother Res* 2000;14(6):452-6. [View abstract.](#)
- 59326**
- Mikus, J., Harkenthal, M., Steverding, D., and Reichling, J. In vitro effect of essential oils and isolated mono- and sesquiterpenes on *Leishmania major* and *Trypanosoma brucei*. *Planta Med* 2000;66(4):366-368. [View abstract.](#)
- 59334**
- Dragland, S., Senoo, H., Wake, K., Holte, K., and Blomhoff, R. Several culinary and medicinal herbs are important sources of dietary antioxidants. *J Nutr* 2003;133(5):1286-1290. [View abstract.](#)
- 59390**
- Englberger, W., Hadding, U., Etschenberg, E., Graf, E., Leyck, S., Winkelmann, J., and Parnham, M. J. Rosmarinic acid: a new inhibitor of complement C3-convertase with anti-inflammatory activity. *Int J Immunopharmacol.* 1988;10(6):729-737. [View abstract.](#)
- 59488**
- Inouye, S., Tsuruoka, T., Watanabe, M., Takeo, K., Akao, M., Nishiyama, Y., and Yamaguchi, H. Inhibitory effect of essential oils on apical growth of *Aspergillus fumigatus* by vapour contact. *Mycoses* 2000;43(1-2):17-23. [View abstract.](#)
- 59497**
- Inouye, S., Uchida, K., and Yamaguchi, H. In-vitro and in-vivo anti-Trichophyton activity of essential oils by vapour contact. *Mycoses* 2001;44(3-4):99-107. [View abstract.](#)
- 59520**
- Suhr, K. I. and Nielsen, P. V. Antifungal activity of essential oils evaluated by two different application techniques against rye bread spoilage fungi. *J Appl Microbiol.* 2003;94(4):665-674. [View abstract.](#)
- 59536**
- Abe, S., Sato, Y., Inoue, S., Ishibashi, H., Maruyama, N., Takizawa, T., Oshima, H., and Yamaguchi, H. [Anti-*Candida albicans* activity of essential oils including Lemongrass (*Cymbopogon citratus*) oil and its component, citral]. *Nippon Ishinkin.Gakkai Zasshi* 2003;44(4):285-291. [View abstract.](#)
- 59634**
- Nguefack, J., Dongmo, J. B., Dakole, C. D., Leth, V., Vismar, H. F., Torp, J., Guemdjom, E. F., Mbeffo, M., Tamgue, O., Fotio, D., Zollo, P. H., and Nkengfack, A. E. Food preservative potential of essential oils and fractions from *Cymbopogon citratus*, *Ocimum gratissimum* and *Thymus vulgaris* against mycotoxigenic fungi. *Int J Food Microbiol.* 5-31-2009;131(2-3):151-156. [View abstract.](#)
- 59700**
- Inouye, S., Watanabe, M., Nishiyama, Y., Takeo, K., Akao, M., and Yamaguchi, H. Antisporulating and respiration-inhibitory effects of essential oils on filamentous fungi. *Mycoses* 1998;41(9-10):403-410. [View abstract.](#)
- 66904**
- Putnam, S. E., Scutt, A. M., Bicknell, K., Priestley, C. M., and Williamson, E. M. Natural products as alternative treatments for metabolic bone disorders and for maintenance of bone health. *Phytother.Res.* 2007;21(2):99-112. [View abstract.](#)
- 67068**

- Oyebola, D. D. Cow's urine concoction: its chemical composition, pharmacological actions and mode of lethality. *Afr.J Med Med Sci* 1983;12(1):57-63. [View abstract](#). **67142**
- Ultee, A., Slump, R. A., Steging, G., and Smid, E. J. Antimicrobial activity of carvacrol toward *Bacillus cereus* on rice. *J Food Prot.* 2000;63(5):620-624. [View abstract](#). **67143**
- Ultee, A., Kets, E. P., Alberda, M., Hoekstra, F. A., and Smid, E. J. Adaptation of the food-borne pathogen *Bacillus cereus* to carvacrol. *Arch.Microbiol.* 2000;174(4):233-238. [View abstract](#). **67146**
- Ismail, S. A., Dea, T., Abd El-Rahman, H., Yassien, M. A., and Beuchat, L. R. Effectiveness of immersion treatments with acids, trisodium phosphate, and herb decoctions in reducing populations of *Yarrowia lipolytica* and naturally occurring aerobic microorganisms on raw chicken. *Int.J Food Microbiol.* 2-28-2001;64(1-2):13-19. [View abstract](#). **67158**
- Traboulsi, A. F., Taoubi, K., el Haj, S., Bessiere, J. M., and Rammal, S. Insecticidal properties of essential plant oils against the mosquito *Culex pipiens molestus* (Diptera: Culicidae). *Pest.Manag.Sci.* 2002;58(5):491-495. [View abstract](#). **67168**
- Harpaz, S., Glatman, L., Drabkin, V., and Gelman, A. Effects of herbal essential oils used to extend the shelf life of freshwater-reared Asian sea bass fish (*Lates calcarifer*). *J Food Prot.* 2003;66(3):410-417. [View abstract](#). **67169**
- Kalembe, D. and Kunicka, A. Antibacterial and antifungal properties of essential oils. *Curr.Med Chem.* 2003;10(10):813-829. [View abstract](#). **67177**
- Bouchra, C., Achouri, M., Idrissi Hassani, L. M., and Hmamouchi, M. Chemical composition and antifungal activity of essential oils of seven Moroccan Labiatae against *Botrytis cinerea* Pers: Fr. *J Ethnopharmacol* 2003;89(1):165-169. [View abstract](#). **67183**
- Demirci, F., Paper, D. H., Franz, G., and Baser, K. H. Investigation of the *Origanum onites* L. essential oil using the chorioallantoic membrane (CAM) assay. *J Agric.Food Chem.* 1-28-2004;52(2):251-254. [View abstract](#). **67185**
- Dorman, H. J., Bachmayer, O., Kosar, M., and Hiltunen, R. Antioxidant properties of aqueous extracts from selected lamiaceae species grown in Turkey. *J Agric.Food Chem.* 2-25-2004;52(4):762-770. [View abstract](#). **67205**
- Chorianopoulos, N., Kalpoutzakis, E., Aligiannis, N., Mitaku, S., Nychas, G. J., and Haroutounian, S. A. Essential oils of *Satureja*, *Origanum*, and *Thymus* species: chemical composition and antibacterial activities against foodborne pathogens. *J Agric.Food Chem.* 12-29-2004;52(26):8261-8267. [View abstract](#). **67208**
- Penalver, P., Huerta, B., Borge, C., Astorga, R., Romero, R., and Perea, A. Antimicrobial activity of five essential oils against origin strains of the Enterobacteriaceae family. *APMIS* 2005;113(1):1-6. [View abstract](#). **67212**
- Loboda, A., Cisowski, J., Zarebski, A., Jazwa, A., Riviera, Nunez D., Kypriotakis, Z., Heinrich, M., and Dulak, J. Effects of plant extracts on angiogenic activities of endothelial cells and keratinocytes. *J Physiol Pharmacol* 2005;56 Suppl 1:125-137. [View abstract](#). **67228**
- Bozin, B., Mimica-Dukic, N., Simin, N., and Anackov, G. Characterization of the volatile composition of essential oils of some lamiaceae spices and the antimicrobial and antioxidant activities of the entire oils. *J Agric.Food Chem.* 3-8-2006;54(5):1822-1828. [View abstract](#). **67235**
- Juneja, V. K., Thippareddi, H., and Friedman, M. Control of *Clostridium perfringens* in cooked ground beef by carvacrol, cinnamaldehyde, thymol, or oregano oil during chilling. *J Food Prot.* 2006;69(7):1546-1551. [View abstract](#).

- 67237**
- Hazzit, M., Baaliouamer, A., Faleiro, M. L., and Miguel, M. G. Composition of the essential oils of Thymus and Origanum species from Algeria and their antioxidant and antimicrobial activities. J Agric.Food Chem. 8-23-2006;54(17):6314-6321. [View abstract.](#)
- 67238**
- Fabian, D., Sabol, M., Domaracka, K., and Bujnakova, D. Essential oils--their antimicrobial activity against Escherichia coli and effect on intestinal cell viability. Toxicol.In Vitro 2006;20(8):1435-1445. [View abstract.](#)
- 67239**
- Nhu-Trang, T. T., Casabianca, H., and Grenier-Loustalot, M. F. Deuterium/hydrogen ratio analysis of thymol, carvacrol, gamma-terpinene and p-cymene in thyme, savory and oregano essential oils by gas chromatography-pyrolysis-isotope ratio mass spectrometry. J Chromatogr.A 11-3-2006;1132(1-2):219-227. [View abstract.](#)
- 67243**
- Santoro, G. F., das Gracias, Cardoso M., Guimaraes, L. G., Salgado, A. P., Menna-Barreto, R. F., and Soares, M. J. Effect of oregano (Origanum vulgare L.) and thyme (Thymus vulgaris L.) essential oils on Trypanosoma cruzi (Protozoa: Kinetoplastida) growth and ultrastructure. Parasitol.Res 2007;100(4):783-790. [View abstract.](#)
- 67251**
- Juneja, V. K. and Friedman, M. Carvacrol, cinnamaldehyde, oregano oil, and thymol inhibit Clostridium perfringens spore germination and outgrowth in ground turkey during chilling. J Food Prot. 2007;70(1):218-222. [View abstract.](#)
- 67257**
- Mezzoug, N., Elhadri, A., Dallouh, A., Amkiss, S., Skali, N. S., Abrini, J., Zhiri, A., Baudoux, D., Diallo, B., El Jaziri, M., and Idaomar, M. Investigation of the mutagenic and antimutagenic effects of Origanum compactum essential oil and some of its constituents. Mutat.Res 5-18-2007;629(2):100-110. [View abstract.](#)
- 67258**
- Van Den Broucke, C. O. and Lemli, J. A. Antispasmodic Activity of Origanum compactum. Planta Med 1982;45(7):188-190. [View abstract.](#)
- 67260**
- Kulisic, T., Krisko, A., Dragovic-Uzelac, V., Milos, M., and Pifat, G. The effects of essential oils and aqueous tea infusions of oregano (Origanum vulgare L. spp. hirtum), thyme (Thymus vulgaris L.) and wild thyme (Thymus serpyllum L.) on the copper-induced oxidation of human low-density lipoproteins. Int J Food Sci.Nutr 2007;58(2):87-93. [View abstract.](#)
- 67262**
- Burt, S. A., van der, Zee R., Koets, A. P., de Graaff, A. M., van Knapen, F., Gaastra, W., Haagsman, H. P., and Veldhuizen, E. J. Carvacrol induces heat shock protein 60 and inhibits synthesis of flagellin in Escherichia coli O157:H7. Appl.Environ.Microbiol. 2007;73(14):4484-4490. [View abstract.](#)
- 67263**
- Cetin, H., Erler, F., and Yanikoglu, A. A comparative evaluation of Origanum onites essential oil and its four major components as larvicides against the pine processionary moth, Thaumetopoea wilkinsoni Tams. Pest.Manag.Sci. 2007;63(8):830-833. [View abstract.](#)
- 67271**
- Veldhuizen, E. J., Creutzberg, T. O., Burt, S. A., and Haagsman, H. P. Low temperature and binding to food components inhibit the antibacterial activity of carvacrol against Listeria monocytogenes in steak tartare. J Food Prot. 2007;70(9):2127-2132. [View abstract.](#)
- 67279**
- Bimczok, D., Rau, H., Sewekow, E., Janczyk, P., Souffrant, W. B., and Rothkotter, H. J. Influence of carvacrol on proliferation and survival of porcine lymphocytes and intestinal epithelial cells in vitro. Toxicol.In Vitro 2008;22(3):652-658. [View abstract.](#)
- 67281**
- Lee, S. P., Buber, M. T., Yang, Q., Cerne, R., Cortes, R. Y., Sprous, D. G., and Bryant, R. W. Thymol and related alkyl phenols activate the hTRPA1 channel. Br.J Pharmacol 2008;153(8):1739-1749. [View abstract.](#)
- 67297**

LeBlanc, B. W., Boue, S., De Grandi, Hoffman G., Deeby, T., McCready, H., and Loeffelmann, K. Beta-cyclodextrins as carriers of monoterpenes into the hemolymph of the honey bee (*Apis mellifera*) for integrated pest management. *J Agric.Food Chem.* 9-24-2008;56(18):8565-8573. [View abstract.](#)

**67319**

Wieten, L., van der, Zee R., Goedemans, R., Sijtsma, J., Serafini, M., Lubsen, N. H., van Eden, W., and Broere, F. Hsp70 expression and induction as a readout for detection of immune modulatory components in food. *Cell Stress.Chaperones.* 2010;15(1):25-37. [View abstract.](#)

**67321**

Brandstetter, S., Berthold, C., Isnardy, B., Solar, S., and Elmadfa, I. Impact of gamma-irradiation on the antioxidative properties of sage, thyme, and oregano. *Food Chem.Toxicol.* 2009;47(9):2230-2235. [View abstract.](#)

**67336**

Melo, F. H., Venancio, E. T., de Sousa, D. P., Franca Fonteles, M. M., de Vasconcelos, S. M., Viana, G. S., and de Sousa, F. C. Anxiolytic-like effect of Carvacrol (5-isopropyl-2-methylphenol) in mice: involvement with GABAergic transmission. *Fundam.Clin Pharmacol* 11-10-2009; [View abstract.](#)

**67338**

De Martino, L., De, Feo, V, and Nazzaro, F. Chemical composition and in vitro antimicrobial and mutagenic activities of seven Lamiaceae essential oils. *Molecules.* 2009;14(10):4213-4230. [View abstract.](#)

**67354**

Van Den Broucke, C. O. and Lemli, J. A. Antispasmodic activity of *Origanum compactum*. Part 2: Antagonistic effect of thymol and carvacrol. *Planta Med* 1982;45(3):188-190. [View abstract.](#)

**68389**

Haeseler, G., Maue, D., Grosskreutz, J., Bufler, J., Nentwig, B., Piepenbrock, S., Dengler, R., and Leuwer, M. Voltage-dependent block of neuronal and skeletal muscle sodium channels by thymol and menthol. *Eur J Anaesthesiol.* 2002;19(8):571-579. [View abstract.](#)

**68447**

Nolkemper, S., Reichling, J., Stintzing, F. C., Carle, R., and Schnitzler, P. Antiviral effect of aqueous extracts from species of the Lamiaceae family against Herpes simplex virus type 1 and type 2 in vitro. *Planta Med* 2006;72(15):1378-1382. [View abstract.](#)

**68469**

Samarasekera, R., Weerasinghe, I. S., and Hemalal, K. P. Insecticidal activity of menthol derivatives against mosquitoes. *Pest.Manag.Sci.* 2008;64(3):290-295. [View abstract.](#)

**68487**

Sokovic, M. D., Vukojevic, J., Marin, P. D., Brkic, D. D., Vajs, V., and van Griensven, L. J. Chemical composition of essential oils of *Thymus* and *Mentha* species and their antifungal activities. *Molecules.* 2009;14(1):238-249. [View abstract.](#)

**68488**

Reichling, J., Nolkemper, S., Stintzing, F. C., and Schnitzler, P. Impact of ethanolic lamiaceae extracts on herpesvirus infectivity in cell culture. *Forsch.Komplementmed.* 2008;15(6):313-320. [View abstract.](#)

**71700**

Lee, K. G. and Shibamoto, T. Determination of antioxidant potential of volatile extracts isolated from various herbs and spices. *J Agric.Food Chem* 8-14-2002;50(17):4947-4952. [View abstract.](#)

**71710**

Choi, W. S., Park, B. S., Ku, S. K., and Lee, S. E. Repellent activities of essential oils and monoterpenes against *Culex pipiens pallens*. *J Am Mosq.Control Assoc.* 2002;18(4):348-351. [View abstract.](#)

**71716**

Muhlbauer, R. C., Lozano, A., Palacio, S., Reinli, A., and Felix, R. Common herbs, essential oils, and monoterpenes potently modulate bone metabolism. *Bone* 2003;32(4):372-380. [View abstract.](#)

**71718**

Ariana, A., Ebadi, R., and Tahmasebi, G. Laboratory evaluation of some plant essences to control *Varroa destructor* (Acari: Varroidae). *Exp Appl Acarol.* 2002;27(4):319-327. [View abstract.](#)

- 71722**
- Grayer, R. J., Eckert, M. R., Veitch, N. C., Kite, G. C., Marin, P. D., Kokubun, T., Simmonds, M. S., and Paton, A. J. The chemotaxonomic significance of two bioactive caffeic acid esters, nepetoidins A and B, in the Lamiaceae. *Phytochemistry* 2003;64(2):519-528. [View abstract.](#)
- 71795**
- Grabensteiner, E., Arshad, N., and Hess, M. Differences in the in vitro susceptibility of mono-eukaryotic cultures of *Histomonas meleagridis*, *Tetratrichomonas gallinarum* and *Blastocystis* sp. to natural organic compounds. *Parasitol.Res* 2007;101(1):193-199. [View abstract.](#)
- 71818**
- Pozo-Insfran, D., Follo-Martinez, A., Talcott, S. T., and Brenes, C. H. Stability of copigmented anthocyanins and ascorbic acid in muscadine grape juice processed by high hydrostatic pressure. *J Food Sci.* 2007;72(4):S247-S253. [View abstract.](#)
- 71827**
- Carraminana, J. J., Rota, C., Burillo, J., and Herrera, A. Antibacterial efficiency of Spanish *Satureja montana* essential oil against *Listeria monocytogenes* among natural flora in minced pork. *J Food Prot.* 2008;71(3):502-508. [View abstract.](#)
- 71850**
- Waliwitiya, R., Kennedy, C. J., and Lowenberger, C. A. Larvicidal and oviposition-altering activity of monoterpenoids, trans-anethole and rosemary oil to the yellow fever mosquito *Aedes aegypti* (Diptera: Culicidae). *Pest.Manag.Sci.* 2009;65(3):241-248. [View abstract.](#)
- 71913**
- Panizzi, L., Flamini, G., Cioni, P. L., and Morelli, I. Composition and antimicrobial properties of essential oils of four Mediterranean Lamiaceae. *J Ethnopharmacol* 1993;39(3):167-170. [View abstract.](#)
- 72585**
- Miura, K., Kikuzaki, H., and Nakatani, N. Antioxidant activity of chemical components from sage (*Salvia officinalis* L.) and thyme (*Thymus vulgaris* L.) measured by the oil stability index method. *J Agric.Food Chem* 3-27-2002;50(7):1845-1851. [View abstract.](#)
- 72647**
- Zani, F., Massimo, G., Benvenuti, S., Bianchi, A., Albasini, A., Melegari, M., Vampa, G., Bellotti, A., and Mazza, P. Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-assay and *Salmonella*/microsome reversion assay. *Planta Med* 1991;57(3):237-241. [View abstract.](#)
- 76825**
- Sacchetti, G., Medici, A., Maietti, S., Radice, M., Muzzoli, M., Manfredini, S., Braccioli, E., and Bruni, R. Composition and functional properties of the essential oil of amazonian basil, *Ocimum micranthum* Willd., Labiatae in comparison with commercial essential oils. *J Agric.Food Chem.* 6-2-2004;52(11):3486-3491. [View abstract.](#)
- 76862**
- Pavela, R. Larvicidal effects of various Euro-Asiatic plants against *Culex quinquefasciatus* Say larvae (Diptera: Culicidae). *Parasitol.Res* 2008;102(3):555-559. [View abstract.](#)
- 76899**
- Gancevici, G. G. and Popescu, C. Natural inhibitors of complement. III. Inactivation of the complement cascade in vitro by vegetal spices (*Ocimum basilicum*, *Artemisia dracunculus* and *Thymus vulgaris*). *Arch Roum.Pathol.Exp.Microbiol.* 1987;46(4):321-331. [View abstract.](#)
- 77026**
- Watanabe, J., Shinmoto, H., and Tsushida, T. Coumarin and flavone derivatives from estragon and thyme as inhibitors of chemical mediator release from RBL-2H3 Cells. *Biosci.Biotechnol.Biochem.* 2005;69(1):1-6. [View abstract.](#)
- 77967**
- Yucel-Lindberg, T., Twetman, S., Skold-Larsson, K., and Modeer, T. Effect of an antibacterial dental varnish on the levels of prostanoids, leukotriene B4, and interleukin-1 beta in gingival crevicular fluid. *Acta Odontol.Scand.* 1999;57(1):23-27. [View abstract.](#)
- 77968**
- Youdim, K. A. and Deans, S. G. Beneficial effects of thyme oil on age-related changes in the phospholipid C20 and C22 polyunsaturated fatty acid composition of various rat tissues. *Biochim.Biophys.Acta* 4-19-1999;1438(1):140-146. [View abstract.](#)

- Brenner, S. The march of thyme. *Curr.Biol* 4-22-1999;9(8):R267. [View abstract](#). **77969**
- Balavoine, G. G. and Geletii, Y. V. Peroxynitrite scavenging by different antioxidants. Part I: convenient assay. *Nitric.Oxide*. 1999;3(1):40-54. [View abstract](#). **77970**
- Dudic, V. B., Lang, N. P., and Mombelli, A. Microbiological and clinical effects of an antiseptic dental varnish after mechanical periodontal therapy. *J Clin.Periodontol*. 1999;26(6):341-346. [View abstract](#). **77971**
- Alam, K., Nagi, M. N., Badary, O. A., Al Shabanah, O. A., Al Rikabi, A. C., and Al Bekairi, A. M. The protective action of thymol against carbon tetrachloride hepatotoxicity in mice. *Pharmacol Res* 1999;40(2):159-163. [View abstract](#). **77972**
- Krizaj, D., Bao, J. X., Schmitz, Y., Witkovsky, P., and Copenhagen, D. R. Caffeine-sensitive calcium stores regulate synaptic transmission from retinal rod photoreceptors. *J Neurosci*. 9-1-1999;19(17):7249-7261. [View abstract](#). **77973**
- Twetman, S. and Petersson, L. G. Interdental caries incidence and progression in relation to mutans streptococci suppression after chlorhexidine-thymol varnish treatments in schoolchildren. *Acta Odontol.Scand*. 1999;57(3):144-148. [View abstract](#). **77974**
- Cosentino, S., Tuberoso, C. I., Pisano, B., Satta, M., Mascia, V., Arzedi, E., and Palmas, F. In-vitro antimicrobial activity and chemical composition of Sardinian Thymus essential oils. *Lett.Appl.Microbiol* 1999;29(2):130-135. [View abstract](#). **77976**
- Stammati, A., Bonsi, P., Zucco, F., Moezelaar, R., Alakomi, H. L., and von Wright, A. Toxicity of selected plant volatiles in microbial and mammalian short-term assays. *Food Chem Toxicol*. 1999;37(8):813-823. [View abstract](#). **77977**
- Wang, M., Kikuzaki, H., Lin, C. C., Kahyaoglu, A., Huang, M. T., Nakatani, N., and Ho, C. T. Acetophenone glycosides from thyme (*Thymus vulgaris* L.). *J Agric Food Chem* 1999;47(5):1911-1914. [View abstract](#). **77978**
- Mockute, D. and Bernotiene, G. The main citral-geraniol and carvacrol chemotypes of the essential oil of thymus pulegioides L. growing wild in vilnius district (Lithuania). *J Agric Food Chem* 1999;47(9):3787-3790. [View abstract](#). **77979**
- Youdim, K. A. and Deans, S. G. Dietary supplementation of thyme (*Thymus vulgaris* L.) essential oil during the lifetime of the rat: its effects on the antioxidant status in liver, kidney and heart tissues. *Mech.Ageing Dev*. 9-8-1999;109(3):163-175. [View abstract](#). **77980**
- Ekenback, S. B., Linder, L. E., and Lonnie, H. Effect of four dental varnishes on the colonization of cariogenic bacteria on exposed sound root surfaces. *Caries Res* 2000;34(1):70-74. [View abstract](#). **77981**
- Mackiewicz, B., Skorska, C., Dutkiewicz, J., Michnar, M., Milanowski, J., Prazmo, Z., Krysinska-Traczyk, E., and Cisak, E. Allergic alveolitis due to herb dust exposure. *Ann Agric Environ Med* 1999;6(2):167-170. [View abstract](#). **77982**
- Kamataki, T., Sugita, O., Naminohira, S., and Kitagawa, H. Effects of various compounds on lipid peroxidation mediated by detergent-solubilized rat liver NADPH-cytochrome C reductase. *Jpn.J Pharmacol* 1978;28(6):837-845. [View abstract](#). **77983**
- Mansour, S. A., Messeha, S. S., and el Gengaihi, S. E. Botanical biocides. 4. Mosquitocidal activity of certain *Thymus capitatus* constituents. *J Nat.Toxins*. 2000;9(1):49-62. [View abstract](#). **77985**
- 77986**

- Youdim, K. A. and Deans, S. G. Effect of thyme oil and thymol dietary supplementation on the antioxidant status and fatty acid composition of the ageing rat brain. *Br J Nutr* 2000;83(1):87-93. [View abstract](#). **77987**
- Alwas-Danowska, H. M., Huysmans, M. C., and Verdonschot, E. H. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an in vitro study. *Int Endod.J* 1999;32(6):459-463. [View abstract](#). **77988**
- Zaura-Arite, E. and ten Cate, J. M. Effects of fluoride- and chlorhexidine-containing varnishes on plaque composition and on demineralization of dentinal grooves in situ. *Eur.J Oral Sci* 2000;108(2):154-161. [View abstract](#). **77989**
- Petersson, L. G., Magnusson, K., Andersson, H., Almquist, B., and Twetman, S. Effect of quarterly treatments with a chlorhexidine and a fluoride varnish on approximal caries in caries-susceptible teenagers: a 3-year clinical study. *Caries Res* 2000;34(2):140-143. [View abstract](#). **77991**
- Anderson, R. C. and Anderson, J. H. Respiratory toxicity of fabric softener emissions. *J Toxicol.Environ Health A* 5-26-2000;60(2):121-136. [View abstract](#). **77992**
- Kulevanova, S., Stoeva, T., and Ristic, M. The essential oil composition of *Thymus tosevii* and *Thymus macedonicus* from Bulgaria. *Boll.Chim.Farm.* 2000;139(2):85-88. [View abstract](#). **77996**
- Calderone, N. W. Effective fall treatment of *Varroa jacobsoni* (Acari: Varroidae) with a new formulation of formic acid in colonies of *Apis mellifera* (Hymenoptera: Apidae) in the northeastern United States. *J Econ.Entomol.* 2000;93(4):1065-1075. [View abstract](#). **77997**
- Teissedre, P. L. and Waterhouse, A. L. Inhibition of oxidation of human low-density lipoproteins by phenolic substances in different essential oils varieties. *J Agric Food Chem* 2000;48(9):3801-3805. [View abstract](#). **77998**
- Botelho, M. G. The minimum inhibitory concentration of oral antibacterial agents against cariogenic organisms. *Microbios* 2000;103(404):31-41. [View abstract](#). **77999**
- Splieth, C., Steffen, H., Rosin, M., and Welk, A. Caries prevention with chlorhexidine-thymol varnish in high risk schoolchildren. *Community Dent.Oral Epidemiol.* 2000;28(6):419-423. [View abstract](#). **78000**
- Saez, F. Volatile oil variability in *Thymus serpylloides* ssp. *gadorensis* growing wild in Southeastern Spain. *Biochem.Syst.Ecol.* 2-1-2001;29(2):189-198. [View abstract](#). **78001**
- Pereira, S. I., Santos, P. A., Barroso, J. G., Figueiredo, A. C., Pedro, L. G., Salgueiro, L. R., Deans, S. G., and Scheffer, J. J. Chemical polymorphism of the essential oils from populations of *Thymus caespititius* grown on the island S. Jorge (Azores). *Phytochemistry* 2000;55(3):241-246. [View abstract](#). **78002**
- Pereira, S. I., Santos, P. A., Barroso, J. G., Figueiredo, A. C., Pedro, L. G., Salgueiro, L. R., Deans, S. G., and Scheffer, J. J. Chemical polymorphism of the essential oils from populations of *Thymus caespititius* grown on the island S. Jorge (Azores). *Phytochemistry* 2000;55(3):241-246. [View abstract](#). **78003**
- Isman, M. B., Wan, A. J., and Passreiter, C. M. Insecticidal activity of essential oils to the tobacco cutworm, *Spodoptera litura*. *Fitoterapia* 2001;72(1):65-68. [View abstract](#). **78004**
- Chang, Y. C., Tai, K. W., Huang, F. M., and Huang, M. F. Cytotoxic and nongenotoxic effects of phenolic compounds in human pulp cell cultures. *J Endod.* 2000;26(8):440-443. [View abstract](#). **78005**



- Kulevanova, S., Kaftandzieva, A., Dimitrovska, A., Stefkov, G., Grdanoska, T., and Panovski, N. Investigation of antimicrobial activity of essential oils of several Macedonian *Thymus L.* species (Lamiaceae). *Boll.Chim.Farm.* 2000;139(6):276-280. [View abstract.](#) **78006**
- Galeotti, N., Ghelardini, C., Mannelli, L., Mazzanti, G., Baghiroli, L., and Bartolini, A. Local anaesthetic activity of (+)- and (-)-menthol. *Planta Med* 2001;67(2):174-176. [View abstract.](#) **78007**
- Mohammadi, B., Haeseler, G., Leuwer, M., Dengler, R., Krampfl, K., and Bufler, J. Structural requirements of phenol derivatives for direct activation of chloride currents via GABA(A) receptors. *Eur.J Pharmacol* 6-8-2001;421(2):85-91. [View abstract.](#) **78008**
- Chun, H., Jun, W. J., Shin, D. H., Hong, B. S., Cho, H. Y., and Yang, H. C. Purification and characterization of anti-complementary polysaccharide from leaves of *Thymus vulgaris L.* *Chem Pharm Bull.(Tokyo)* 2001;49(6):762-764. [View abstract.](#) **78009**
- Arras, G. and Usai, M. Fungitoxic activity of 12 essential oils against four postharvest citrus pathogens: chemical analysis of thymus capitatus oil and its effect in subatmospheric pressure conditions. *J Food Prot.* 2001;64(7):1025-1029. [View abstract.](#) **78010**
- Harper, D. S., Brogdon, C. L., Wu, M. M., and Epelle, U. A rapid method for evaluating microbicidal activity of dentifrice formulations against salivary bacteria ex vivo. *J Clin.Dent.* 2000;11(4):89-93. [View abstract.](#) **78011**
- Madlena, M., Vitalyos, G., Marton, S., and Nagy, G. Effect of chlorhexidine varnish on bacterial levels in plaque and saliva during orthodontic treatment. *J Clin.Dent.* 2000;11(2):42-46. [View abstract.](#) **78012**
- Skold-Larsson, K., Borgstrom, M. K., and Twetman, S. Effect of an antibacterial varnish on lactic acid production in plaque adjacent to fixed orthodontic appliances. *Clin.Oral Investig.* 2001;5(2):118-121. [View abstract.](#) **78013**
- Vazquez, B. I., Fente, C., Franco, C. M., Vazquez, M. J., and Cepeda, A. Inhibitory effects of eugenol and thymol on *Penicillium citrinum* strains in culture media and cheese. *Int J Food Microbiol* 7-20-2001;67(1-2):157-163. [View abstract.](#) **78014**
- Pothier, J., Galand, N., El Ouali, M., and Viel, C. Comparison of planar chromatographic methods (TLC, OPLC, AMD) applied to essential oils of wild thyme and seven chemotypes of thyme. *Farmaco* 2001;56(5-7):505-511. [View abstract.](#) **78015**
- Chun, H., Shin, D. H., Hong, B. S., Cho, H. Y., and Yang, H. C. Purification and biological activity of acidic polysaccharide from leaves of *Thymus vulgaris L.* *Biol Pharm Bull.* 2001;24(8):941-946. [View abstract.](#) **78016**
- Joharji, R. M. and Adenubi, J. O. Prevention of pit and fissure caries using an antimicrobial varnish: 9 month clinical evaluation. *J Dent.* 2001;29(4):247-254. [View abstract.](#) **78017**
- Nicar, M. J., Hsu, M. C., Johnson, T., and Pak, C. Y. The preservation of urine samples for determination of renal stone risk factors. *Lab Med* 1987;18(6):382-384. [View abstract.](#) **78018**
- Ouattara, B., Sabato, S. F., and Lacroix, M. Combined effect of antimicrobial coating and gamma irradiation on shelf life extension of pre-cooked shrimp (*Penaeus spp.*). *Int J Food Microbiol* 8-15-2001;68(1-2):1-9. [View abstract.](#) **78019**
- Echeverrigaray, S., Agostini, G., Atti-Serfina, L., Paroul, N., Pauletti, G. F., and dos Santos, A. C. Correlation between the chemical and genetic relationships among commercial thyme cultivars. *J Agric Food Chem* 2001;49(9):4220-4223. [View abstract.](#) **78020**

- Zheng, W. and Wang, S. Y. Antioxidant activity and phenolic compounds in selected herbs. *J Agric.Food Chem* 2001;49(11):5165-5170. [View abstract](#). **78022**
- Kohlert, C., Abel, G., Schmid, E., and Veit, M. Determination of thymol in human plasma by automated headspace solid-phase microextraction-gas chromatographic analysis. *J Chromatogr.B Analyt.Technol.Biomed.Life Sci* 2-5-2002;767(1):11-18. [View abstract](#). **78023**
- Gonzalez-Coloma, A., Valencia, F., Martin, N., Hoffmann, J. J., Hutter, L., Marco, J. A., and Reina, M. Silphinene sesquiterpenes as model insect antifeedants. *J Chem Ecol.* 2002;28(1):117-129. [View abstract](#). **78024**
- Loughlin, M. F., Jones, M. V., and Lambert, P. A. *Pseudomonas aeruginosa* cells adapted to benzalkonium chloride show resistance to other membrane-active agents but not to clinically relevant antibiotics. *J Antimicrob.Chemother.* 2002;49(4):631-639. [View abstract](#). **78025**
- Ultee, A., Bennik, M. H., and Moezelaar, R. The phenolic hydroxyl group of carvacrol is essential for action against the food-borne pathogen *Bacillus cereus*. *Appl.Environ Microbiol* 2002;68(4):1561-1568. [View abstract](#). **78026**
- Lopez-Malo, A., Alzamora, S. M., and Palou, E. *Aspergillus flavus* dose-response curves to selected natural and synthetic antimicrobials. *Int J Food Microbiol* 2002;73(2-3):213-218. [View abstract](#). **78027**
- Magyar, J., Szentandrassy, N., Banyasz, T., Fulop, L., Varro, A., and Nanasi, P. P. Effects of thymol on calcium and potassium currents in canine and human ventricular cardiomyocytes. *Br.J Pharmacol* 2002;136(2):330-338. [View abstract](#). **78028**
- Rice, N. D., Winston, M. L., Whittington, R., and Higo, H. A. Comparison of release mechanisms for botanical oils to control *Varroa destructor* (Acari: Varroidae) and *Acarapis woodi* (acari: Tarsonemidae) in colonies of honey bees (Hymenoptera: Apidae). *J Econ.Entomol.* 2002;95(2):221-226. [View abstract](#). **78029**
- Venturini, M. E., Blanco, D., and Oria, R. In vitro antifungal activity of several antimicrobial compounds against *Penicillium expansum*. *J Food Prot.* 2002;65(5):834-839. [View abstract](#). **78030**
- Rasooli, I. and Mirmostafa, S. A. Antibacterial properties of *Thymus pubescens* and *Thymus serpyllum* essential oils. *Fitoterapia* 2002;73(3):244-250. [View abstract](#). **78031**
- Dapkevicius, A., van Beek, T. A., Lelyveld, G. P., van Veldhuizen, A., de Groot, A., Linssen, J. P., and Venskutonis, R. Isolation and structure elucidation of radical scavengers from *Thymus vulgaris* leaves. *J Nat.Prod.* 2002;65(6):892-896. [View abstract](#). **78032**
- Heintze, S. D. and Twetman, S. Interdental mutans streptococci suppression in vivo: a comparison of different chlorhexidine regimens in relation to restorative material. *Am.J Dent.* 2002;15(2):103-108. [View abstract](#). **78033**
- Hudaib, M., Speroni, E., Di Pietra, A. M., and Cavrini, V. GC/MS evaluation of thyme (*Thymus vulgaris* L.) oil composition and variations during the vegetative cycle. *J Pharm Biomed.Anal.* 7-20-2002;29(4):691-700. [View abstract](#). **78034**
- Okazaki, K., Kawazoe, K., and Takaishi, Y. Human platelet aggregation inhibitors from thyme (*Thymus vulgaris* L.). *Phytother.Res* 2002;16(4):398-399. [View abstract](#). **78035**
- Baca, P., Munoz, M. J., Bravo, M., Junco, P., and Baca, A. P. Effectiveness of chlorhexidine-thymol varnish for caries reduction in permanent first molars of 6-7-year-old children: 24-month clinical trial. *Community Dent.Oral Epidemiol.* 2002;30(5):363-368. [View abstract](#). **78036**

- Wallman, C. and Birkhed, D. Effect of chlorhexidine varnish and gel on mutans streptococci in margins of restorations in adults. *Caries Res* 2002;36(5):360-365. [View abstract](#). **78037**
- Araujo, A. M., Naspitz, G. M., Chelotti, A., and Cai, S. Effect of Cervitec on mutans streptococci in plaque and on caries formation on occlusal fissures of erupting permanent molars. *Caries Res* 2002;36(5):373-376. [View abstract](#). **78038**
- Vardar-Unlu, G., Candan, F., Sokmen, A., Daferera, D., Polissiou, M., Sokmen, M., Donmez, E., and Tepe, B. Antimicrobial and antioxidant activity of the essential oil and methanol extracts of *Thymus pectinatus* Fisch. et Mey. Var. *pectinatus* (Lamiaceae). *J Agric Food Chem* 1-1-2003;51(1):63-67. [View abstract](#). **78039**
- Johansen, C. A., Hall, R. A., van den Hurk, A. F., Ritchie, S. A., and Mackenzie, J. S. Detection and stability of Japanese encephalitis virus RNA and virus viability in dead infected mosquitoes under different storage conditions. *Am.J Trop.Med Hyg.* 2002;67(6):656-661. [View abstract](#). **78040**
- Nong, H., Li, J., Huang, G., Nong, D., Cheng, P., and Yao, C. [The observation of mycology and clinical efficacy in 325 cases with otomycosis]. *Lin.Chuang.Er.Bi Yan.Hou Ke.Za Zhi.* 1999;13(10):438-440. [View abstract](#). **78042**
- Brailsford, S. R., Fiske, J., Gilbert, S., Clark, D., and Beighton, D. The effects of the combination of chlorhexidine/thymol- and fluoride-containing varnishes on the severity of root caries lesions in frail institutionalised elderly people. *J Dent.* 2002;30(7-8):319-324. [View abstract](#). **78043**
- Chen, G. Y., Yuan, Y., and Ai, K. H. [Study on the essential oil components in *Thymus quinquecostatus* Celak]. *Yao Xue.Xue.Bao.* 2001;36(3):233-234. [View abstract](#). **78044**
- Rasooli, I. and Mirmostafa, S. A. Bacterial susceptibility to and chemical composition of essential oils from *Thymus kotschyanus* and *Thymus persicus*. *J Agric Food Chem* 4-9-2003;51(8):2200-2205. [View abstract](#). **78045**
- Haukali, G. and Poulsen, S. Effect of a varnish containing chlorhexidine and thymol (Cervitec) on approximal caries in 13- to 16-year-old schoolchildren in a low caries area. *Caries Res* 2003;37(3):185-189. [View abstract](#). **78046**
- van den, Hoven R., Zappe, H., Zitterl-Eglseer, K., Jugl, M., and Franz, C. Study of the effect of Bronchipret on the lung function of five Austrian saddle horses suffering recurrent airway obstruction (heaves). *Vet.Rec.* 5-3-2003;152(18):555-557. [View abstract](#). **78047**
- Baca, P., Junco, P., Bravo, M., Baca, A. P., and Munoz, M. J. Caries incidence in permanent first molars after discontinuation of a school-based chlorhexidine-thymol varnish program. *Community Dent.Oral Epidemiol.* 2003;31(3):179-183. [View abstract](#). **78048**
- Ziskind, D., Gleitman, J., Rotstein, I., and Friedman, M. Evaluation of cetylpyridinium chloride for infection control in storage solution. *J Oral Rehabil.* 2003;30(5):477-481. [View abstract](#). **78049**
- Thompson, J. D., Chalchat, J. C., Michet, A., Linhart, Y. B., and Ehlers, B. Qualitative and quantitative variation in monoterpene co-occurrence and composition in the essential oil of *Thymus vulgaris* chemotypes. *J Chem Ecol.* 2003;29(4):859-880. [View abstract](#). **78050**
- Attin, R., Tuna, A., Attin, T., Brunner, E., and Noack, M. J. Efficacy of differently concentrated chlorhexidine varnishes in decreasing Mutans streptococci and lactobacilli counts. *Arch Oral Biol* 2003;48(7):503-509. [View abstract](#). **78051**
- Szentandrassy, N., Szentesi, P., Magyar, J., Nanasi, P. P., and Csernoch, L. Effect of thymol on kinetic properties of Ca and K currents in rat skeletal muscle. *BMC.Pharmacol* 7-15-2003;3:9. [View abstract](#).

- 78053**
- Johnson, G. and Almqvist, H. Non-invasive management of superficial root caries lesions in disabled and infirm patients. *Gerodontology*. 2003;20(1):9-14. [View abstract](#).
- 78054**
- Carvalho, A. F., Melo, V. M., Craveiro, A. A., Machado, M. I., Bantim, M. B., and Rabelo, E. F. Larvicidal activity of the essential oil from *Lippia sidoides* Cham. Against *Aedes aegypti* linn. *Mem.Inst.Oswaldo Cruz* 2003;98(4):569-571. [View abstract](#).
- 78055**
- Fujisawa, S. and Kadoma, Y. Effect of phenolic compounds on the polymerization of methyl methacrylate. *Dent.Mater.* 1992;8(5):324-326. [View abstract](#).
- 78056**
- MORRIS, G. E. Use of thymol as a preservative for fungi. *AMA.Arch Derm.Syphilol.* 1953;67(5):514. [View abstract](#).
- 78057**
- WILD, D. G. and HINSHELWOOD, C. The behaviour in presence of phenol or thymol of a strain of *Saccharomyces cerevisiae*. *Proc.R.Soc.Lond B Biol Sci* 9-27-1954;142(909):427-436. [View abstract](#).
- 78058**
- MYSLIAEVA, A. V. [Thymol test; method of determination and clinical value.]. *Lab Delo* 1955;3:12-14. [View abstract](#).
- 78059**
- PAGLINI, S. [MacLagan's thymol turbidity test and the de Gros test.]. *Rev.Med Cordoba* 1955;43(6):189-195. [View abstract](#).
- 78060**
- URQUIA, D. A. [Bacteriostatic properties of thymol derivatives of sulfones.]. *C.R.Seances Soc.Biol Fil.* 1955;149(21-22):1948-1950. [View abstract](#).
- 78061**
- Petersson, L. G., Edwardsson, S., and Arends, J. Antimicrobial effect of a dental varnish, in vitro. *Swed.Dent.J* 1992;16(5):183-189. [View abstract](#).
- 78062**
- Hanci, S., Sahin, S., and Yilmaz, L. Isolation of volatile oil from thyme (*Thymbra spicata*) by steam distillation. *Nahrung* 2003;47(4):252-255. [View abstract](#).
- 78063**
- BRAMANTI, G., DI PACO, G., and TAURO, C. S. [On some new N, N-disubstituted 4-aminobutyl esters of 4-carbethoxysyringic acid.]. *Boll.Chim.Farm.* 1960;99:448-452. [View abstract](#).
- 78064**
- CREDNER, K. [Studies on the central depressor features of some thymol ethers.]. *Arzneimittelforschung.* 1960;10:170-174. [View abstract](#).
- 78065**
- ASHFORD, A., SHARPE, C. J., and STEPHENS, F. F. Thymol basic ethers and related compounds: central nervous system depressant action. *Nature* 3-9-1963;197:969-971. [View abstract](#).
- 78066**
- BRISEID, JENSEN K. and DYRUD, O. K. The smooth muscle relaxing effect of thyme (*Thymus vulgaris* L). *Acta Pharmacol Toxicol.(Copenh)* 1962;19:345-355. [View abstract](#).
- 78067**
- BENEDEK, T. FRAGMENTA MYCOLOGICA. IV. USE OF THYMOL AS AN ACARICIDAL AGENT AGAINST INFESTATION OF FUNGUS CULTURES AND MYCOTHECA WITH ACARI (MITES). *Mycopathol.Mycol.Appl.* 5-20-1963;19:87-93. [View abstract](#).
- 78068**
- Granger, R., Passet, J., and VERDIER, R. [GAMMA-TERPINENE, PRECURSOR OF P-CYMENE IN THYMUS VULGARIS L.]. *C.R.Hebd.Seances Acad.Sci.* 6-1-1964;258:5539-5541. [View abstract](#).
- 78069**
- THIELE, O. W. and VOEGT, H. [The thymol turbidity test by Maclagan in diabetes mellitus.]. *Dtsch.Med Wochenschr.* 4-1-1955;80(13):452-453. [View abstract](#).
- 78070**

- BOGS, U. and MEINHARD, J. [Colorimetric determination of thyme and galenic preparations.]. Arch Pharm Ber.Dtsch.Pharm Ges. 1955;288(3):134-139. [View abstract](#). **78071**
- Goren, A. C., Bilsel, G., Bilsel, M., Demir, H., and Kocabas, E. E. Analysis of essential oil of *Coridothymus capitatus* (L.) and its antibacterial and antifungal activity. Z Naturforsch.C. 2003;58(9-10):687-690. [View abstract](#). **78072**
- Priestley, C. M., Williamson, E. M., Wafford, K. A., and Sattelle, D. B. Thymol, a constituent of thyme essential oil, is a positive allosteric modulator of human GABA(A) receptors and a homo-oligomeric GABA receptor from *Drosophila melanogaster*. Br.J Pharmacol 2003;140(8):1363-1372.[View abstract](#). **78073**
- Szentandrassy, N., Szigeti, G., Szegedi, C., Sarkozi, S., Magyar, J., Banyasz, T., Csernoch, L., Kovacs, L., Nanasi, P. P., and Jona, I. Effect of thymol on calcium handling in mammalian ventricular myocardium. Life Sci 1-2-2004;74(7):909-921. [View abstract](#). **78074**
- Baranauskiene, R., Venskutonis, P. R., Viskelis, P., and Dambrauskiene, E. Influence of nitrogen fertilizers on the yield and composition of thyme (*Thymus vulgaris*). J Agric Food Chem 12-17-2003;51(26):7751-7758. [View abstract](#). **78075**
- Wicht, M. J., Haak, R., Lummert, D., and Noack, M. J. Treatment of root caries lesions with chlorhexidine-containing varnishes and dentin sealants. Am.J Dent. 2003;16 Spec No:25A-30A. [View abstract](#). **78076**
- Couladis, M., Tzakou, O., Kujundzic, S., Sokovic, M., and Mimica-Dukic, N. Chemical analysis and antifungal activity of *Thymus striatus*. Phytother.Res 2004;18(1):40-42. [View abstract](#). **78077**
- Uyttendaele, M., Neyts, K., Vanderswalmen, H., Notebaert, E., and Debevere, J. Control of *Aeromonas* on minimally processed vegetables by decontamination with lactic acid, chlorinated water, or thyme essential oil solution. Int J Food Microbiol 2-1-2004;90(3):263-271. [View abstract](#). **78078**
- VARTIAINEN, O. The anthelmintic effects of thymol and p-cymene; a pharmacological and clinical study, with special consideration of the fish tapeworm disease. Ann Med Intern.Fenn. 1950;39(9):1-87. [View abstract](#). **78079**
- Szentesi, P., Szappanos, H., Szegedi, C., Gonczi, M., Jona, I., Cseri, J., Kovacs, L., and Csernoch, L. Altered elementary calcium release events and enhanced calcium release by thymol in rat skeletal muscle. Biophys.J 2004;86(3):1436-1453. [View abstract](#). **78080**
- Tepe, B., Daferera, D., Sokmen, M., Polissiou, M., and Sokmen, A. In vitro antimicrobial and antioxidant activities of the essential oils and various extracts of *Thymus eigi* M. Zohary et P.H. Davis. J Agric Food Chem 3-10-2004;52(5):1132-1137. [View abstract](#). **78081**
- Azaz, A. D., Irtem, H. A., Kurkcuoglu, M., and Baser, K. H. Composition and the in vitro antimicrobial activities of the essential oils of some *Thymus* species. Z Naturforsch.C. 2004;59(1-2):75-80. [View abstract](#). **78082**
- Astudillo, A., Hong, E., Bye, R., and Navarrete, A. Antispasmodic activity of extracts and compounds of *Acalypha phleoides* Cav. Phytother.Res 2004;18(2):102-106. [View abstract](#). **78083**
- Magyar, J., Szentandrassy, N., Banyasz, T., Fulop, L., Varro, A., and Nanasi, P. P. Effects of terpenoid phenol derivatives on calcium current in canine and human ventricular cardiomyocytes. Eur.J Pharmacol 3-8-2004;487(1-3):29-36. [View abstract](#). **78085**

- Passreiter, C. M., Wilson, J., Andersen, R., and Isman, M. B. Metabolism of thymol and trans-anethole in larvae of *Spodoptera litura* and *Trichoplusia ni* (Lepidoptera: Noctuidae). *J Agric Food Chem* 5-5-2004;52(9):2549-2551. [View abstract](#). **78086**
- Tamura, T. and Iwamoto, H. Thymol: a classical small-molecule compound that has a dual effect (potentiating and inhibitory) on myosin. *Biochem.Biophys.Res Commun* 6-4-2004;318(3):786-791. [View abstract](#). **78087**
- Floris, I., Satta, A., Cabras, P., Garau, V. L., and Angioni, A. Comparison between two thymol formulations in the control of *Varroa destructor*: effectiveness, persistence, and residues. *J Econ.Entomol.* 2004;97(2):187-191. [View abstract](#). **78088**
- Takeuchi, H., Lu, Z. G., and Fujita, T. New monoterpene glucoside from the aerial parts of thyme (*Thymus vulgaris* L.). *Biosci.Biotechnol Biochem.* 2004;68(5):1131-1134. [View abstract](#). **78089**
- Lai, P. K. and Roy, J. Antimicrobial and chemopreventive properties of herbs and spices. *Curr Med Chem* 2004;11(11):1451-1460. [View abstract](#). **78090**
- Nafisi, Sh, Hajiakhoondi, A., and Yektadoost, A. Thymol and carvacrol binding to DNA: model for drug-DNA interaction. *Biopolymers* 8-5-2004;74(5):345-351. [View abstract](#). **78091**
- Chiasson, F., Borsa, J., Ouattara, B., and Lacroix, M. Radiosensitization of *Escherichia coli* and *Salmonella Typhi* in ground beef. *J Food Prot.* 2004;67(6):1157-1162. [View abstract](#). **78092**
- Ghannadi, A., Sajjadi, S. E., Kabouche, A., and Kabouche, Z. *Thymus fontanesii* Boiss. & Reut.--A potential source of thymol-rich essential oil in North Africa. *Z Naturforsch.C.* 2004;59(3-4):187-189. [View abstract](#). **78093**
- Burt, S. Essential oils: their antibacterial properties and potential applications in foods--a review. *Int.J Food Microbiol.* 8-1-2004;94(3):223-253. [View abstract](#). **78094**
- Sanchez, M. E., Turina, A. V., Garcia, D. A., Nolan, M. V., and Perillo, M. A. Surface activity of thymol: implications for an eventual pharmacological activity. *Colloids Surf.B Biointerfaces.* 3-15-2004;34(2):77-86. [View abstract](#). **78095**
- Baca, P., Munoz, M. J., Bravo, M., Junco, P., and Baca, A. P. Effectiveness of chlorhexidine-thymol varnish in preventing caries lesions in primary molars. *J Dent.Child (Chic.)* 2004;71(1):61-65. [View abstract](#). **78096**
- Raal, A., Paaver, U., Arak, E., and Orav, A. Content and composition of the essential oil of *Thymus serpyllum* L. growing wild in Estonia. *Medicina (Kaunas.)* 2004;40(8):795-800. [View abstract](#). **78097**
- Kitajima, J., Ishikawa, T., and Urabe, A. A new hydroxyjasnone glucoside and its related compounds from the leaf of thyme. *Chem Pharm Bull.(Tokyo)* 2004;52(8):1013-1014. [View abstract](#). **78098**
- Golec, M., Skorska, C., Mackiewicz, B., and Dutkiewicz, J. Health effects of exposure to thyme dust in a group of thyme growing farmers. *Ann Univ Mariae.Curie Sklodowska Med* 2003;58(1):195-203. [View abstract](#). **78099**
- Wicht, M. J., Haak, R., Schutt-Gerowitt, H., Kneist, S., and Noack, M. J. Suppression of caries-related microorganisms in dentine lesions after short-term chlorhexidine or antibiotic treatment. *Caries Res* 2004;38(5):436-441. [View abstract](#). **78100**
- ALBERTSEN, K. and HEINTZELMANN, F. Mercuric chloride and thymol precipitation in plasma and serum. *Acta Med Scand.* 1950;136(4):313-315. [View abstract](#).

- 78101**
- ALBERTSEN, K. and HEINTZELMANN, F. The influence of heparin on the precipitation of serum proteins by mercuric chloride and thymol. *Acta Med Scand.* 1950;136(4):316-321. [View abstract.](#)
- 78102**
- Rivera-Guerrero, M. I., Sanchez-Rueda, L., Rodriguez-Bataz, E., Martinez-Villalobos, A. N., and Martinez-Maya, J. J. [Effects of some chemical and physical agents on the metacestode *Taenia solium* in spicy meat and sausage]. *Salud Publica Mex.* 2004;46(5):425-429. [View abstract.](#)
- 78103**
- Shin, S. and Kim, J. H. Antifungal activities of essential oils from *Thymus quinquecostatus* and *T. magnus*. *Planta Med* 2004;70(11):1090-1092. [View abstract.](#)
- 78104**
- Naderi, G. A., Asgary, S., Ani, M., Sarraf-Zadegan, N., and Safari, M. R. Effect of some volatile oils on the affinity of intact and oxidized low-density lipoproteins for adrenal cell surface receptors. *Mol.Cell Biochem.* 2004;267(1-2):59-66. [View abstract.](#)
- 78105**
- Hikiba, H., Watanabe, E., Barrett, J. C., and Tsutsui, T. Ability of fourteen chemical agents used in dental practice to induce chromosome aberrations in Syrian hamster embryo cells. *J Pharmacol Sci* 2005;97(1):146-152. [View abstract.](#)
- 78106**
- Aydin, S., Basaran, A. A., and Basaran, N. The effects of thyme volatiles on the induction of DNA damage by the heterocyclic amine IQ and mitomycin C. *Mutat.Res* 3-7-2005;581(1-2):43-53. [View abstract.](#)
- 78107**
- Lopez-Malo, A., Maris, Alzamora S., and Palou, E. *Aspergillus flavus* growth in the presence of chemical preservatives and naturally occurring antimicrobial compounds. *Int J Food Microbiol* 3-15-2005;99(2):119-128. [View abstract.](#)
- 78108**
- Botelho, M. G. The antimicrobial activity of a dentin conditioner combined with antibacterial agents. *Oper.Dent.* 2005;30(1):75-82. [View abstract.](#)
- 78109**
- Robledo, S., Osorio, E., Munoz, D., Jaramillo, L. M., Restrepo, A., Arango, G., and Velez, I. In vitro and in vivo cytotoxicities and antileishmanial activities of thymol and hemisynthetic derivatives. *Antimicrob.Agents Chemother.* 2005;49(4):1652-1655. [View abstract.](#)
- 78110**
- Takishima, K., Setaka, M., and Shimizu, H. On the overshoot of calcium accumulation in fragmented sarcoplasmic reticulum induced by thymol. *J Biochem.* 1979;86(2):347-353. [View abstract.](#)
- 78111**
- Skold-Larsson, K., Fornell, A. C., Lussi, A., and Twetman, S. Effect of topical applications of a chlorhexidine/thymol-containing varnish on fissure caries assessed by laser fluorescence. *Acta Odontol.Scand.* 2004;62(6):339-342. [View abstract.](#)
- 78112**
- Zheng, T. L., Huang, C., Zhang, Z. X., Wang, S., and Zhang, G. [Influence of storage methods on microtensile bond strength of dentin adhesive system]. *Shanghai Kou Qiang.Yi.Xue.* 2005;14(2):147-150. [View abstract.](#)
- 78113**
- Gokalp, S. and Baseren, M. Use of laser fluorescence in monitoring the durability and cariostatic effects of fluoride and chlorhexidine varnishes on occlusal caries: a clinical study. *Quintessence.Int* 2005;36(3):183-189. [View abstract.](#)
- 78114**
- Trombetta, D., Castelli, F., Sarpietro, M. G., Venuti, V., Cristani, M., Daniele, C., Saija, A., Mazzanti, G., and Bisignano, G. Mechanisms of antibacterial action of three monoterpenes. *Antimicrob.Agents Chemother.* 2005;49(6):2474-2478. [View abstract.](#)
- 78115**
- Cosyn, J., Wyn, I., De Rouck, T., Collys, K., Bottenberg, P., Matthijs, S., and Sabzevar, M. M. Short-term anti-plaque effect of two chlorhexidine varnishes. *J Clin.Periodontol.* 2005;32(8):899-904. [View abstract.](#)

**78116**

Sasaki, K., Wada, K., Tanaka, Y., Yoshimura, T., Matuoka, K., and Anno, T. Thyme (*Thymus vulgaris* L.) leaves and its constituents increase the activities of xenobiotic-metabolizing enzymes in mouse liver. *J Med Food* 2005;8(2):184-189. [View abstract](#).

**78117**

Valverde, J. M., Guillen, F., Martinez-Romero, D., Castillo, S., Serrano, M., and Valero, D. Improvement of table grapes quality and safety by the combination of modified atmosphere packaging (MAP) and eugenol, menthol, or thymol. *J Agric Food Chem* 9-21-2005;53(19):7458-7464. [View abstract](#).

**78118**

Sun, Z. X., Zhang, Y. H., Cheng, S., Ma, Q. W., Guo, S. L., and Zhang, J. B. [Anti-tumor effect of ethanol extracts from *Thymus quinquecostatus* Celak on human leukemia cell line]. *Zhong.Xi.Yi.Jie.He.Xue.Bao.* 2005;3(5):382-385. [View abstract](#).

**78119**

Shin, S. and Kim, J. H. In vitro inhibitory activities of essential oils from two Korean thymus species against antibiotic-resistant pathogens. *Arch Pharm Res* 2005;28(8):897-901. [View abstract](#).

**78120**

Garcia, D. A., Bujons, J., Vale, C., and Sunol, C. Allosteric positive interaction of thymol with the GABAA receptor in primary cultures of mouse cortical neurons. *Neuropharmacology* 2006;50(1):25-35. [View abstract](#).

**78121**

Valero, M. and Giner, M. J. Effects of antimicrobial components of essential oils on growth of *Bacillus cereus* INRA L2104 in and the sensory qualities of carrot broth. *Int.J Food Microbiol.* 1-15-2006;106(1):90-94. [View abstract](#).

**78122**

Plotzitz, B., Kneist, S., Berger, J., and Hetzer, G. Efficacy of chlorhexidine varnish applications in the prevention of early childhood caries. *Eur.J Paediatr.Dent.* 2005;6(3):149-154. [View abstract](#).

**78123**

Elhabazi, K., Dicko, A., Desor, F., Dalal, A., Younos, C., and Soulimani, R. Preliminary study on immunological and behavioural effects of *Thymus broussonetii* Boiss., an endemic species in Morocco. *J Ethnopharmacol* 2-20-2006;103(3):413-419. [View abstract](#).

**78124**

Prieto, J. M., Bader, A., Martini, F., Rios, J. L., and Morelli, I. Screening of some rare endemic Italian plants for inhibitory activity on 5-lipoxygenase. *Fitoterapia* 2005;76(7-8):725-727. [View abstract](#).

**78125**

Mahmoud, B. S., Yamazaki, K., Miyashita, K., Kawai, Y., Shin, I. S., and Suzuki, T. Preservative effect of combined treatment with electrolyzed NaCl solutions and essential oil compounds on carp fillets during convectional air-drying. *Int J Food Microbiol* 2-15-2006;106(3):331-337. [View abstract](#).

**78126**

Braga, P. C., Dal Sasso, M., Culici, M., Galastri, L., Marceca, M. T., and Guffanti, E. E. Antioxidant potential of thymol determined by chemiluminescence inhibition in human neutrophils and cell-free systems. *Pharmacology* 2006;76(2):61-68. [View abstract](#).

**78127**

Rasooli, I. and Owlia, P. Chemoprevention by thyme oils of *Aspergillus parasiticus* growth and aflatoxin production. *Phytochemistry* 2005;66(24):2851-2856. [View abstract](#).

**78128**

Piovano, S., Marcantoni, M., Dono, R., and Bellagamba, H. Effect of a chlorhexidine varnish on *Streptococcus mutans* in saliva. *Acta Odontol.Latinoam.* 2005;18(1):7-13. [View abstract](#).

**78129**

Kammerer, W. S. and Perez-Esandi, M. V. Chemotherapy of experimental *Echinococcus granulosus* infection. Trials in CF1 mice and jirds (*Meriones unguiculatus*). *Am.J Trop.Med Hyg.* 1975;24(1):90-95. [View abstract](#).

**78131**



Waliwitiya, R., Isman, M. B., Vernon, R. S., and Riseman, A. Insecticidal activity of selected monoterpenoids and rosemary oil to *Agriotes obscurus* (Coleoptera: Elateridae). *J Econ.Entomol.* 2005;98(5):1560-1565. [View abstract.](#)

**78132**

Adamczyk, S., Lazaro, R., Perez-Arquillue, C., Conchello, P., and Herrera, A. Evaluation of residues of essential oil components in honey after different anti-varroa treatments. *J Agric Food Chem* 12-28-2005;53(26):10085-10090. [View abstract.](#)

**78133**

Buechi, S., Vogelín, R., von Eiff, M. M., Ramos, M., and Melzer, J. Open trial to assess aspects of safety and efficacy of a combined herbal cough syrup with ivy and thyme. *Forsch.Komplementarmed.Klass.Naturheilkd.* 2005;12(6):328-332. [View abstract.](#)

**78134**

Huang, M. H., Wu, S. N., and Shen, A. Y. Stimulatory actions of thymol, a natural product, on Ca(2+)-activated K(+) current in pituitary GH(3) cells. *Planta Med* 2005;71(12):1093-1098. [View abstract.](#)

**78135**

Boskabady, M. H., Aslani, M. R., and Kiani, S. Relaxant effect of *Thymus vulgaris* on guinea-pig tracheal chains and its possible mechanism(s). *Phytother.Res* 2006;20(1):28-33. [View abstract.](#)

**78136**

Rasooli, I., Rezaei, M. B., and Allameh, A. Ultrastructural studies on antimicrobial efficacy of thyme essential oils on *Listeria monocytogenes*. *Int J Infect.Dis.* 2006;10(3):236-241. [View abstract.](#)

**78137**

Twardowski, Z. J. Dialyzer reuse-Part I: Historical perspective. *Semin.Dial.* 2006;19(1):41-53. [View abstract.](#)

**78138**

Clavero, J., Baca, P., Paloma, Gonzalez M., and Valderrama, M. J. Efficacy of chlorhexidine-thymol varnish (Cervitec) against plaque accumulation and gingival inflammation in a geriatric population. *Gerodontology.* 2006;23(1):43-47. [View abstract.](#)

**78139**

Hagmuller, W., Jugl-Chizzola, M., Zitterl-Eglseer, K., Gabler, C., Spergser, J., Chizzola, R., and Franz, C. The use of *Thymi Herba* as feed additive (0.1%, 0.5%, 1.0%) in weanling piglets with assessment of the shedding of haemolysing *E. coli* and the detection of thymol in the blood plasma. *Berl Munch.Tierarztl.Wochenschr.* 2006;119(1-2):50-54. [View abstract.](#)

**78141**

Wolf, J., Asplin, J. R., and Goldfarb, D. S. Chitosan does not reduce post-prandial urinary oxalate excretion. *Urol.Res* 2006;34(4):227-230. [View abstract.](#)

**78142**

Di Pasqua, R., Hoskins, N., Betts, G., and Mauriello, G. Changes in membrane fatty acids composition of microbial cells induced by addition of thymol, carvacrol, limonene, cinnamaldehyde, and eugenol in the growing media. *J Agric Food Chem* 4-5-2006;54(7):2745-2749. [View abstract.](#)

**78143**

Zaghloul, O. A., Mourad, A. K., El Kady, M. B., Nemat, F. M., and Morsy, M. E. Assessment of losses in honey yield due to the chalkbrood disease, with reference to the determination of its economic injury levels in Egypt. *Commun Agric Appl.Biol Sci* 2005;70(4):703-714. [View abstract.](#)

**78144**

Elhabazi, K., Aboufatima, R., Benharref, A., Zyad, A., Chait, A., and Dalal, A. Study on the antinociceptive effects of *Thymus broussonetii* Boiss extracts in mice and rats. *J Ethnopharmacol* 10-11-2006;107(3):406-411. [View abstract.](#)

**78145**

Abirami, C. P. and Venugopal, P. V. Antifungal activity of three mouth rinses--in vitro study. *Indian J Pathol.Microbiol* 2005;48(1):43-44. [View abstract.](#)

**78146**

Braga, P. C., Dal Sasso, M., Culici, M., Bianchi, T., Bordoni, L., and Marabini, L. Anti-inflammatory activity of thymol: inhibitory effect on the release of human neutrophil elastase. *Pharmacology* 2006;77(3):130-136. [View abstract.](#)

Andersen, A. Final report on the safety assessment of sodium p-chloro-m-cresol, p-chloro-m-cresol, chlorothymol, mixed cresols, m-cresol, o-cresol, p-cresol, isopropyl cresols, thymol, o-cymen-5-ol, and carvacrol. *Int J Toxicol*. 2006;25 Suppl 1:29-127. [View abstract](#). **78147**

Hajjar, E., Perahia, D., Debat, H., Nespoulous, C., and Robert, C. H. Odorant binding and conformational dynamics in the odorant-binding protein. *J Biol Chem* 10-6-2006;281(40):29929-29937. [View abstract](#). **78148**

Valero, M. and Frances, E. Synergistic bactericidal effect of carvacrol, cinnamaldehyde or thymol and refrigeration to inhibit *Bacillus cereus* in carrot broth. *Food Microbiol*. 2006;23(1):68-73. [View abstract](#). **78149**

Pinto, E., Pina-Vaz, C., Salgueiro, L., Goncalves, M. J., Costa-de-Oliveira, S., Cavaleiro, C., Palmeira, A., Rodrigues, A., and Martinez-de-Oliveira, J. Antifungal activity of the essential oil of *Thymus pulegioides* on *Candida*, *Aspergillus* and dermatophyte species. *J Med Microbiol* 2006;55(Pt 10):1367-1373. [View abstract](#). **78150**

Kemmerich, B., Eberhardt, R., and Stammer, H. Efficacy and tolerability of a fluid extract combination of thyme herb and ivy leaves and matched placebo in adults suffering from acute bronchitis with productive cough. A prospective, double-blind, placebo-controlled clinical trial. *Arzneimittelforschung*. 2006;56(9):652-660. [View abstract](#). **78152**

Horvathova, E., Sramkova, M., Labaj, J., and Slamenova, D. Study of cytotoxic, genotoxic and DNA-protective effects of selected plant essential oils on human cells cultured in vitro. *Neuro.Endocrinol.Lett*. 2006;27 Suppl 2:44-47. [View abstract](#). **78153**

Martinez-Gonzalez, M. C., Goday Bujan, J. J., Martinez, Gomez W., and Fonseca, Capdevila E. Concomitant allergic contact dermatitis due to *Rosmarinus officinalis* (rosemary) and *Thymus vulgaris* (thyme). *Contact Dermatitis* 2007;56(1):49-50. [View abstract](#). **78154**

Jukic, M., Politeo, O., Maksimovic, M., Milos, M., and Milos, M. In vitro acetylcholinesterase inhibitory properties of thymol, carvacrol and their derivatives thymoquinone and thymohydroquinone. *Phytother.Res* 2007;21(3):259-261. [View abstract](#). **78155**

Beer, A. M., Lukanov, J., and Sagorchev, P. Effect of Thymol on the spontaneous contractile activity of the smooth muscles. *Phytomedicine* 2007;14(1):65-69. [View abstract](#). **78156**

Lebert, I., Leroy, S., and Talon, R. Effect of industrial and natural biocides on spoilage, pathogenic and technological strains grown in biofilm. *Food Microbiol*. 2007;24(3):281-287. [View abstract](#). **78157**

Segvic, Klaric M., Kosalec, I., Mastelic, J., Pieckova, E., and Pepeljnak, S. Antifungal activity of thyme (*Thymus vulgaris* L.) essential oil and thymol against moulds from damp dwellings. *Lett.Appl.Microbiol* 2007;44(1):36-42. [View abstract](#). **78158**

Stahl-Biskup, E. and Laakso, I. Essential Oil Polymorphism in Finnish *Thymus* Species. *Planta Med* 1990;56(5):464-468. [View abstract](#). **78159**

Loziene, K., Vaiciuniene, J., and Venskutonis, P. R. Chemical composition of the essential oil of creeping thyme (*Thymus serpyllum* s.l.) growing wild in Lithuania. *Planta Med* 1998;64(8):772-773. [View abstract](#). **78160**

Cabo, J., Crespo, M. E., Jimenez, J., Navarro, C., and Risco, S. Seasonal Variation of Essential Oil Yield and Composition of *Thymus hyemalis*. *Planta Med* 1987;53(4):380-382. [View abstract](#). **78161**

**78162**

Slamenova, D., Horvathova, E., Sramkova, M., and Marsalkova, L. DNA-protective effects of two components of essential plant oils carvacrol and thymol on mammalian cells cultured in vitro. *Neoplasma* 2007;54(2):108-112. [View abstract](#).

78163

Eisenhut, M. The toxicity of essential oils. *Int J Infect.Dis.* 2007;11(4):365-366. [View abstract](#).

78164

Botelho, M. A., Nogueira, N. A., Bastos, G. M., Fonseca, S. G., Lemos, T. L., Matos, F. J., Montenegro, D., Heukelbach, J., Rao, V. S., and Brito, G. A. Antimicrobial activity of the essential oil from *Lippia sidoides*, carvacrol and thymol against oral pathogens. *Braz.J Med Biol Res* 2007;40(3):349-356. [View abstract](#).

78165

Ravid, U. and Putievsky, E. Composition of Essential Oils of *Thymbra spicata* and *Satureja thymbra* Chemotypes1. *Planta Med.* 1985;51(4):337-338. [View abstract](#).

78167

Stahl-Biskup, E. [The Essential Oil from Norwegian Thymus Species; II. *Thymus pulegioides*.]. *Planta Med* 1986;52(3):233-235. [View abstract](#).

78168

Soares, L. E., Brugnera, Junior A., Zanin, F. A., Pacheco, M. T., and Martin, A. A. Effects of treatment for manipulation of teeth and Er:YAG laser irradiation on dentin: a Raman spectroscopy analysis. *Photomed.Laser Surg.* 2007;25(1):50-57. [View abstract](#).

78169

Schnitzler, P., Koch, C., and Reichling, J. Susceptibility of drug-resistant clinical herpes simplex virus type 1 strains to essential oils of ginger, thyme, hyssop, and sandalwood. *Antimicrob.Agents Chemother.* 2007;51(5):1859-1862. [View abstract](#).

78170

Bevilacqua, A., Corbo, M. R., and Sinigaglia, M. Combined effects of modified atmosphere packaging and thymol for prolonging the shelf life of caprese salad. *J Food Prot.* 2007;70(3):722-728. [View abstract](#).

78171

Vogt-Eisele, A. K., Weber, K., Sherkheli, M. A., Vielhaber, G., Panten, J., Gisselmann, G., and Hatt, H. Monoterpenoid agonists of TRPV3. *Br.J Pharmacol* 2007;151(4):530-540. [View abstract](#).

78172

Preston, K. P., Higham, S. M., and Smith, P. W. The efficacy of techniques for the disinfection of artificial sub-surface dentinal caries lesions and their effect on demineralization and remineralization in vitro. *J Dent.* 2007;35(6):490-495. [View abstract](#).

78173

Chen, J., Ahn, K. C., Gee, N. A., Gee, S. J., Hammock, B. D., and Lasley, B. L. Antiandrogenic properties of parabens and other phenolic containing small molecules in personal care products. *Toxicol.Appl.Pharmacol* 6-15-2007;221(3):278-284. [View abstract](#).

78174

Silveira Novelino, A. M., Daemon, E., and Soares, G. L. Evaluation of the acaricide effect of thymol, menthol, salicylic acid, and methyl salicylate on *Boophilus microplus* (Canestrini 1887) (Acari: Ixodidae) larvae. *Parasitol.Res* 2007;101(3):809-811. [View abstract](#).

78175

Di Pasqua, R., Betts, G., Hoskins, N., Edwards, M., Ercolini, D., and Mauriello, G. Membrane toxicity of antimicrobial compounds from essential oils. *J Agric.Food Chem.* 6-13-2007;55(12):4863-4870. [View abstract](#).

78176

Wienkotter, N., Begrow, F., Kinzinger, U., Schierstedt, D., and Verspohl, E. J. The effect of thyme extract on beta2-receptors and mucociliary clearance. *Planta Med* 2007;73(7):629-635. [View abstract](#).

78177

Droschl, H. H. and Wendl, B. Comparison of bond strength using various fixation methods. *World J Orthod.* 2007;8(2):153-156. [View abstract](#).

78178

Bazytko, A. and Strzelecka, H. A HPTLC densitometric determination of luteolin in *Thymus vulgaris* and its extracts. *Fitoterapia* 2007;78(6):391-395. [View abstract](#).

- 78179**
- Haddad, M., Herent, M. F., Tilquin, B., and Quetin-Leclercq, J. Effect of gamma and e-beam radiation on the essential oils of *Thymus vulgaris thymoliferum*, *Eucalyptus radiata*, and *Lavandula angustifolia*. *J Agric Food Chem* 7-25-2007;55(15):6082-6086. [View abstract](#).
- 78180**
- Cristani, M., D'Arrigo, M., Mandalari, G., Castelli, F., Sarpietro, M. G., Micieli, D., Venuti, V., Bisignano, G., Saija, A., and Trombetta, D. Interaction of four monoterpenes contained in essential oils with model membranes: implications for their antibacterial activity. *J Agric Food Chem* 7-25-2007;55(15):6300-6308. [View abstract](#).
- 78181**
- Marzian, O. [Treatment of acute bronchitis in children and adolescents. Non-interventional postmarketing surveillance study confirms the benefit and safety of a syrup made of extracts from thyme and ivy leaves]. *MMW.Fortschr.Med* 6-28-2007;149(27-28 Suppl):69-74. [View abstract](#).
- 78182**
- Albuquerque, M. R., Costa, S. M., Bandeira, P. N., Santiago, G. M., Andrade-Neto, M., Silveira, E. R., and Pessoa, O. D. Nematicidal and larvicidal activities of the essential oils from aerial parts of *Pectis oligocephala* and *Pectis apodocephala* Baker. *An.Acad.Bras.Cienc.* 2007;79(2):209-213. [View abstract](#).
- 78183**
- Camurca-Vasconcelos, A. L., Bevilaqua, C. M., Morais, S. M., Maciel, M. V., Costa, C. T., Macedo, I. T., Oliveira, L. M., Braga, R. R., Silva, R. A., and Vieira, L. S. Anthelmintic activity of *Croton zehntneri* and *Lippia sidoides* essential oils. *Vet.Parasitol.* 9-30-2007;148(3-4):288-294. [View abstract](#).
- 78184**
- Wang, C. Y., Wang, S. Y., Yin, J. J., Parry, J., and Yu, L. L. Enhancing antioxidant, antiproliferation, and free radical scavenging activities in strawberries with essential oils. *J Agric Food Chem* 8-8-2007;55(16):6527-6532. [View abstract](#).
- 78185**
- Sarkozi, S., Almassy, J., Lukacs, B., Dobrosi, N., Nagy, G., and Jona, I. Effect of natural phenol derivatives on skeletal type sarcoplasmic reticulum Ca<sup>2+</sup> -ATPase and ryanodine receptor. *J Muscle Res Cell Motil.* 2007;28(2-3):167-174. [View abstract](#).
- 78186**
- Kanagawa, Y., Matsumoto, S., Tajima, B., Uenotsuchi, T., Shibata, S., Furue, M., and Imamura, T. [Average of the PCDFs value in blood in patients with Yusho in the 2001 to 2003 fiscal year and comparison between the clinical features and PCDFs]. *Fukuoka Igaku Zasshi* 2007;98(5):129-135. [View abstract](#).
- 78187**
- Bizhang, M., Seemann, R., Romhild, G., Chun, Y. H., Umland, N., Lang, H., and Zimmer, S. Effect of a 40% chlorhexidine varnish on demineralization of dentin surfaces in situ. *Am.J Dent.* 2007;20(3):193-197. [View abstract](#).
- 78188**
- Radwan, M. A., El Zemity, S. R., Mohamed, S. A., and Sherby, S. M. Potential of some monoterpenoids and their new N-methyl carbamate derivatives against *Schistosomiasis* snail vector, *Biomphalaria alexandrina*. *Ecotoxicol.Envirion Saf* 8-9-2007; [View abstract](#).
- 78189**
- Goodis, H. E., Marshall, G. W., Jr., and White, J. M. The effects of storage after extraction of the teeth on human dentine permeability in vitro. *Arch Oral Biol* 1991;36(8):561-566. [View abstract](#).
- 78190**
- Huizinga, E. D., Ruben, J. L., and Arends, J. Chlorhexidine and thymol release from a varnish system. *J Biol Buccale* 1991;19(4):343-348. [View abstract](#).
- 78191**
- Hammad, M., Sallal, A. K., and Darmani, H. Inhibition of *Streptococcus mutans* adhesion to buccal epithelial cells by an aqueous extract of *Thymus vulgaris*. *Int J Dent.Hyg.* 2007;5(4):232-235. [View abstract](#).
- 78192**

- Ait, M'barek L., Ait, Mouse H., Jaafari, A., Aboufatima, R., Benharref, A., Kamal, M., Benard, J., El Abbadi, N., Bensalah, M., Gamouh, A., Chait, A., Dalal, A., and Zyad, A. Cytotoxic effect of essential oil of thyme (*Thymus broussonetii*) on the IGR-OV1 tumor cells resistant to chemotherapy. *Braz.J Med Biol Res* 2007;40(11):1537-1544. [View abstract](#). **78193**
- Braga, P. C., Alfieri, M., Culici, M., and Dal Sasso, M. Inhibitory activity of thymol against the formation and viability of *Candida albicans* hyphae. *Mycoses* 2007;50(6):502-506. [View abstract](#). **78194**
- Horvathova, E., Turcaniova, V., and Slamenova, D. Comparative study of DNA-damaging and DNA-protective effects of selected components of essential plant oils in human leukemic cells K562. *Neoplasma* 2007;54(6):478-483. [View abstract](#). **78196**
- Solomakos, N., Govaris, A., Koidis, P., and Botsoglou, N. The antimicrobial effect of thyme essential oil, nisin, and their combination against *Listeria monocytogenes* in minced beef during refrigerated storage. *Food Microbiol* 2008;25(1):120-127. [View abstract](#). **78197**
- Guillen, F., Zapata, P. J., Martinez-Romero, D., Castillo, S., Serrano, M., and Valero, D. Improvement of the overall quality of table grapes stored under modified atmosphere packaging in combination with natural antimicrobial compounds. *J Food Sci* 2007;72(3):S185-S190. [View abstract](#). **78198**
- Someya, H., Higo, Y., Ohno, M., Tsutsui, T. W., and Tsutsui, T. Clastogenic activity of seven endodontic medications used in dental practice in human dental pulp cells. *Mutat.Res* 1-31-2008;650(1):39-47. [View abstract](#). **78199**
- Dambolena, J. S., Lopez, A. G., Canepa, M. C., Theumer, M. G., Zygadlo, J. A., and Rubinstein, H. R. Inhibitory effect of cyclic terpenes (limonene, menthol, menthone and thymol) on *Fusarium verticillioides* MRC 826 growth and fumonisin B1 biosynthesis. *Toxicon* 2008;51(1):37-44. [View abstract](#). **78200**
- Paaver, U., Orav, A., Arak, E., Maeorg, U., and Raal, A. Phytochemical analysis of the essential oil of *Thymus serpyllum* L. growing wild in Estonia. *Nat.Prod.Res* 1-20-2008;22(2):108-115. [View abstract](#). **78201**
- ROWE, E. J., ORR, J. E., and . Isolation of oleanolic acid and ursolic acid from *Thymus vulgaris*, L. *J Am.Pharm Assoc.Am.Pharm Assoc.* 1949;38(3 Pt. 1):122-124. [View abstract](#). **78202**
- Bluma, R., Amaiden, M. R., and Etcheverry, M. Screening of Argentine plant extracts: impact on growth parameters and aflatoxin B1 accumulation by *Aspergillus section Flavi*. *Int.J Food Microbiol.* 2-29-2008;122(1-2):114-125. [View abstract](#). **78203**
- Petersson, L. G., Maki, Y., Twetman, S., and Edwardsson, S. Mutans streptococci in saliva and interdental spaces after topical applications of an antibacterial varnish in schoolchildren. *Oral Microbiol Immunol.* 1991;6(5):284-287. [View abstract](#). **78204**
- Mourtzinou, I., Kalogeropoulos, N., Papadakis, S. E., Konstantinou, K., and Karathanos, V. T. Encapsulation of nutraceutical monoterpenes in beta-cyclodextrin and modified starch. *J Food Sci* 2008;73(1):S89-S94. [View abstract](#). **78205**
- Elissondo, M. C., Albani, C. M., Gende, L., Eguaras, M., and Denegri, G. Efficacy of thymol against *Echinococcus granulosus* protoscoleces. *Parasitol.Int* 2008;57(2):185-190. [View abstract](#). **78207**
- Oral, N., Gulmez, M., Vatansever, L., and Guven, A. Application of antimicrobial ice for extending shelf life of fish. *J Food Prot.* 2008;71(1):218-222. [View abstract](#). **78208**

- Kim, H. K., Yun, Y. K., and Ahn, Y. J. Fumigant toxicity of cassia bark and cassia and cinnamon oil compounds to *Dermatophagoides farinae* and *Dermatophagoides pteronyssinus* (Acari: Pyroglyphidae). *Exp.Appl.Acarol.* 2008;44(1):1-9. [View abstract.](#) **78209**
- Kosar, M., Demirci, B., Demirci, F., and Baser, K. H. Effect of maturation on the composition and biological activity of the essential oil of a commercially important *Satureja* species from Turkey: *Satureja cuneifolia* Ten. (Lamiaceae). *J Agric.Food Chem.* 3-26-2008;56(6):2260-2265.[View abstract.](#) **78211**
- Jeong, E. Y., Lim, J. H., Kim, H. G., and Lee, H. S. Acaricidal activity of *Thymus vulgaris* oil and its main components against *Tyrophagus putrescentiae*, a stored food mite. *J Food Prot.* 2008;71(2):351-355. [View abstract.](#) **78212**
- Braga, P. C., Culici, M., Alfieri, M., and Dal Sasso, M. Thymol inhibits *Candida albicans* biofilm formation and mature biofilm. *Int J Antimicrob.Agents* 2008;31(5):472-477. [View abstract.](#) **78213**
- Derks, A., Frencken, J., Bronkhorst, E., Kuijpers-Jagtman, A. M., and Katsaros, C. Effect of chlorhexidine varnish application on mutans streptococci counts in orthodontic patients. *Am.J Orthod.Dentofacial Orthop.* 2008;133(3):435-439. [View abstract.](#) **78214**
- Razzaghi-Abyaneh, M., Shams-Ghahfarokhi, M., Yoshinari, T., Rezaee, M. B., Jaimand, K., Nagasawa, H., and Sakuda, S. Inhibitory effects of *Satureja hortensis* L. essential oil on growth and aflatoxin production by *Aspergillus parasiticus*. *Int.J Food Microbiol.* 4-30-2008;123(3):228-233. [View abstract.](#) **78215**
- Azirak, S. and Rencuzogullari, E. The in vivo genotoxic effects of carvacrol and thymol in rat bone marrow cells. *Environ Toxicol.* 2008;23(6):728-735. [View abstract.](#) **78216**
- Toroglu, S. In vitro antimicrobial activity and antagonistic effect of essential oils from plant species. *J Environ Biol* 2007;28(3):551-559. [View abstract.](#) **78217**
- Neher, A., Gstottner, M., Thaurer, M., Augustijns, P., Reinelt, M., and Schobersberger, W. Influence of essential and fatty oils on ciliary beat frequency of human nasal epithelial cells. *Am J Rhinol* 2008;22(2):130-134. [View abstract.](#) **78218**
- Dalleau, S., Cateau, E., Berges, T., Berjeaud, J. M., and Imbert, C. In vitro activity of terpenes against *Candida* biofilms. *Int J Antimicrob.Agents* 2008;31(6):572-576. [View abstract.](#) **78219**
- Mastelic, J., Jerkovic, I., Blazevic, I., Poljak-Blazi, M., Borovic, S., Ivancic-Bace, I., Smrecki, V., Zarkovic, N., Brcic-Kostic, K., Vikić-Topic, D., and Muller, N. Comparative study on the antioxidant and biological activities of carvacrol, thymol, and eugenol derivatives. *J Agric Food Chem* 6-11-2008;56(11):3989-3996. [View abstract.](#) **78220**
- Kim, J., Campbell, B., Mahoney, N., Chan, K., Molyneux, R., and May, G. Chemosensitization prevents tolerance of *Aspergillus fumigatus* to antimycotic drugs. *Biochem.Biophys.Res Commun* 7-18-2008;372(1):266-271. [View abstract.](#) **78221**
- Rodrigues, C. R., Marquezan, M., Barroso, L. P., Grande, R. H., Myaki, S. I., Kabakura, V., and Miyamura, A. Effect of chlorhexidine-thymol varnish on caries lesion development in first permanent molars. *J Clin.Dent.* 2008;19(1):18-21. [View abstract.](#) **78222**
- Mahmoudi, M., Morteza-Semnani, K., and Mojra, E. Anti-inflammatory and antinociceptive activity of *Thymus pubescens* extract. *Fitoterapia* 2008;79(5):361-365. [View abstract.](#) **78223**
- Kidd, M., Modlin, I. M., Gustafsson, B. I., Drozdov, I., Hauso, O., and Pfragner, R. Luminal regulation of normal and neoplastic human EC cell serotonin release is mediated by bile salts,

amines, tastants, and olfactants. *Am.J Physiol Gastrointest.Liver Physiol* 2008;295(2):G260-G272. [View abstract.](#)

**78224**

Ersin, N. K., Eden, E., Eronat, N., Totu, F. I., and Ates, M. Effectiveness of 2-year application of school-based chlorhexidine varnish, sodium fluoride gel, and dental health education programs in high-risk adolescents. *Quintessence.Int* 2008;39(2):e45-e51. [View abstract.](#)

**78225**

Lans, C., Turner, N., and Khan, T. Medicinal plant treatments for fleas and ear problems of cats and dogs in British Columbia, Canada. *Parasitol.Res* 2008;103(4):889-898. [View abstract.](#)

**78226**

Janczyk, P., Trevisi, P., Souffrant, W. B., and Bosi, P. Effect of thymol on microbial diversity in the porcine jejunum. *Int J Food Microbiol* 8-15-2008;126(1-2):258-261. [View abstract.](#)

**78227**

Mojab, F., Poursaeed, M., Mehrgan, H., and Pakdaman, S. Antibacterial activity of *Thymus daenensis* methanolic extract. *Pak.J Pharm Sci* 2008;21(3):210-213. [View abstract.](#)

**78228**

Hu, Y., Du, Y., Wang, X., and Feng, T. Self-aggregation of water-soluble chitosan and solubilization of thymol as an antimicrobial agent. *J Biomed.Mater.Res A* 9-1-2009;90(3):874-881. [View abstract.](#)

**78229**

Rana, P. and Soni, G. Antioxidant potential of thyme extract: alleviation of N-nitrosodiethylamine-induced oxidative stress. *Hum.Exp.Toxicol.* 2008;27(3):215-221. [View abstract.](#)

**78231**

Chizzola, R., Michitsch, H., and Franz, C. Antioxidative properties of *Thymus vulgaris* leaves: comparison of different extracts and essential oil chemotypes. *J Agric Food Chem* 8-27-2008;56(16):6897-6904. [View abstract.](#)

**78232**

Farinacci, M., Colitti, M., Sgorlon, S., and Stefanon, B. Immunomodulatory activity of plant residues on ovine neutrophils. *Vet.Immunol.Immunopathol.* 11-15-2008;126(1-2):54-63. [View abstract.](#)

**78234**

Oh, S. Y., Ko, J. W., Jeong, S. Y., and Hong, J. Application and exploration of fast gas chromatography-surface acoustic wave sensor to the analysis of thymus species. *J Chromatogr.A* 9-26-2008;1205(1-2):117-127. [View abstract.](#)

**78235**

Grabensteiner, E., Liebhart, D., Arshad, N., and Hess, M. Antiprotozoal activities determined in vitro and in vivo of certain plant extracts against *Histomonas meleagridis*, *Tetratrichomonas gallinarum* and *Blastocystis* sp. *Parasitol.Res* 2008;103(6):1257-1264. [View abstract.](#)

**78236**

Burley, L. M., Fell, R. D., and Saacke, R. G. Survival of honey bee (Hymenoptera: Apidae) spermatozoa incubated at room temperature from drones exposed to miticides. *J Econ.Entomol.* 2008;101(4):1081-1087. [View abstract.](#)

**78238**

Sarac, N. and Ugur, A. Antimicrobial activities of the essential oils of *Origanum onites* L., *Origanum vulgare* L. subspecies *hirtum* (Link) Letswaart, *Satureja thymbra* L., and *Thymus cilicicus* Boiss. & Bal. growing wild in Turkey. *J Med.Food* 2008;11(3):568-573. [View abstract.](#)

**78239**

Corbo, M. R., Speranza, B., Filippone, A., Granatiero, S., Conte, A., Sinigaglia, M., and Del Nobile, M. A. Study on the synergic effect of natural compounds on the microbial quality decay of packed fish hamburger. *Int J Food Microbiol* 10-31-2008;127(3):261-267. [View abstract.](#)

**78240**

Behnia, M., Haghghi, A., Komeylizadeh, H., Tabaei, S. J., and Abadi, A. Inhibitory effects of Iranian *Thymus vulgaris* extracts on in vitro growth of *Entamoeba histolytica*. *Korean J Parasitol.* 2008;46(3):153-156. [View abstract.](#)

**78241**

- Hu, M. R., Chao, Y. P., Zhang, G. Q., Xue, Z. Q., and Qian, S. Laccase-mediator system in the decolorization of different types of recalcitrant dyes. *J Ind Microbiol Biotechnol* 2009;36(1):45-51. [View abstract](#). **78242**
- Babaei, M., Abarghoei, M. E., Ansari, R., Vafaei, A. A., Taherian, A. A., Akhavan, M. M., Toussy, G., and Mousavi, S. Antispasmodic effect of hydroalcoholic extract of *Thymus vulgaris* on the guinea-pig ileum. *Nat.Prod.Res* 2008;22(13):1143-1150. [View abstract](#). **78243**
- Garcia, D. A., Vendrell, I., Galofre, M., and Sunol, C. GABA released from cultured cortical neurons influences the modulation of t-[(35)S]butylbicyclophosphorothionate binding at the GABAA receptor Effects of thymol. *Eur.J Pharmacol* 12-14-2008;600(1-3):26-31. [View abstract](#). **78244**
- Gammariello, D., Di Giulio, S., Conte, A., and Del Nobile, M. A. Effects of natural compounds on microbial safety and sensory quality of Fior di Latte cheese, a typical Italian cheese. *J Dairy Sci* 2008;91(11):4138-4146. [View abstract](#). **78245**
- Boudry, G. and Perrier, C. Thyme and cinnamon extracts induce anion secretion in piglet small intestine via cholinergic pathways. *J Physiol Pharmacol.* 2008;59(3):543-552. [View abstract](#). **78246**
- Vinas, P., Soler-Romera, M. J., and Hernandez-Cordoba, M. Liquid chromatographic determination of phenol, thymol and carvacrol in honey using fluorimetric detection. *Talanta* 7-15-2006;69(5):1063-1067. [View abstract](#). **78247**
- Alonso, W. R. and Croteau, R. Purification and characterization of the monoterpene cyclase gamma-terpinene synthase from *Thymus vulgaris*. *Arch Biochem.Biophys.* 5-1-1991;286(2):511-517. [View abstract](#). **78248**
- Ribeiro, L. G., Hashizume, L. N., and Maltz, M. Effect of different 1% chlorhexidine varnish regimens on mutans streptococci levels in saliva and dental biofilm. *Am.J Dent.* 2008;21(5):295-299. [View abstract](#). **78249**
- Buyukleyla, M. and Rencuzogullari, E. The effects of thymol on sister chromatid exchange, chromosome aberration and micronucleus in human lymphocytes. *Ecotoxicol.Environ Saf* 2009;72(3):943-947. [View abstract](#). **78250**
- Talei, G. R. and Meshkatalasadat, M. H. Antibacterial activity and chemical constitutions of essential oils of *Thymus persicus* and *Thymus eriocalyx* from west of Iran. *Pak.J Biol Sci* 11-1-2007;10(21):3923-3926. [View abstract](#). **78251**
- Parnas, M., Peters, M., Dadon, D., Lev, S., Vertkin, I., Slutsky, I., and Minke, B. Carvacrol is a novel inhibitor of *Drosophila* TRPL and mammalian TRPM7 channels. *Cell Calcium* 2009;45(3):300-309. [View abstract](#). **78252**
- Cuzzolin, L. and Benoni, G. Attitudes and knowledge toward natural products safety in the pharmacy setting: an Italian study. *Phytother.Res* 2009;23(7):1018-1023. [View abstract](#). **78253**
- Demma, J., Engidawork, E., and Hellman, B. Potential genotoxicity of plant extracts used in Ethiopian traditional medicine. *J Ethnopharmacol* 2-25-2009;122(1):136-142. [View abstract](#). **78254**
- Taherian, A. A., Babaei, M., Vafaei, A. A., Jarrahi, M., Jadidi, M., and Sadeghi, H. Antinociceptive effects of hydroalcoholic extract of *Thymus vulgaris*. *Pak.J Pharm Sci* 2009;22(1):83-89. [View abstract](#). **78256**
- Mohammed, M. J. and Al Bayati, F. A. Isolation and identification of antibacterial compounds from *Thymus kotschyianus* aerial parts and *Dianthus caryophyllus* flower buds. *Phytomedicine* 2009;16(6-7):632-637. [View abstract](#). **78257**



- Sun, Z. X. and Ma, Q. W. [A review of studies on active agents and pharmacology of Thyme]. Zhong.Xi.Yi.Jie.He.Xue.Bao. 2009;7(2):175-178. [View abstract](#). **78258**
- George, D. R., Smith, T. J., Shiel, R. S., Sparagano, O. A., and Guy, J. H. Mode of action and variability in efficacy of plant essential oils showing toxicity against the poultry red mite, *Dermanyssus gallinae*. Vet.Parasitol. 5-12-2009;161(3-4):276-282. [View abstract](#). **78259**
- Nilforoushzadeh, M. A., Shirani-Bidabadi, L., Zolfaghari-Baghbaderani, A., Saberi, S., Siadat, A. H., and Mahmoudi, M. Comparison of *Thymus vulgaris* (Thyme), *Achillea millefolium* (Yarrow) and propolis hydroalcoholic extracts versus systemic glucantime in the treatment of cutaneous leishmaniasis in balb/c mice. J Vector.Borne.Dis. 2008;45(4):301-306. [View abstract](#). **78260**
- Kong, J. O., Park, I. K., Choi, K. S., Shin, S. C., and Ahn, Y. J. Nematicidal and Propagation Activities of Thyme Red and White Oil Compounds toward *Bursaphelenchus xylophilus* (Nematoda: Parasitaphelenchidae). J Nematol. 2007;39(3):237-242. [View abstract](#). **78261**
- Oh, T. H., Kim, S. S., Yoon, W. J., Kim, J. Y., Yang, E. J., Lee, N. H., and Hyun, C. G. Chemical composition and biological activities of Jeju *Thymus quinquecostatus* essential oils against *Propionibacterium* species inducing acne. J Gen.Appl.Microbiol 2009;55(1):63-68. [View abstract](#). **78263**
- Daemon, E., Oliveira Monteiro, C. M., Dos Santos, Rosa L., Aparecido, Clemente M., and Arcoverde, A. Evaluation of the acaricide activity of thymol on engorged and unengorged larvae of *Rhipicephalus sanguineus* (Latreille, 1808) (Acari: Ixodidae). Parasitol.Res 2009;105(2):495-497. [View abstract](#). **78264**
- Pandey, S. K., Upadhyay, S., and Tripathi, A. K. Insecticidal and repellent activities of thymol from the essential oil of *Trachyspermum ammi* (Linn) Sprague seeds against *Anopheles stephensi*. Parasitol.Res 2009;105(2):507-512. [View abstract](#). **78265**
- Serra, J., Ferreira, G., Mirabito, L., Levy, F., and Nowak, R. Post-oral and perioral stimulations during nursing enhance appetitive olfactory memory in neonatal rabbits. Chem Senses 2009;34(5):405-413. [View abstract](#). **78266**
- Cavara, S., Maksimovic, M., and Vidic, D. The essential oil of *Thymus aureopunctatus* (Beck) K. Maly. Nat.Prod.Commun 2009;4(3):415-420. [View abstract](#). **78267**
- Masamoto, Y., Kawabata, F., and Fushiki, T. Intra-gastric administration of TRPV1, TRPV3, TRPM8, and TRPA1 agonists modulates autonomic thermoregulation in different manners in mice. Biosci.Biotechnol Biochem. 2009;73(5):1021-1027. [View abstract](#). **78268**
- Liu, X., Wang, L. P., Li, Y. C., Li, H. Y., Yu, T., and Zheng, X. D. Antifungal activity of thyme oil against *Geotrichum citri-aurantii* in vitro and in vivo. J Appl.Microbiol 2009;107(5):1450-1456. [View abstract](#). **78269**
- Kostaki, M., Giatrakou, V., Savvaidis, I. N., and Kontominas, M. G. Combined effect of MAP and thyme essential oil on the microbiological, chemical and sensory attributes of organically aquacultured sea bass (*Dicentrarchus labrax*) fillets. Food Microbiol 2009;26(5):475-482. [View abstract](#). **78270**
- Andre, C., Gharbi, T., and Guillaume, Y. C. A novel stationary phase based on amino derivatized nanotubes for HPLC separations: theoretical and practical aspects. J Sep.Sci 2009;32(10):1757-1764. [View abstract](#). **78271**
- Undeger, U., Basaran, A., Degen, G. H., and Basaran, N. Antioxidant activities of major thyme ingredients and lack of (oxidative) DNA damage in V79 Chinese hamster lung fibroblast cells at low levels of carvacrol and thymol. Food Chem Toxicol. 2009;47(8):2037-2043. [View abstract](#). **78272**

Meesters, R. J., Duisken, M., and Hollender, J. Cytochrome P450-catalysed arene-epoxidation of the bioactive tea tree oil ingredient p-cymene: indication for the formation of a reactive allergenic intermediate? *Xenobiotica* 2009;39(9):663-671. [View abstract](#).

**78273**

Anderson, R. C., Krueger, N. A., Byrd, J. A., Harvey, R. B., Callaway, T. R., Edrington, T. S., and Nisbet, D. J. Effects of thymol and diphenyliodonium chloride against *Campylobacter* spp. during pure and mixed culture in vitro. *J Appl.Microbiol* 2009;107(4):1258-1268. [View abstract](#).

**78274**

Baca, P., Clavero, J., Baca, A. P., Gonzalez-Rodriguez, M. P., Bravo, M., and Valderrama, M. J. Effect of chlorhexidine-thymol varnish on root caries in a geriatric population: a randomized double-blind clinical trial. *J Dent.* 2009;37(9):679-685. [View abstract](#).

**78275**

Guo, N., Liu, J., Wu, X., Bi, X., Meng, R., Wang, X., Xiang, H., Deng, X., and Yu, L. Antifungal activity of thymol against clinical isolates of fluconazole-sensitive and -resistant *Candida albicans*. *J Med Microbiol* 2009;58(Pt 8):1074-1079. [View abstract](#).

**78276**

Xu, J., Zhou, F., Ji, B. P., Pei, R. S., and Xu, N. The antibacterial mechanism of carvacrol and thymol against *Escherichia coli*. *Lett.Appl.Microbiol* 2008;47(3):174-179. [View abstract](#).

**78277**

Oliveira Monteiro, C. M., Daemon, E., Aparecido, Clemente M., Dos Santos, Rosa L., and Maturano, R. Acaricidal efficacy of thymol on engorged nymphs and females of *Rhipicephalus sanguineus* (Latreille, 1808) (Acari: Ixodidae). *Parasitol.Res* 2009;105(4):1093-1097. [View abstract](#).

**78279**

Affonso, V. R., Bizzo, H. R., Lage, C. L., and Sato, A. Influence of growth regulators in biomass production and volatile profile of in vitro plantlets of *Thymus vulgaris* L. *J Agric Food Chem* 7-22-2009;57(14):6392-6395. [View abstract](#).

**78280**

Sakurada, T., Kuwahata, H., Katsuyama, S., Komatsu, T., Morrone, L. A., Corasaniti, M. T., Bagetta, G., and Sakurada, S. Intraplantar injection of bergamot essential oil into the mouse hindpaw: effects on capsaicin-induced nociceptive behaviors. *Int Rev.Neurobiol.* 2009;85:237-248. [View abstract](#).

**78281**

Shen, A. Y., Huang, M. H., Wang, T. S., Wu, H. M., Kang, Y. F., and Chen, C. L. Thymol-evoked Ca<sup>+</sup> mobilization and ion currents in pituitary GH3 cells. *Nat.Prod.Commun* 2009;4(6):749-752. [View abstract](#).

**78282**

Pavela, R., Vrchotova, N., and Triska, J. Mosquitocidal activities of thyme oils (*Thymus vulgaris* L.) against *Culex quinquefasciatus* (Diptera: Culicidae). *Parasitol.Res* 2009;105(5):1365-1370. [View abstract](#).

**78283**

Astani, A., Reichling, J., and Schnitzler, P. Comparative study on the antiviral activity of selected monoterpenes derived from essential oils. *Phytother.Res* 2010;24(5):673-679. [View abstract](#).

**78284**

Peixoto-Neves, D., Silva-Alves, K. S., Gomes, M. D., Lima, F. C., Lahlou, S., Magalhaes, P. J., Ceccatto, V. M., Coelho-de-Souza, A. N., and Leal-Cardoso, J. H. Vasorelaxant effects of the monoterpenic phenol isomers, carvacrol and thymol, on rat isolated aorta. *Fundam.Clin.Pharmacol* 2010;24(3):341-350. [View abstract](#).

**78285**

Bi, X., Guo, N., Jin, J., Liu, J., Feng, H., Shi, J., Xiang, H., Wu, X., Dong, J., Hu, H., Yan, S., Yu, C., Wang, X., Deng, X., and Yu, L. The global gene expression profile of the model fungus *Saccharomyces cerevisiae* induced by thymol. *J Appl.Microbiol* 2010;108(2):712-722. [View abstract](#).

**78286**

Kolodziejska, J., Berner-Strzelczyk, A., and Piechota-Urbanska, M. [Application of thyme extract in the prescription of dental gels produced on Carbopol base]. *Polim.Med* 2009;39(2):31-38. [View abstract](#).

- 78287**
- Nerio, L. S., Olivero-Verbel, J., and Stashenko, E. Repellent activity of essential oils: a review. *Bioresour.Technol.* 2010;101(1):372-378. [View abstract.](#)
- 78289**
- Verma, R. S., Rahman, L., Chanotiya, C. S., Verma, R. K., Singh, A., Yadav, A., Chauhan, A., Yadav, A. K., and Singh, A. K. Essential oil composition of *Thymus serpyllum* cultivated in the Kumaon region of western Himalaya, India. *Nat.Prod.Commun* 2009;4(7):987-988. [View abstract.](#)
- 78290**
- Del Nobile, M. A., Corbo, M. R., Speranza, B., Sinigaglia, M., Conte, A., and Caroprese, M. Combined effect of MAP and active compounds on fresh blue fish burger. *Int J Food Microbiol* 11-15-2009;135(3):281-287. [View abstract.](#)
- 78291**
- Cavalcanti, S. C., Niculau, Edos S., Blank, A. F., Camara, C. A., Araujo, I. N., and Alves, P. B. Composition and acaricidal activity of *Lippia sidoides* essential oil against two-spotted spider mite (*Tetranychus urticae* Koch). *Bioresour.Technol.* 2010;101(2):829-832. [View abstract.](#)
- 78292**
- Eftekhari, F., Nariman, F., Yousefzadi, M., Hadiand, J., and Ebrahimi, S. N. Anti-*Helicobacter pylori* activity and essential oil composition of *Thymus caramanicus* from Iran. *Nat.Prod.Commun* 2009;4(8):1139-1142. [View abstract.](#)
- 78293**
- Damiani, N., Gende, L. B., Bailac, P., Marcangeli, J. A., and Eguaras, M. J. Acaricidal and insecticidal activity of essential oils on *Varroa destructor* (Acari: Varroidae) and *Apis mellifera* (Hymenoptera: Apidae). *Parasitol.Res* 2009;106(1):145-152. [View abstract.](#)
- 78294**
- Dhooge, M., Zeitoun, J. D., Tayar, C., Kobeiter, H., Lesprit, P., Delchier, J. C., and Charachon, A. You cannot see the wood for the tree. *Am.J Gastroenterol.* 2009;104(10):2636-2637. [View abstract.](#)
- 78295**
- Begrow, F., Engelbertz, J., Feistel, B., Lehnfeld, R., Bauer, K., and Verspohl, E. J. Impact of thymol in thyme extracts on their antispasmodic action and ciliary clearance. *Planta Med* 2010;76(4):311-318. [View abstract.](#)
- 78296**
- Archana, P. R., Nageshwar, Rao B., Ballal, M., and Satish Rao, B. S. Thymol, a naturally occurring monocyclic dietary phenolic compound protects Chinese hamster lung fibroblasts from radiation-induced cytotoxicity. *Mutat.Res* 2009;680(1-2):70-77. [View abstract.](#)
- 78297**
- Vicuna, G. C., Stashenko, E. E., and Fuentes, J. L. Chemical composition of the *Lippia organoides* essential oils and their antigenotoxicity against bleomycin-induced DNA damage. *Fitoterapia* 2010;81(5):343-349. [View abstract.](#)
- 78298**
- Waliwitiya, R., Belton, P., Nicholson, R. A., and Lowenberger, C. A. Effects of the essential oil constituent thymol and other neuroactive chemicals on flight motor activity and wing beat frequency in the blowfly *Phaenicia sericata*. *Pest.Manag.Sci* 2010;66(3):277-289. [View abstract.](#)
- 78299**
- Lei, J., Leser, M., and Enan, E. Nematicidal activity of two monoterpenoids and SER-2 tyramine receptor of *Caenorhabditis elegans*. *Biochem.Pharmacol* 4-1-2010;79(7):1062-1071. [View abstract.](#)
- 78300**
- Mahmud, H., Mauro, D., Foller, M., and Lang, F. Inhibitory effect of thymol on suicidal erythrocyte death. *Cell Physiol Biochem.* 2009;24(5-6):407-414. [View abstract.](#)
- 78301**
- van Krimpen, M. M., Binnendijk, G. P., Borgsteede, F. H., and Gaasenbeek, C. P. Anthelmintic effects of phyto-genic feed additives in *Ascaris suum* inoculated pigs. *Vet.Parasitol.* 3-25-2010;168(3-4):269-277. [View abstract.](#)
- 78303**

- de Oliveira, C. E., Stamford, T. L., Gomes Neto, N. J., and de Souza, E. L. Inhibition of *Staphylococcus aureus* in broth and meat broth using synergies of phenolics and organic acids. *Int J Food Microbiol* 2-28-2010;137(2-3):312-316. [View abstract](#). **78304**
- Di Pasqua, R., Mamone, G., Ferranti, P., Ercolini, D., and Mauriello, G. Changes in the proteome of *Salmonella enterica* serovar Thompson as stress adaptation to sublethal concentrations of thymol. *Proteomics*. 2010;10(5):1040-1049. [View abstract](#). **78305**
- George, D. R., Olatunji, G., Guy, J. H., and Sparagano, O. A. Effect of plant essential oils as acaricides against the poultry red mite, *Dermanyssus gallinae*, with special focus on exposure time. *Vet.Parasitol.* 4-19-2010;169(1-2):222-225. [View abstract](#). **78306**
- Oliveira Monteiro, C. M., Daemon, E., Silva, A. M., Maturano, R., and Amaral, C. Acaricide and ovicide activities of thymol on engorged females and eggs of *Rhipicephalus (Boophilus) microplus* (Acari: Ixodidae). *Parasitol.Res* 2010;106(3):615-619. [View abstract](#). **78307**
- Perdok, J. F., Van Der Mei, H. C., Busscher, H. J., Genet, M. J., and Rouxhet, P. G. Surface free energies and elemental surface compositions of human enamel after application of commercially available mouthrinses and adsorption of salivary constituents. *J Clin.Dent.* 1990;2(2):43-47. [View abstract](#). **78309**
- Kato, T., Iijima, H., Ishihara, K., Kaneko, T., Hirai, K., Naito, Y., and Okuda, K. Antibacterial effects of Listerine on oral bacteria. *Bull Tokyo Dent.Coll* 1990;31(4):301-307. [View abstract](#). **78310**
- Berova, N., Stransky, L., and Krasteva, M. Studies on contact dermatitis in stomatological staff. *Dermatol.Monatsschr.* 1990;176(1):15-18. [View abstract](#). **78311**
- Huizinga, E. D., Ruben, J., and Arends, J. Effect of an antimicrobial-containing varnish on root demineralisation in situ. *Caries Res* 1990;24(2):130-132. [View abstract](#). **78312**
- Murayama, M. AMS (acute mountain sickness), a vascular occlusive disease. *Med Hypotheses* 1990;31(3):189-195. [View abstract](#). **78313**
- Smeenk, G., Kerckhoffs, H. P., and Schreurs, P. H. Contact allergy to a reaction product in Hirudoid cream: an example of compound allergy. *Br.J Dermatol.* 1987;116(2):223-231. [View abstract](#). **78314**
- Palade, P. Drug-induced Ca<sup>2+</sup> release from isolated sarcoplasmic reticulum. II. Releases involving a Ca<sup>2+</sup>-induced Ca<sup>2+</sup> release channel. *J Biol Chem* 5-5-1987;262(13):6142-6148. [View abstract](#). **78315**
- Tsukamoto, Y., Fukutani, S., Takeuchi, S., Okamoto, T., and Mori, M. [Some phenolic compounds stimulate the proliferation of human pulpal fibroblasts]. *Shika.Kiso.Igakkai Zasshi* 1989;31(4):357-362. [View abstract](#). **78316**
- Retief, D. H., Wendt, S. L., Bradley, E. L., and Denys, F. R. The effect of storage media and duration of storage of extracted teeth on the shear bond strength of Scotchbond 2/Silux to dentin. *Am.J Dent.* 1989;2(5):269-273. [View abstract](#). **78317**
- Belan, P. V., Verkhatskii, A. N., Pronchuk, N. F., and Tepikin, A. V. [Use of a microfluorometric method for measuring free calcium in the cytoplasm of isolated cultured rat cardiomyocytes]. *Fiziol.Zh.* 1989;35(6):39-45. [View abstract](#). **78318**
- Evans, R. T., Baker, P. J., Coburn, R. A., Fischman, S. L., and Genco, R. J. In vitro antiplaque effects of antiseptic phenols. *J Periodontol.* 1977;48(3):156-162. [View abstract](#). **78319**

- Heil, T. P. and Lindsay, R. C. Toxicological properties of thio- and alkylphenols causing flavor tainting in fish from the upper Wisconsin River. *J Environ Sci Health B* 1989;24(4):349-360. [View abstract](#).  
**78320**
- Hagedorn, M. [Genital vulvar lichen sclerosis in 2 siblings]. *Z Hautkr.* 9-15-1989;64(9):810, 813-810, 814. [View abstract](#).  
**78321**
- Suzuki, Y. and Furuta, H. Stimulation of guinea pig neutrophil superoxide anion-producing system with thymol. *Inflammation* 1988;12(6):575-584. [View abstract](#).  
**78322**
- Stephenson, J. R., Heard, S. R., Richards, M. A., and Tabaqchali, S. Gastrointestinal colonization and septicaemia with *Pseudomonas aeruginosa* due to contaminated thymol mouthwash in immunocompromised patients. *J Hosp.Infect.* 1985;6(4):369-378. [View abstract](#).  
**78323**
- Austgulen, L. T., Solheim, E., and Scheline, R. R. Metabolism in rats of p-cymene derivatives: carvacrol and thymol. *Pharmacol Toxicol* 1987;61(2):98-102. [View abstract](#).  
**78324**
- Suzuki, Y., Sugiyama, K., and Furuta, H. Eugenol-mediated superoxide generation and cytotoxicity in guinea pig neutrophils. *Jpn.J Pharmacol* 1985;39(3):381-386. [View abstract](#).  
**78325**
- Suzuki, Y., Nakamura, S., Sugiyama, K., and Furuta, H. Differences of superoxide production in blood leukocytes stimulated with thymol between human and non-human primates. *Life Sci* 9-28-1987;41(13):1659-1664. [View abstract](#).  
**78326**
- Hisayama, T. and Takayanagi, I. Some properties and mechanisms of thymol-induced release of calcium from the calcium-store in guinea-pig taenia caecum. *Jpn.J Pharmacol* 1986;40(1):69-82. [View abstract](#).  
**78327**
- Adzet, T., Vila, R., and Canigueral, S. Chromatographic analysis of polyphenols of some Iberian *Thymus*. *J Ethnopharmacol* 1988;24(2-3):147-154. [View abstract](#).  
**78328**
- Anamura, S., Dohi, T., Shirakawa, M., Okamoto, H., and Tsujimoto, A. Effects of phenolic dental medicaments on prostaglandin synthesis by microsomes of bovine tooth pulp and rabbit kidney medulla. *Arch Oral Biol* 1988;33(8):555-560. [View abstract](#).  
**78329**
- Milligan, S. A., Hoeffel, J. M., Goldstein, I. M., and Flick, M. R. Effect of catalase on endotoxin-induced acute lung injury in unanesthetized sheep. *Am.Rev.Respir.Dis.* 1988;137(2):420-428. [View abstract](#).  
**78331**
- Pauli, A. and Knobloch, K. Inhibitory effects of essential oil components on growth of food-contaminating fungi. *Z.Lebensm.Unters.Forsch.* 1987;185(1):10-13. [View abstract](#).  
**78332**
- Flick, M. R., Milligan, S. A., Hoeffel, J. M., and Goldstein, I. M. Catalase prevents increased lung vascular permeability during air emboli in unanesthetized sheep. *J Appl.Physiol* 1988;64(3):929-935. [View abstract](#).  
**78334**
- Pesenti, S., Benay, G., Decoret, D., Gonnon, F., and Dumont, J. [Effect on the growth of 5 bacterial species of oral flora of a menthol-thymol-salicylic acid-tetracaine chlorhydrate compound]. *Rev.Odontostomatol.(Paris)* 1987;16(6):371-373. [View abstract](#).  
**78335**
- Guseinov, D. I., Kagramanov, K. M., Kasumov, F. I., and Akhundov, R. A. [Research on the chemical composition and aspects of the pharmacological action of the essential oil of Kochi thyme (*Thymus kotschyanus* Boiss)]. *Farmakol.Toksikol.* 1987;50(2):73-74. [View abstract](#).  
**78336**
- Manabe, A., Nakayama, S., and Sakamoto, K. Effects of essential oils on erythrocytes and hepatocytes from rats and dipalmitoyl phosphatidylcholine-liposomes. *Jpn.J Pharmacol* 1987;44(1):77-84. [View abstract](#).

- 78337**
- Hu, F. L., Jia, B. Q., and Zhu, Y. Q. [Should thymol turbidity tests be abandoned]. *Zhonghua Nei Ke.Za Zhi.* 1987;26(5):257-9, 317. [View abstract.](#)
- 78338**
- Wagner, H., Wierer, M., and Bauer, R. [In vitro inhibition of prostaglandin biosynthesis by essential oils and phenolic compounds]. *Planta Med* 1986;(3):184-187. [View abstract.](#)
- 78340**
- Halmaj, J. Common thyme (*Thymus vulgaris*) as employed for the ancient methods of embalming. *Ther Hung.* 1972;20(4):162-165. [View abstract.](#)
- 78341**
- Bittar, E. E. and Brown, D. The influence of thymol on the sodium efflux in barnacle muscle fibres. *Experientia* 10-15-1973;29(10):1239-1240. [View abstract.](#)
- 78342**
- Ito, Y. and Kuriyama, H. [Proceedings: 54. The effects of thymol on the electrical and mechanical properties of guinea pig taenia coli (author's transl)]. *Nippon Seirigaku Zasshi* 1973;35(8):403-404. [View abstract.](#)
- 78343**
- Ito, S., Sakamoto, Y., and Kuriyama, H. [Proceedings: Effects of caffeine and thymol on the gastric and rectal smooth muscles of the guinea pig]. *Nippon Heikatsukin.Gakkai Zasshi* 1973;9(4):233-234. [View abstract.](#)
- 78344**
- Ito, Y. and Kuriyama, H. Effects of thymol on the electrical and mechanical properties of the guinea-pig taenia coli. *J Physiol* 1974;236(1):143-157. [View abstract.](#)
- 78345**
- Granger, R., Passet, J., and Pinede, M. C. [On the biogenetic independence of linalol and terpineol-alpha in *Thymus vulgaris* L.]. *C.R.Acad.Sci.Hebd.Seances Acad.Sci.D.* 1-9-1967;264(2):404-406. [View abstract.](#)
- 78346**
- Brownell, G. H. and Crockett, J. K. Inactivation of nocardiphages phi C and phi EC by extracts of bacteriophage-attachable cells. *J Virol.* 1971;8(6):894-899. [View abstract.](#)
- 78347**
- Boyd, E. M. and Sheppard, E. P. A bronchomucotropic action in rabbits from inhaled menthol and thymol. *Arch Int Pharmacodyn.Ther.* 1969;182(1):206-214. [View abstract.](#)
- 78348**
- Buccellato, G. and Valguarnera, G. [Studies of the anti-HeLa phenomenon in the blood of subjects with skin neoplasms treated with paramethyl-isopropyl-phenol (thymol)]. *Boll.Soc.Ital.Biol Sper.* 3-31-1969;45(6):343-345. [View abstract.](#)
- 78349**
- Takada, M., Agata, I., Sakamoto, M., Yagi, N., and Hayashi, N. On the metabolic detoxication of thymol in rabbit and man. *J Toxicol.Sci* 1979;4(4):341-350. [View abstract.](#)
- 78350**
- Buccellato, G. [Dermatomyositis cured by administration of para-methyl-isopropyl-phenol (thymol)]. *G.Ital.Dermatol.Minerva Dermatol.* 1965;106(1):89-94. [View abstract.](#)
- 78351**
- Hisayama, T. and Takayanagi, I. Increased <sup>45</sup>Ca-efflux from smooth muscle microsomes by a rise in an extramicrosomal Ca ion concentration, and the effect of thymol. *J Pharm Pharmacol* 1983;35(8):532-533. [View abstract.](#)
- 78352**
- Takishima, K., Shimizu, H., Setaka, M., and Kwan, T. A spin-label study of the effects of drugs on calcium release from isolated sarcoplasmic reticulum vesicles. *J Biochem.* 1980;87(1):305-312. [View abstract.](#)
- 78353**
- Lewis, S. E., Anderson, P., and Goldspink, D. F. The effects of calcium on protein turnover in skeletal muscles of the rat. *Biochem.J* 4-15-1982;204(1):257-264. [View abstract.](#)
- 78354**
- Kulieva, Z. T. [Analgesic, hypotensive and cardiotoxic action of the essential oil of the thyme growing in Azerbaijan]. *Vestn.Akad.Med Nauk SSSR* 1980;(9):61-63. [View abstract.](#)

- 78355**
- Sicard, G. and Holley, A. Receptor cell responses to odorants: similarities and differences among odorants. *Brain Res* 2-6-1984;292(2):283-296. [View abstract.](#)
- 78356**
- Futami, T. [Actions and mechanisms of counterirritants on the muscular circulation]. *Nippon Yakurigaku Zasshi* 1984;83(3):219-226. [View abstract.](#)
- 78357**
- Van den Broucke, C. O. and Lemli, J. A. Spasmolytic activity of the flavonoids from *Thymus vulgaris*. *Pharm Weekbl Sci* 2-25-1983;5(1):9-14. [View abstract.](#)
- 78358**
- Stockman, J. A., III, Lubin, B., and Oski, F. A. Aspirin-induced hemolysis: the role of concomitant oxidant (H<sub>2</sub>O<sub>2</sub>) challenge. *Pediatr.Res* 1978;12(9):927-931. [View abstract.](#)
- 78359**
- Makino, H., Yamada, T., and Shimizu, H. Difference in the mechanism of the action of caffeine and thymol on the calcium sequestering property of sarcoplasmic reticulum of frog skinned muscle fibers. *J Pharmacobiodyn.* 1982;5(11):877-885. [View abstract.](#)
- 78360**
- Van den Broucke, C. O. and Lemli, J. A. Pharmacological and chemical investigation of thyme liquid extracts. *Planta Med* 1981;41(2):129-135. [View abstract.](#)
- 78361**
- von Ardenne, M. and Reitnauer, P. G. [The elevation of the leucocyte and thrombocyte counts produced by a thyme extract in the peripheral blood as compared to that caused by 2-cyanoethylurea (author's transl)]. *Pharmazie* 1981;36(10):703-705. [View abstract.](#)
- 78362**
- Le Roy, R., Grosshans, E., and Fousereau, J. [Investigation of contact allergies in 100 cases of ulcus cruris (author's transl)]. *Derm.Beruf.Umwelt.* 1981;29(6):168-170. [View abstract.](#)
- 78363**
- Purk, J. H., Roberts, R. S., Elledge, D. A., Chappell, R. P., and Eick, J. D. Marginal ridge strength of Class II tunnel restorations. *Am.J Dent.* 1995;8(2):75-79. [View abstract.](#)
- 78364**
- Bratthall, D., Serinirach, R., Rapisuwon, S., Kuratana, M., Luangjarmekorn, V., Luksila, K., and Chaipanich, P. A study into the prevention of fissure caries using an antimicrobial varnish. *Int Dent.J* 1995;45(4):245-254. [View abstract.](#)
- 78365**
- Liu, T. Z. Thymol is a suitable preservative for uric acid standards in the uricase technique. *Clin.Chem* 1979;25(2):336. [View abstract.](#)
- 78366**
- Case, G. L., He, L., Mo, H., and Elson, C. E. Induction of geranyl pyrophosphate pyrophosphatase activity by cholesterol-suppressive isoprenoids. *Lipids* 1995;30(4):357-359. [View abstract.](#)
- 78367**
- Twetman, S., Hallgren, A., and Petersson, L. G. Effect of an antibacterial varnish on mutans streptococci in plaque from enamel adjacent to orthodontic appliances. *Caries Res* 1995;29(3):188-191. [View abstract.](#)
- 78368**
- Takacsova, M., Pribela, A., and Faktorova, M. Study of the antioxidative effects of thyme, sage, juniper and oregano. *Nahrung* 1995;39(3):241-243. [View abstract.](#)
- 78369**
- Mahmoud, A. L. Antifungal action and antiaflatoxigenic properties of some essential oil constituents. *Lett.Appl Microbiol.* 1994;19(2):110-113. [View abstract.](#)
- 78370**
- Passet, J., Laget, J. P., Nielloud, F., and Delonca, H. [Systemic emulsions. 2. Use of different methods of formulation: the effect of essential oils of thyme on stability]. *J Pharm Belg.* 1994;49(6):469-478. [View abstract.](#)
- 78371**

- Juven, B. J., Kanner, J., Schved, F., and Weisslowicz, H. Factors that interact with the antibacterial action of thyme essential oil and its active constituents. *J Appl Bacteriol.* 1994;76(6):626-631. [View abstract.](#) **78372**
- Haller, B., Hofmann, N., Klaiber, B., and Bloching, U. Effect of storage media on microleakage of five dentin bonding agents. *Dent.Mater.* 1993;9(3):191-197. [View abstract.](#) **78373**
- Weiger, R., Friedrich, C., Netuschil, L., and Schlagenhaut, U. Effect of chlorhexidine-containing varnish (Cervitec) on microbial vitality and accumulation of supragingival dental plaque in humans. *Caries Res* 1994;28(4):267-271. [View abstract.](#) **78374**
- Kern, M., Fechtig, T., and Strub, J. R. Influence of water storage and thermal cycling on the fracture strength of all-porcelain, resin-bonded fixed partial dentures. *J Prosthet.Dent.* 1994;71(3):251-256. [View abstract.](#) **78375**
- Vukovic-Gacic, B. and Simic, D. Identification of natural antimutagens with modulating effects on DNA repair. *Basic Life Sci* 1993;61:269-277. [View abstract.](#) **78377**
- Morimitsu, Y., Yoshida, K., Esaki, S., and Hirota, A. Protein glycation inhibitors from thyme (*Thymus vulgaris*). *Biosci.Biotechnol.Biochem.* 1995;59(11):2018-2021. [View abstract.](#) **78378**
- Hutter, C. D. Hypothesis: halothane hepatitis--has thymol been overlooked? *Anaesthesia* 1995;50(12):1098. [View abstract.](#) **78379**
- Shapiro, S. and Guggenheim, B. The action of thymol on oral bacteria. *Oral Microbiol.Immunol* 1995;10(4):241-246. [View abstract.](#) **78380**
- Banoczy, J., Gombik, A., Szoke, J., and Nasz, I. Effect of an antibacterial varnish and amine-fluoride/stannous fluoride (AmF/SnF<sub>2</sub>) toothpaste on *Streptococcus mutans* counts in saliva and dental plaque of children. *J Clin.Dent.* 1995;6(2):131-134. [View abstract.](#) **78381**
- Dunne, S. M., Goolnik, J. S., Millar, B. J., and Seddon, R. P. Caries inhibition by a resin-modified and a conventional glass ionomer cement, in vitro. *J Dent.* 1996;24(1-2):91-94. [View abstract.](#) **78382**
- Haraguchi, H., Saito, T., Ishikawa, H., Date, H., Kataoka, S., Tamura, Y., and Mizutani, K. Antiperoxidative components in *Thymus vulgaris*. *Planta Med* 1996;62(3):217-221. [View abstract.](#) **78383**
- Tabak, M., Armon, R., Potasman, I., and Neeman, I. In vitro inhibition of *Helicobacter pylori* by extracts of thyme. *J Appl Bacteriol.* 1996;80(6):667-672. [View abstract.](#) **78384**
- Lorenzi, S., Placucci, F., Vincenzi, C., Bardazzi, F., and Tosti, A. Allergic contact dermatitis due to thymol. *Contact Dermatitis* 1995;33(6):439-440. [View abstract.](#) **78385**
- van Loveren, C., Buijs, J. F., Buijs, M. J., and ten Cate, J. M. Protection of bovine enamel and dentine by chlorhexidine and fluoride varnishes in a bacterial demineralization model. *Caries Res* 1996;30(1):45-51. [View abstract.](#) **78386**
- Lacoste, E., Chaumont, J. P., Mandin, D., Plumel, M. M., and Matos, F. J. [Antiseptic properties of essential oil of *Lippia sidoides* Cham. Application to the cutaneous microflora]. *Ann Pharm Fr* 1996;54(5):228-230. [View abstract.](#) **78387**
- Agnihotri, S. and Vaidya, A. D. A novel approach to study antibacterial properties of volatile components of selected Indian medicinal herbs. *Indian J Exp.Biol.* 1996;34(7):712-715. [View abstract.](#) **78388**



- Twetman, S. and Petersson, L. G. Effect of different chlorhexidine varnish regimens on mutans streptococci levels in interdental plaque and saliva. *Caries Res* 1997;31(3):189-193. [View abstract](#). **78390**
- Lee, S., Tsao, R., Peterson, C., and Coats, J. R. Insecticidal activity of monoterpenoids to western corn rootworm (Coleoptera: Chrysomelidae), twospotted spider mite (Acari: Tetranychidae), and house fly (Diptera: Muscidae). *J Econ.Entomol.* 1997;90(4):883-892. [View abstract](#). **78391**
- Ogaard, B., Larsson, E., Glans, R., Henriksson, T., and Birkhed, D. Antimicrobial effect of a chlorhexidine-thymol varnish (Cervitec) in orthodontic patients. A prospective, randomized clinical trial. *J Orofac.Orthop.* 1997;58(4):206-213. [View abstract](#). **78392**
- Twetman, S. and Petersson, L. G. Efficacy of a chlorhexidine and a chlorhexidine-fluoride varnish mixture to decrease interdental levels of mutans streptococci. *Caries Res* 1997;31(5):361-365. [View abstract](#). **78393**
- Zeina, B., Othman, O., and al Assad, S. Effect of honey versus thyme on Rubella virus survival in vitro. *J Altern Complement Med* 1996;2(3):345-348. [View abstract](#). **78394**
- Ali-Shtayeh, M. S., Al Nuri, M. A., Yaghmour, R. M., and Faidi, Y. R. Antimicrobial activity of *Micromeria nervosa* from the Palestinian area. *J Ethnopharmacol* 1997;58(3):143-147. [View abstract](#). **78395**
- Skold, K., Twetman, S., Hallgren, A., Yucel-Lindberg, T., and Modeer, T. Effect of a chlorhexidine/thymol-containing varnish on prostaglandin E2 levels in gingival crevicular fluid. *Eur.J Oral Sci* 1998;106(1):571-575. [View abstract](#). **78396**
- Twetman, S. and Petersson, L. G. Comparison of the efficacy of three different chlorhexidine preparations in decreasing the levels of mutans streptococci in saliva and interdental plaque. *Caries Res* 1998;32(2):113-118. [View abstract](#). **78397**
- Eronat, C. and Alpoz, A. R. Effect of Cervitec varnish on the salivary *Streptococcus mutans* levels in the patients with fixed orthodontic appliances. *J Marmara.Univ Dent.Fac.* 1997;2(4):605-608. [View abstract](#). **78398**
- Morsy, T. A., Shoukry, A., Mazyad, S. A., and Makled, K. M. The effect of the volatile oils of *Chenopodium ambrosioides* and *Thymus vulgaris* against the larvae of *Lucilia sericata* (Meigen). *J Egypt Soc Parasitol* 1998;28(2):503-510. [View abstract](#). **78399**
- Manou, I., Bouillard, L., Devleeschouwer, M. J., and Barel, A. O. Evaluation of the preservative properties of *Thymus vulgaris* essential oil in topically applied formulations under a challenge test. *J Appl Microbiol* 1998;84(3):368-376. [View abstract](#). **78400**
- Titley, K. C., Chernecky, R., Rossouw, P. E., and Kulkarni, G. V. The effect of various storage methods and media on shear-bond strengths of dental composite resin to bovine dentine. *Arch Oral Biol* 1998;43(4):305-311. [View abstract](#). **78401**
- Bhatia, K. S. and Singh, J. Mechanism of transport enhancement of LHRH through porcine epidermis by terpenes and iontophoresis: permeability and lipid extraction studies. *Pharm Res* 1998;15(12):1857-1862. [View abstract](#). **78402**
- Siegman, M. J., Butler, T. M., Mooers, S. U., and Davies, R. E. Calcium-dependent resistance to stretch and stress relaxation in resting smooth muscles. *Am.J Physiol* 1976;231(5 Pt. 1):1501-1508. [View abstract](#). **78403**

- Arnal-Schnebelen B, Hadji-Minaglou F, Peroteau J, Ribeyre F, and de Billerbeck VG. Essential oils in infectious gynaecological disease: a statistical study of 658 cases. *International Journal of Aromatherapy* 2004;14(4):192-197. **78404**
- Schwartz A, Duttke C, Hild J, and Müller HJ. In vitro activity of essential oils on microorganisms isolated from vaginal infections. *International Journal of Aromatherapy* 2006;16(3-4):169-174. **78405**
- Kamble VA and Patil SD. Spice derived essential oils: effective antifungal and possible therapeutic agents. *Journal of Herbs, Spices & Medicinal Plants* 2008;14(3-4):129-143. **78406**
- Rattanapitigorn P, Arakawa M, and Tsuru M. Vanillin enhances the antifungal effect of plant essential oils against *Botrytis cinerea*. *International Journal of Aromatherapy* 2006;16(3-4):193-198. **78407**
- Inouye S, Uchida K, and Abe S. Volatile composition and vapour activity against *Trichophyton mentagrophytes* of 36 aromatic herbs cultivated in Chichibu district in Japan. *International Journal of Aromatherapy* 2006;16(3-4):159-168. **78408**
- Knols G, Stal PC, and Van Ree JW. Productive coughing complaints: Sirupus Thymi or Bromhexine? A double-blind randomized study. *Huisarts en Wetenschap* 1994;37:392-394. **78409**
- Skramlik EV. Toxicity and toleration of volatile oils. *Pharmazie* 1959;14:435-445. **78410**
- Qureshi S, Shah AH, Al-Yahya MA, and et al. Toxicity of **78411**
- Kagramanov KM and et al. Effect of the essential oils of some thyme growing in Azerbaidzhan on cardiovascular activity and respiration. *Chem Abstr* 1977;87:145896. **78414**
- Van den Broucke CO. Chemical and pharmacological investigation on Thymi herba and its liquid extracts. *Planta Med* 1980;39:253-254. **78415**
- Van den Broucke CO and Lemli JA. Action spasmodique des flavones de differentes especes de Thymus. *Plantes Med Phytother* 1983;16(4):310-317. **78416**
- Hussein A, Mansour BMM, Toaima N, Craker L, and Shetty K. Tissue culture selection for phenolics and rosmarinic acid in thyme. *Journal of Herbs, Spices & Medicinal Plants* 2001;8(1):31-42. **78417**
- Dob T, Dahmane D, Benabdelkader T, and Chelghoum C. Studies on the essential oil composition and antimicrobial activity of *Thymus algeriensis* Boiss. et Reut. *International Journal of Aromatherapy* 2006;16(2):95-100. **78418**
- Ross NM, Charles CH Dills SS. Long-term effects of Listerine antiseptic on dental plaque and gingivitis. *J Clin Dentistry* 1988;1(4):92-95. **78419**
- Zandi, P. Ahmadi L. Antioxidant effect of plant extracts of Labiatae family. *Journal of Food Science and Technology* 2000;37(4):436-439. **78420**
- Standen MD, Connellan PA, and Leach DN. Natural killer cell activity and lymphocyte activation: investigating the effects of a selection of essential oils and components in vitro. *International Journal of Aromatherapy* 2006;16(3-4):133-139. **78421**
- Inouye S and Abe S. Predominant adsorption of sesquiterpene constituents of lavender, tea tree, lemongrass and thyme thymol oils on hairless mouse and human hairs in an aromatic bath. *International Journal of Aromatherapy* 2006;16(2):75-83. **78422**

Ernst E, Marz R, and Sieder C. A controlled multi-centre study of herbal versus synthetic secretolytic drugs for acute bronchitis. *Phytomedicine* 1997;4:287-293.

**78423**

Conrad F and Kemmerich B. Clinical trial in acute bronchitis with a fixed combination of fluid extracts of thyme herb and ivy leaves. 13th Annual Symposium on Complementary Health Care, 12th-14th December, 2006, University of Exeter, UK. *Focus on Alternative & Complementary Therapies* 2006;11(1):14-15.