

References

Valerian

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997. **1**
- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. **3**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993. **5**
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999. **6**
- Willey LB, Mady SP, Cobaugh DJ, Wax PM. Valerian overdose: a case report. *Vet Hum Toxicol* 1995;37:364-5. [View abstract](#). **659**
- Cant A, Shay J, Horrobin DF. The effect of maternal supplementation with linoleic and gamma-linolenic acids on the fat composition and content of human milk: a placebo-controlled trial. *J Nutr Sci Vitaminol (Tokyo)* 1991;37:573-9. [View abstract](#). **1982**
- O'Dell BL. Mineral interactions relevant to nutrient requirements. *J Nutr* 1989;119:1832-8. [View abstract](#). **2002**
- Li MK, Blacklock NJ, Garside J. Effects of magnesium on calcium oxalate crystallization. *J Urol* 1985;133:23. [View abstract](#). **2006**
- Prudden JF, Balassa LL. The biological activity of bovine cartilage preparations. Clinical demonstration of their potent anti-inflammatory capacity with supplementary notes on certain relevant fundamental supportive studies. *Semin Arthritis Rheum* 1974;3:287-321. **2009**
- Kuhlmann J, Berger W, Podzuweit H, Schmidt U. The influence of valerian treatment on "reaction time, alertness and concentration" in volunteers. *Pharmacopsychiatry* 1999;32:235-41. [View abstract](#). **2074**
- Klepser TB, Klepser ME. Unsafe and potentially safe herbal therapies. *Am J Health Syst Pharm* 1999;56:125-38. [View abstract](#). **3484**
- Plushner SL. Valerian: *Valerian officinalis*. *Am J Health Syst Pharm* 2000;57:328,333,335. [View abstract](#). **3485**
- Houghton PJ. The scientific basis for the reputed activity of Valerian. *J Pharm Pharmacol* 1999;51:505-12. [View abstract](#). **3486**
- Garges HP, Varia I, Doraiswamy PM. Cardiac complications and delirium associated with Valerian root withdrawal. [Letter to the Editor]. *JAMA* 1998;280:1566-7. [View abstract](#). **3487**
- Wheatley D. Stress-induced insomnia treated with kava and valerian: singly and in combination. *Hum Psychopharmacol* 2001;16:353-6. [View abstract](#). **4032**

- 6248**
- Leathwood PD, Chauffard F, Heck E, Munoz-Box R. Aqueous extract of valerian root (*Valeriana officinalis* L.) improves sleep quality in man. *Pharmacol Biochem Behav* 1982;17:65-71. [View abstract.](#)
- 6249**
- Donath F, Quispe S, Diefenbach K, et al. Critical evaluation of the effect of valerian extract on sleep structure and sleep quality. *Pharmacopsychiatry* 2000;33:47-53. [View abstract.](#)
- 6450**
- Budzinski JW, Foster BC, Vandenhoeck S, Arnason JT. An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000;7:273-82. [View abstract.](#)
- 6480**
- Dorn M. [Efficacy and tolerability of Baldrian versus oxazepam in non-organic and non-psychiatric insomniacs: a randomized, double-blind, clinical, comparative study]. *Forsch Komplementarmed Klass Naturheilkd* 2000;7:79-84. [View abstract.](#)
- 8006**
- Poyares DR, Guilleminault C, Ohayon MM, Tufik S. Can valerian improve the sleep of insomniacs after benzodiazepine withdrawal? *Prog Neuropsychopharmacol Biol Psychiatry* 2002;26:539-45. [View abstract.](#)
- 8243**
- MacGregor FB, Abernethy VE, Dahabra S, et al. Hepatotoxicity of herbal remedies. *BMJ* 1989;299:1156-7. [View abstract.](#)
- 8250**
- Bent S, Patterson M, Garvin D. Valerian for sleep: a systematic review and meta-analysis. *Alternative Therapies* 2001;7:S4.
- 8296**
- Leathwood PD, Chauffard F. Aqueous extract of valerian reduces latency to fall asleep in man. *Planta Med* 1985;2:144-8. [View abstract.](#)
- 9893**
- Cropley M, Cave Z, Ellis J, Middleton RW. Effect of kava and valerian on human physiological and psychological responses to mental stress assessed under laboratory conditions. *Phytother Res* 2002;16:23-7.. [View abstract.](#)
- 9894**
- Hadley S, Petry JJ. Valerian. *Am Fam Physician* 2003;67:1755-8.. [View abstract.](#)
- 9895**
- Kohnen R, Oswald WD. The effects of valerian, propranolol, and their combination on activation, performance, and mood of healthy volunteers under social stress conditions. *Pharmacopsychiatry* 1988;21:447-8. [View abstract.](#)
- 9896**
- Andreatini R, Sartori VA, Seabra ML, Leite JR. Effect of valepotriates (valerian extract) in generalized anxiety disorder: a randomized placebo-controlled pilot study. *Phytother Res* 2002;16:650-4.. [View abstract.](#)
- 10207**
- Francis AJ, Dempster RJ. Effect of valerian, *Valeriana edulis*, on sleep difficulties in children with intellectual deficits: randomised trial. *Phytomedicine* 2002;9:273-9.. [View abstract.](#)
- 10209**
- Stevinson C, Ernst E. Valerian for insomnia: a systematic review of randomized clinical trials. *Sleep Med* 2000;1:91-9. [View abstract.](#)
- 10423**
- Cerny A, Schmid K. Tolerability and efficacy of valerian/lemon balm in healthy volunteers (a double blind, placebo-controlled, multicentre study). *Fitoterapia* 1999;70:221-8.
- 10424**
- Glass JR, Sproule BA, Herrmann N, et al. Acute pharmacological effects of temazepam, diphenhydramine, and valerian in healthy elderly subjects. *J Clin Psychopharmacol* 2003;23:260-8. [View abstract.](#)
- 12214**

- Lefebvre T, Foster BC, Drouin CE, et al. In vitro activity of commercial valerian root extracts against human cytochrome P450 3A4. *J Pharm Pharmaceut Sci* 2004;7:265-73. [View abstract.](#) **12720**
- Yuan CS, Mehendale S, Xiao Y, et al. The gamma-aminobutyric acidergic effects of valerian and valerianic acid on rat brainstem neuronal activity. *Anesth Analg* 2004;98:353-8. [View abstract.](#) **13014**
- Donovan JL, DeVane CL, Chavin KD, et al. Multiple night-time doses of valerian (*Valeriana officinalis*) had minimal effects on CYP3A4 activity and no effect on CYP2D6 activity in healthy volunteers. *Drug Metab Dispos* 2004;32:1333-6. [View abstract.](#) **13536**
- Gurley BJ, Gardner SF, Hubbard MA, et al. In vivo effects of goldenseal, kava kava, black cohosh, and valerian on human cytochrome P450 1A2, 2D6, 2E1, and 3A4/5 phenotypes. *Clin Pharmacol Ther* 2005;77:415-26. [View abstract.](#) **14405**
- Anderson GD, Elmer GW, Kantor ED, et al. Pharmacokinetics of valerianic acid after administration of valerian in healthy subjects. *Phytother Res* 2005;19:801-3. [View abstract.](#) **14416**
- Muller SF, Klement S. A combination of valerian and lemon balm is effective in the treatment of restlessness and dyssomnia in children. *Phytomedicine* 2006;13:383-7. [View abstract.](#) **15018**
- Morin CM, Koetter U, Bastien C, et al. Valerian-hops combination and diphenhydramine for treating insomnia: a randomized placebo-controlled clinical trial. *Sleep* 2005;28:1465-71. [View abstract.](#) **15043**
- Fernandez S, Wasowski C, Paladini AC, Marder M. Sedative and sleep-enhancing properties of linarin, a flavonoid-isolated from *Valeriana officinalis*. *Pharmacol Biochem Behav* 2004;77:399-404. [View abstract.](#) **15044**
- Gutierrez S, Ang-Lee MK, Walker DJ, Zacny JP. Assessing subjective and psychomotor effects of the herbal medication valerian in healthy volunteers. *Pharmacol Biochem Behav* 2004;78:57-64. [View abstract.](#) **15045**
- Eadie MJ. Could valerian have been the first anticonvulsant? *Epilepsia* 2004;45:1338-43. [View abstract.](#) **15046**
- Jacobs BP, Bent S, Tice JA, et al. An internet-based randomized, placebo-controlled trial of kava and valerian for anxiety and insomnia. *Medicine (Baltimore)* 2005;84:197-207. [View abstract.](#) **15124**
- Miyasaka LS, Atallah AN, Soares BG. Valerian for anxiety disorders. *Cochrane Database Syst Rev* 2006;(4):CD004515. [View abstract.](#) **17577**
- Bent S, Padula A, Moore D, et al. Valerian for sleep: a systematic review and meta-analysis. *Am J Med* 2006;119:1005-12. [View abstract.](#) **17578**
- National Toxicology Program, US Department of Health and Human Services. Chemical Information Review Document for Valerian (*Valeriana officinalis* L.) [CAS No. 8057-49-6] and Oils [CAS No. 8008-88-6]. Supporting Nomination for Toxicological Evaluation by the National Toxicology Program. November 2009. http://ntp.niehs.nih.gov/NTP/Noms/Support_Docs/Valerian_nov2009.pdf. **19148**
- Hausen BM. Identification of the allergens of *Arnica montana* L. *Contact Dermatitis* 1978;4:308. [View abstract.](#) **19342**
- Mirabi P, Dolatian M, Mojab F, et al. Effects of valerian on the severity and systemic manifestations of dysmenorrhea. *Int J Gynaecol Obstet.* 2011 Dec;115:285-8. [View abstract.](#) **19401**

- Delsignore R, Orlando S, Costi D, et al. Placebo controlled clinical trial with valerian. *Settimana Medica* 1980;68:437-7. **19402**
- Müller D, Pfeil T, von den Driesch V. Treating depression comorbid with anxiety--results of an open, practice-oriented study with St John's wort WS 5572 and valerian extract in high doses. *Phytomedicine*. 2003;10 Suppl 4:25-30. [View abstract](#). **19404**
- Panijel M. [Treatment of moderately severe anxiety states]. *Therapiewoche* 1985;35(41):4659-4668. **19405**
- Kennedy DO, Little W, Haskell CF, et al. Anxiolytic effects of a combination of *Melissa officinalis* and *Valeriana officinalis* during laboratory induced stress. *Phytother Res*. 2006 Feb;20:96-102. [View abstract](#). **19406**
- Fernández-San-Martín MI, Masa-Font R, Palacios-Soler L, et al. Effectiveness of Valerian on insomnia: a meta-analysis of randomized placebo-controlled trials. *Sleep Med*. 2010 Jun;11:505-11. [View abstract](#). **19407**
- Coxeter PD, Schluter PJ, Eastwood HL, et al. Valerian does not appear to reduce symptoms for patients with chronic insomnia in general practice using a series of randomised n-of-1 trials. *Complement Ther Med*. 2003 Dec;11:215-22. [View abstract](#). **19408**
- Taibi DM, Vitiello MV, Barsness S, et al. A randomized clinical trial of valerian fails to improve self-reported, polysomnographic, and actigraphic sleep in older women with insomnia. *Sleep Med*. 2009 Mar;10:319-28. [View abstract](#). **19409**
- Oxman AD, Flottorp S, Håvelsrud K, et al. A televised, web-based randomised trial of an herbal remedy (valerian) for insomnia. *PLoS One* 2007 Oct 17;2:e1040. [View abstract](#). **19410**
- Vorbach EU, Darmstadt R, Gortelmeyer, Frankfurt, Bruning J. *Therapie von Insomnien*. *Psychopharmakotherapie* 1996;3:109-115. **19411**
- Diaper A, Hindmarch I. A double-blind, placebo-controlled investigation of the effects of two doses of a valerian preparation on the sleep, cognitive and psychomotor function of sleep-disturbed older adults. *Phytother Res*. 2004 Oct;18:831-6. [View abstract](#). **19412**
- Balderer G, Borbély AA. Effect of valerian on human sleep. *Psychopharmacology (Berl)* 1985;87:406-9. [View abstract](#). **19413**
- Koetter U, Schrader E, Käufeler R, et al. A randomized, double blind, placebo-controlled, prospective clinical study to demonstrate clinical efficacy of a fixed valerian hops extract combination (Ze 91019) in patients suffering from non-organic sleep disorder. *Phytother Res* 2007;21:847-51. [View abstract](#). **19414**
- Schulz H, Stolz C, Müller J. The effect of valerian extract on sleep polygraphy in poor sleepers: a pilot study. *Pharmacopsychiatry*. 1994 Jul;27:147-51. [View abstract](#). **19415**
- Kamm-Kohl AV, Jansen W, Brickman P. Modern Baldriantherapie gegen nervöse Störungen im Senium. *Die Medizinische Welt* 1984;35:1450-1454. **19416**
- Ziegler G, Ploch M, Miettinen-Baumann A, et al. Efficacy and tolerability of valerian extract LI 156 compared with oxazepam in the treatment of non-organic insomnia--a randomized, double-blind, comparative clinical study. *Eur J Med Res*. 2002 Nov 25;7:480-6. [View abstract](#). **19417**
- Lindahl O, Lindwall L. Double blind study of a valerian preparation. *Pharmacol Biochem Behav*. 1989 Apr;32:1065-6. [View abstract](#). **19418**

- Dimpfel W, Suter A. Sleep improving effects of a single dose administration of a valerian/hops fluid extract - a double blind, randomized, placebo-controlled sleep-EEG study in a parallel design using electrohypnograms. *Eur J Med Res* 2008;13:200-4. [View abstract](#). **19419**
- Schmitz M, Jäckel M. [Comparative study for assessing quality of life of patients with exogenous sleep disorders (temporary sleep onset and sleep interruption disorders) treated with a hops-valerian preparation and a benzodiazepine drug]. *Wien Med Wochenschr.* 1998;148:291-8. [View abstract](#). **19420**
- Müller-Limmroth W, Ehrenstein W. [Experimental studies of the effects of Seda-Kneipp on the sleep of sleep disturbed subjects; implications for the treatment of different sleep disturbances (author's transl)]. *Med Klin.* 1977 Jun 24;72:1119-25. [View abstract](#). **19421**
- Dressing H. Valerian combination therapy vs. benzodiazepine: same efficacy in the treatment of sleeping disorders? *Therapiewoche* 1992;42(12):726-736. **19422**
- Cuellar NG, Ratcliffe SJ. Does valerian improve sleepiness and symptom severity in people with restless legs syndrome? *Altern Ther Health Med* 2009;15:22-8. [View abstract](#). **19423**
- Taibi DM, Bourguignon C, Gill Taylor A. A feasibility study of valerian extract for sleep disturbance in person with arthritis. *Biol Res Nurs* 2009;10:409-17. [View abstract](#). **19424**
- Barton DL, Atherton PJ, Bauer BA, et al. The use of *Valeriana officinalis* (Valerian) in improving sleep in patients who are undergoing treatment for cancer: a phase III randomized, placebo-controlled, double-blind study (NCCTG Trial, N01C5). *J Support Oncol* 2011;9:24-31. [View abstract](#). **19425**
- Taavoni S, Ekbatani N, Kashaniyan M, et al. Effect of valerian on sleep quality in postmenopausal women: a randomized placebo-controlled clinical trial. *Menopause.* 2011 Sep;18:951-5. [View abstract](#). **19426**
- Chen D, Klesmer J, Giovanniello A, et al. Mental status changes in an alcohol abuser taking valerian and ginkgo biloba. *Am J Addict.* 2002 Winter;11:75-7. [View abstract](#). **19427**
- Albrecht M, Berger W, Laux P, Schmidt U, et al. Psychopharmaka und Verkehrssicherheit. Der Einfluß von Euvegal® - Dragees forte auf die Fahrtüchtigkeit und Kombinationswirkungen mit Alkohol *Z Allg Med* 1995;71:1215-25. **19428**
- Circosta C, De Pasquale R, Samperi S, et al. Biological and analytical characterization of two extracts from *Valeriana officinalis*. *J Ethnopharmacol.* 2007 Jun 13;112:361-7. [View abstract](#). **19429**
- Carrasco MC, Vallejo JR, Pardo-de-Santayana M, et al. Interactions of *Valeriana officinalis* L. and *Passiflora incarnata* L. in a patient treated with lorazepam. *Phytother Res.* 2009 Dec;23:1795-6. [View abstract](#). **19430**
- Hellum BH, Nilsen OG. The in vitro inhibitory potential of trade herbal products on human CYP2D6-mediated metabolism and the influence of ethanol. *Basic Clin Pharmacol Toxicol.* 2007 Nov;101:350-8. [View abstract](#). **19431**
- Hellum BH, Hu Z, Nilsen OG. The induction of CYP1A2, CYP2D6 and CYP3A4 by six trade herbal products in cultured primary human hepatocytes. *Basic Clin Pharmacol Toxicol.* 2007 Jan;100:23-30. [View abstract](#). **35829**
- Grippo, A. A., Hamilton, B., Hannigan, R., and Gurley, B. J. Metal content of ephedra-containing dietary supplements and select botanicals. *Am J Health Syst.Pharm* 4-1-2006;63(7):635-644. [View abstract](#). **53707**

- Sun J. Morning/evening menopausal formula relieves menopausal symptoms: a pilot study. *J Altern Complement Med* 2003;9:403-9. [View abstract](#). **54810**
- Al Majed, A. A., Al Yahya, A. A., Al Bekairi, A. M., Al Shabanah, O. A., and Qureshi, S. Studies on the cytological and biochemical effects of valerian in somatic and germ cells of Swiss albino mice. *Food Chem Toxicol* 2006;44(11):1830-1837. [View abstract](#). **55383**
- Salter, S. and Brownie, S. Treating primary insomnia - the efficacy of valerian and hops. *Aust.Fam.Physician* 2010;39(6):433-437. [View abstract](#). **55411**
- Gerhard, U., Linnenbrink, N., Georghiadou, C., and Hobi, V. Vigilanzmindernde Effekte zweier pflanzlicher Schlafmittel (Effects of two plant-based sleep remedies on vigilance). *Schweiz.Rundsch.Med.Prax.* 4-9-1996;85(15):473-481. [View abstract](#). **56982**
- Komori, T., Matsumoto, T., Motomura, E., and Shiroyama, T. The sleep-enhancing effect of valerian inhalation and sleep-shortening effect of lemon inhalation. *Chem Senses* 2006;31(8):731-737. [View abstract](#). **59428**
- Dressing H. Valerian combination therapy vs. benzodiazepine: same efficacy in the treatment of sleeping disorders? *Therapiewoche* 1992;42(12):726-736. **68299**
- Gerhard, U., Hobi, V., Kocher, R., and Konig, C. [Acute sedating effect of a herbal tranquilizer compared to that of bromazepam]. *Schweiz.Rundsch.Med.Prax.* 12-27-1991;80(52):1481-1486. [View abstract](#). **73859**
- Chan, T. Y., Tang, C. H., and Critchley, J. A. Poisoning due to an over-the-counter hypnotic, Sleep-Qik (hyoscine, cyproheptadine, valerian). *Postgrad.Med.J* 1995;71(834):227-228. [View abstract](#). **73920**
- Chan, T. Y. An assessment of the delayed effects associated with valerian overdose. *Int.J Clin Pharmacol.Ther.* 1998;36(10):569. [View abstract](#). **81666**
- Ortiz, J. G., Nieves-Natal, J., and Chavez, P. Effects of Valeriana officinalis extracts on [3H]flunitrazepam binding, synaptosomal [3H]GABA uptake, and hippocampal [3H]GABA release. *Neurochem.Res* 1999;24(11):1373-1378. [View abstract](#). **81667**
- Dominguez, R. A., Bravo-Valverde, R. L., Kaplowitz, B. R., and Cott, J. M. Valerian as a hypnotic for Hispanic patients. *Cultur.Divers.Ethni.Minor.Psychol.* 2000;6(1):84-92. [View abstract](#). **81668**
- Fussel, A., Wolf, A., and Brattstrom, A. Effect of a fixed valerian-Hop extract combination (Ze 91019) on sleep polygraphy in patients with non-organic insomnia: a pilot study. *Eur J Med Res* 9-18-2000;5(9):385-390. [View abstract](#). **81669**
- Giedke, H. and Breyer-Pfaff, U. Critical evaluation of the effect of valerian extract on sleep structure and sleep quality. *Pharmacopsychiatry* 2000;33(6):239. [View abstract](#). **81670**
- Herrera-Arellano, A., Luna-Villegas, G., Cuevas-Uriostegui, M. L., Alvarez, L., Vargas-Pineda, G., Zamilpa-Alvarez, A., and Tortoriello, J. Polysomnographic Evaluation of the Hypnotic Effect of Valeriana edulis Standardized Extract in Patients Suffering from Insomnia. *Planta Med* 2001;67(8):695-699. [View abstract](#). **81671**
- Hallam, K. T., Olver, J. S., McGrath, C., and Norman, T. R. Comparative cognitive and psychomotor effects of single doses of Valeriana officinalis and triazolam in healthy volunteers. *Hum.Psychopharmacol.* 2003;18(8):619-625. [View abstract](#). **81672**
- Management of insomnia: a place for traditional herbal remedies. *Prescrire.Int.* 2005;14(77):104-107. [View abstract](#).

- Sakamoto, T., Mitani, Y., and Nakajima, K. Psychotropic effects of Japanese valerian root extract. *Chem Pharm Bull (Tokyo)* 1992;40(3):758-761. [View abstract](#). **81673**
- Pullela, S. V., Choi, Y. W., Khan, S. I., and Khan, I. A. New acylated clionasterol glycosides from *Valeriana officinalis*. *Planta Med* 2005;71(10):960-961. [View abstract](#). **81674**
- Zaffani, S., Cuzzolin, L., and Benoni, G. Herbal products: behaviors and beliefs among Italian women. *Pharmacoepidemiol Drug Saf* 2006;15(5):354-359. [View abstract](#). **81675**
- Malekzadeh, F., Rose, C., Ingvar, C., and Jernstrom, H. [Natural remedies and hormone preparations--potential risk for breast cancer patients. A study surveys the use of agents which possibly counteract with the treatment]. *Lakartidningen* 10-31-2005;102(44):3226-1. [View abstract](#). **81676**
- Navarrete, A., Avula, B., Choi, Y. W., and Khan, I. A. Chemical fingerprinting of valeriana species: simultaneous determination of valerenic acids, flavonoids, and phenylpropanoids using liquid chromatography with ultraviolet detection. *J AOAC Int* 2006;89(1):8-15. [View abstract](#). **81677**
- Kutlubaevev, M. A., Farkhutdinov, R. R., Akhmadeeva, L. R., and Mufazalov, A. F. Free radical oxidation in rat brain during chronic stress and pharmacological regulation of this process. *Bull. Exp Biol Med* 2005;140(4):416-418. [View abstract](#). **81678**
- Vissienon Z, Sichardt K, Koetter U, et al. Valerian extract Ze 911 inhibits postsynaptic potentials by activation of adenosine A1 receptors in rat cortical neurons. *Planta Med* 2006;72(7):579-83. [View abstract](#). **81679**
- Gedevanishvili, M. D., Sikharulidze, I. S., and Gogotidze, N. M. [Toxicological approach to evaluation of bioavailability of powdered medicinal herbs]. *Georgian. Med News* 2006;(134):121-124. [View abstract](#). **81680**
- Ortiz, J. G., Rassi, N., Maldonado, P. M., Gonzalez-Cabrera, S., and Ramos, I. Commercial valerian interactions with [3H]Flunitrazepam and [3H]MK-801 binding to rat synaptic membranes. *Phytother Res* 2006;20(9):794-798. [View abstract](#). **81681**
- Lacher SK, Mayer R, Sichardt K, et al. Interaction of valerian extracts of different polarity with adenosine receptors: identification of isovaltrate as an inverse agonist at A1 receptors. *Biochem Pharmacol* 2007;73(2):248-58. [View abstract](#). **81682**
- Dimpfel, W., Brattstrom, A., and Koetter, U. Central action of a fixed Valerian-hops extract combination (Ze 91019) in freely moving rats. *Eur J Med Res* 11-30-2006;11(11):496-500. [View abstract](#). **81683**
- Tokunaga, S., Takeda, Y., Niimoto, T., Nishida, N., Kubo, T., Ohno, T., Matsuura, Y., Kawahara, Y., Shinomiya, K., and Kamei, C. Effect of valerian extract preparation (BIM) on the sleep-wake cycle in rats. *Biol Pharm Bull.* 2007;30(2):363-366. [View abstract](#). **81684**
- Alkharfy, K. M. and Frye, R. F. Effect of valerian, valerian/hops extracts, and valerenic acid on glucuronidation in vitro. *Xenobiotica* 2007;37(2):113-123. [View abstract](#). **81685**
- Taibi, D. M., Landis, C. A., Petry, H., and Vitiello, M. V. A systematic review of valerian as a sleep aid: safe but not effective. *Sleep Med Rev* 2007;11(3):209-230. [View abstract](#). **81686**
- Sichardt, K., Vissienon, Z., Koetter, U., Brattstrom, A., and Nieber, K. Modulation of postsynaptic potentials in rat cortical neurons by valerian extracts macerated with different alcohols: involvement of adenosine A(1)- and GABA(A)-receptors. *Phytother Res* 2007;21(10):932-937. [View abstract](#). **81687**

- 81688**
- Khom, S., Baburin, I., Timin, E., Hohaus, A., Trauner, G., Kopp, B., and Hering, S. Valerenic acid potentiates and inhibits GABA(A) receptors: molecular mechanism and subunit specificity. *Neuropharmacology* 2007;53(1):178-187. [View abstract.](#)
- 81689**
- Yao, M., Ritchie, H. E., and Brown-Woodman, P. D. A developmental toxicity-screening test of valerian. *J Ethnopharmacol* 9-5-2007;113(2):204-209. [View abstract.](#)
- 81690**
- Neill, M. and Dixon, P. S. Effects of a preincisional 14-day course of valerian on natural killer cell activity in Sprague-Dawley male rats undergoing abdominal surgery. *Holist.Nurs Pract* 2007;21(4):187-193. [View abstract.](#)
- 81691**
- Bliwise, D. L. and Ansari, F. P. Insomnia associated with valerian and melatonin usage in the 2002 National Health Interview Survey. *Sleep* 7-1-2007;30(7):881-884. [View abstract.](#)
- 81692**
- Brattstrom, A. Scientific evidence for a fixed extract combination (Ze 91019) from valerian and hops traditionally used as a sleep-inducing aid. *Wien.Med Wochenschr.* 2007;157(13-14):367-370. [View abstract.](#)
- 81693**
- Kleinschmidt, S., Rump, G., and Kotter, J. [Herbal medications. Possible importance for anaesthesia and intensive care medicine]. *Anaesthesist* 2007;56(12):1257-1266. [View abstract.](#)
- 81694**
- Cohen, D. L. and Del, Toro Y. A case of valerian-associated hepatotoxicity. *J Clin Gastroenterol* 2008;42(8):961-962. [View abstract.](#)
- 81695**
- Waldschutz, R. and Klein, P. The homeopathic preparation Neurexan vs. valerian for the treatment of insomnia: an observational study. *ScientificWorldJournal.* 2008;8:411-420. [View abstract.](#)
- 81696**
- Vassiliadis, T., Anagnostis, P., Patsiaoura, K., Giouleme, O., Katsinelos, P., Mpoumponaris, A., and Eugenidis, N. Valeriana hepatotoxicity. *Sleep Med* 2009;10(8):935. [View abstract.](#)
- 81697**
- Muller, Z., Sarkany, A., Altorjay, A., Szilagyi, A., Tura, T., and Ozsvar, Z. [Liver failure a la Eastern Europe]. *Orv.Hetil.* 3-22-2009;150(12):555-557. [View abstract.](#)
- 81698**
- Riemann, D. and Hajak, G. [Insomnias. II. Pharmacological and psychotherapeutic treatment options]. *Nervenarzt* 2009;80(11):1327-1340. [View abstract.](#)
- 81699**
- Sleep complaints: Whenever possible, avoid the use of sleeping pills. *Prescrire.Int.* 2008;17(97):206-212. [View abstract.](#)
- 81700**
- Hubner, R., van, Haselen R., and Klein, P. Effectiveness of the homeopathic preparation Neurexan compared with that of commonly used valerian-based preparations for the treatment of nervousness/restlessness - an observational study. *ScientificWorldJournal.* 2009;9:733-745. [View abstract.](#)
- 81701**
- Sarris, J. and Byrne, G. J. A systematic review of insomnia and complementary medicine. *Sleep Med Rev.* 2011;15(2):99-106. [View abstract.](#)
- 81702**
- Dimpfel, W., Koch, K., and Weiss, G. Early effect of NEURAPAS(R) balance on current source density (CSD) of human EEG. *BMC.Psychiatry* 2011;11:123. [View abstract.](#)
- 81703**
- Chen, J. H., Chao, Y. H., Lu, S. F., Shiung, T. F., and Chao, Y. F. The effectiveness of valerian acupuncture on the sleep of ICU patients: a randomized clinical trial. *Int J Nurs.Stud.* 2012;49(8):913-920. [View abstract.](#)
- 81704**

- Xu, J., Guo, Y., Xie, C., Jin, D. Q., Gao, J., and Gui, L. Isolation and neuroprotective activities of acylated iridoids from *Valeriana jatamansi*. *Chem Biodivers.* 2012;9(7):1382-1388. [View abstract.](#) **81705**
- Xu, J., Li, Y., Guo, Y., Guo, P., Yamakuni, T., and Ohizumi, Y. Isolation, structural elucidation, and neuroprotective effects of iridoids from *Valeriana jatamansi*. *Biosci.Biotechnol.Biochem.* 2012;76(7):1401-1403. [View abstract.](#) **81706**
- Han, Z. Z., Yan, Z. H., Liu, Q. X., Hu, X. Q., Ye, J., Li, H. L., and Zhang, W. D. Acylated iridoids from the roots of *Valeriana officinalis* var. *latifolia*. *Planta Med* 2012;78(15):1645-1650. [View abstract.](#) **81707**
- Lin, S., Zhang, Z. X., Chen, T., Ye, J., Dai, W. X., Shan, L., Su, J., Shen, Y. H., Li, H. L., Liu, R. H., Xu, X. K., Wang, H., and Zhang, W. D. Characterization of chlorinated valepotriates from *Valeriana jatamansi*. *Phytochemistry* 2013;85:185-193. [View abstract.](#) **81708**
- Chen, C., Li, S., Tang, S., Wu, H., Xu, H., Yang, H., and Yan, Z. [Advance of pharmacological studies on *Valeriana jatamansi*]. *Zhongguo Zhong.Yao Za Zhi.* 2012;37(14):2174-2177. [View abstract.](#) **81709**
- Houghton, P. J. The biological activity of Valerian and related plants. *J Ethnopharmacol.* 1988;22(2):121-142. [View abstract.](#) **81710**
- Hendriks, H., Bos, R., Woerdenbag, H. J., and Koster, A. S. Central nervous depressant activity of valerenic acid in the mouse. *Planta Med.* 1985;(1):28-31. [View abstract.](#) **81711**
- Gessner, B. and Klasser, M. [Studies on the effect of *Harmonicum Much* on sleep using polygraphic EEG recordings]. *EEG.EMG.Z.Elektroenzephalogr.Elektromyogr.Verwandte.Geb.* 1984;15(1):45-51. [View abstract.](#) **81712**
- Bounthanh, C., Richert, L., Beck, J. P., Haag-Berrurier, M., and Anton, R. The action of valepotriates on the synthesis of DNA and proteins of cultured hepatoma cells. *Planta Med.* 1983;49(3):138-142. [View abstract.](#) **81713**
- Leathwood, P. D. and Chauffard, F. Quantifying the effects of mild sedatives. *J Psychiatr.Res* 1982;17(2):115-122. [View abstract.](#) **81714**
- Bounthanh, C., Bergmann, C., Beck, J. P., Haag-Berrurier, M., and Anton, R. Valepotriates, a new class of cytotoxic and antitumor agents. *Planta Med.* 1981;41(1):21-28. [View abstract.](#) **81715**
- Hendriks, H., Bos, R., Allersma, D. P., Malingre, T. M., and Koster, A. S. Pharmacological screening of valeranal and some other components of essential oil of *Valeriana officinalis*. *Planta Med* 1981;42(1):62-68. [View abstract.](#) **81716**
- Wagner, H., Jurcic, K., and Schaeffe, R. [Comparative studies on the sedative action of *Valeriana* extracts, valepotriates and their degradation products (author's transl)]. *Planta Med.* 1980;38(4):358-365. [View abstract.](#) **81717**
- Oshima, Y., Matsuoka, S., and Ohizumi, Y. Antidepressant principles of *Valeriana fauriei* roots. *Chem.Pharm.Bull.(Tokyo)* 1995;43(1):169-170. [View abstract.](#) **81718**
- Santos, M. S., Ferreira, F., Cunha, A. P., Carvalho, A. P., Ribeiro, C. F., and Macedo, T. Synaptosomal GABA release as influenced by valerian root extract-- involvement of the GABA carrier. *Arch.Int.Pharmacodyn.Ther.* 1994;327(2):220-231. [View abstract.](#) **81719**
- Santos, M. S., Ferreira, F., Faro, C., Pires, E., Carvalho, A. P., Cunha, A. P., and Macedo, T. The amount of GABA present in aqueous extracts of valerian is sufficient to account for [3H]GABA release in synaptosomes. *Planta Med.* 1994;60(5):475-476. [View abstract.](#)

- 81720**
- Santos, M. S., Ferreira, F., Cunha, A. P., Carvalho, A. P., and Macedo, T. An aqueous extract of valerian influences the transport of GABA in synaptosomes. *Planta Med.* 1994;60(3):278-279. [View abstract.](#)
- 81721**
- Leuschner, J., Muller, J., and Rudmann, M. Characterisation of the central nervous depressant activity of a commercially available valerian root extract. *Arzneimittelforschung.* 1993;43(6):638-641. [View abstract.](#)
- 81722**
- Cavadas, C., Araujo, I., Cotrim, M. D., Amaral, T., Cunha, A. P., Macedo, T., and Ribeiro, C. F. In vitro study on the interaction of *Valeriana officinalis* L. extracts and their amino acids on GABAA receptor in rat brain. *Arzneimittelforschung.* 1995;45(7):753-755. [View abstract.](#)
- 81723**
- National Toxicology Program, US Department of Health and Human Services. Chemical Information Review Document for Valerian (*Valeriana officinalis* L.) [CAS No. 8057-49-6] and Oils [CAS No. 8008-88-6]. 2009;
- 81724**
- Stevinson C and Ernst E. Valerian for insomnia: systematic review of randomized clinical trials. *Sleep Med* 2000;1:91-99.
- 81725**
- Kim-Kohl AV, Jansen W Brickman P. Modern Baldriantherapie gegen nervöse Störungen im Senium. *Die Medizinische Welt* 1984;35:1450-1454.
- 81726**
- Volk, S., Friede, M., Hasenfuss, I., and Wustenberg, P. Phytosedativum gegen nervöse Unruhezustände und Einschlafstörungen: Wirksamkeit und Verträglichkeit eines pflanzlichen Kombinations-preparates aus Baldrianwurzeln, Hopfenzapfen und Melissenblättern. *Z Phytother* 1999;20(6):337-344.
- 81727**
- Friede, M., Liske, E., Woelk, H., and Wustenberg, P. Pflanzliche Wirkstoffe gegen Schlafstörungen. *Tw Neurologie Psychiatrie* 1997;11(10):697-700.
- 81728**
- Panijel M. [Treatment of moderately severe anxiety states]. *Therapiewoche* 1985;35(41):4659-4668.
- 81729**
- Hiller KO and Zetler G. Neuropharmacological studies on ethanol extracts of *Valeriana officinalis* L: behavioural and anticonvulsant properties. *Phytother Res* 1996;10:145-151.
- 81730**
- Boeters VU. [On treatment of control disorders of the autonomic nervous system with valepotriaten (Valmane)]. *MMW* 1969;37:1873-1876.
- 81731**
- Sousa MPd, Pacheco P, and Roldao V. Double-blind comparative study of the efficacy and safety of Valdispert vs. clobazepam. *KaliChemi Med Research Info (Report)* 1992;
- 81732**
- Delsignore R, Orlando S, Costi D, Baroni MC, and Butturini. Placebo controlled clinical trial with valerian. *Settimana Medica* 1980;68(9):437-447.
- 81733**
- Vorbach EU, Darmstadt R, Gortelmeyer, Frankfurt, and Bruning J. Therapie von Insomnien. *Psychopharmakotherapie* 1996;3:109-115.
- 81734**
- Wells SR. International intravenous administration of a crude valerian root extract. *NACCT* 1995;33:542.
- 81735**
- Skramlik E. Über die giftigkeit und verträglichkeit von atherischen olen. *Pharmazie* 1959;14:435-445.
- 81736**

- Albrecht M, Berger W, Laux P, and et al. Psychopharmaceuticals and traffic safety: the effect of Euvegal® Dragees Forte on driving ability and combination effects with alcohol. *Z Allg Med* 1995;71:1215-1225. **81737**
- Kamm-Kohl AV, Jansen W, and Brockmann P. Moderne baldriantherapie gegen nervöse Störungen im Senium. *Medwelt* 1984;35:1450-1454. **81738**
- Seifert T. Therapeutic effects of valerian in nervous disorders. *Therapeutikon* 1988;2:94-98. **81739**
- Morazzoni P and Bombardelli E. Valeriana officinalis: traditional use and recent evaluation of activity. *Fitoterapia* 1995;66(2):99-112. **81740**
- Mennini T, Bernasconi P, Bombardelli E, and et al. In vitro study on the interaction of extracts and pure compounds from Valeriana officinalis roots with GABA, benzodiazepine and barbiturate receptors in rat brain. *Fitoterapia* 1993;64(4):291-300. **81741**
- Nieves J and Oritz J G. Effects of valeriana officinalis extract on GABAergic transmission. *Journal of Neurochemistry* 1997;69(Suppl 1):S128. **81742**
- Rodenbeck A, Simen S, Cohrs S, and et al. Alterations of the sleep stage structure as a feature of GABAergic effects of a valerian-hop preparation in patients with psychophysiological insomnia. *Somnologie* 1998;2:26-31. **81743**
- Capasso A. Pharmacological effects of aqueous extract from Valeriana adscendens. *Phytother Res* 1996;10:309-312. **81744**
- Schellenberg R, Schwartz A, Schellenberg V, and et al. Quantitative EEG-monitoring and psychometric evaluation of the therapeutic efficacy of Biral N in psychosomatic diseases. *Naturamed* 1994;4:9. **81745**
- Gessner B, Klasser M, and Völp A. [Long term effect of a valerian extract (harmonicum much) in persons with sleep disorders]. *Therapiewoche* 1983;33:5547-5558. **81746**
- Jansen W. Doppelblindstudie mit Baldrisedon. *Therapiewoche* 1977;27:2779-2786. **81747**
- Dressing H, Kohler S, and Muller WE. Improvement in sleep quality with a high dose valerian-melissa preparation. *Psychopharmakotherapie* 1996;3:123-130. **81748**
- Cerny AS and Schmid K. Tolerability and efficacy of valerian/lemon balm in healthy volunteers; a double blind placebo controlled, multicentre study. *Fitoterapia* 1999;70(3):221-228. **81749**
- Staiger, C. and Wegener, T. Pflanzliche Dreierkombination bei Schlafstörungen und Unruhezuständen: eine Anwendungsbeobachtung. *Z Phytother* 2006;27(1):12-15. **81750**
- Orth-Wagner S, Ressin W, and Friederich I. Phytosedative for sleeping disorders containing extracts from valerian root, hop grains and balm leaves. *Zeitschrift für Phytotherapie* 1995;16:147, 155-152, 156. **81751**
- Schmidt-Voigt J. Die Behandlung nervöser Schlafstörungen und innerer Unruhe mit einem rein pflanzlichen Sedativum. *Therapiewoche* 1986;36:663-667. **81752**
- Strosser, W. and Gladbach, B. Pflanzliche Sedativa: alternative in der Therapie leichter Schlafstörungen. *Dtsch Apoth Ztg* 1999;139:50-52. **81753**
- Notter, D., Brattstrom, A., and Ullrich, N. Therapie von Schlafstörungen. *DAZ* 2004;144(14):147-148.