

References

Ashwagandha

- 12
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997.
- 3710
- Upton R, ed. Ashwagandha Root (*Withania somnifera*): Analytical, quality control, and therapeutic monograph. Santa Cruz, CA: American Herbal Pharmacopoeia 2000;1-25.
- 3711
- Davis L, Kuttan G. Effect of *Withania somnifera* on cyclophosphamide-induced urotoxicity. *Cancer Lett* 2000;148:9-17. [View abstract](#).
- 4113
- Archana R, Namasivayam A. Antistressor effect of *Withania somnifera*. *J Ethnopharmacol* 1999;64:91-3. [View abstract](#).
- 4114
- Davis L, Kuttan G. Suppressive effect of cyclophosphamide-induced toxicity by *Withania somnifera* extract in mice. *J Ethnopharmacol* 1998;62:209-14. [View abstract](#).
- 4116
- Bhattacharya SK, Satyan KS, Ghosal S. Antioxidant activity of glycowithanolides from *Withania somnifera*. *Indian J Exp Biol* 1997;35:236-9. [View abstract](#).
- 6899
- Nagashayana N, Sankarankutty P, Nampoothiri MRV, et al. Association of l-DOPA with recovery following Ayurveda medication in Parkinson's Disease. *J Neurol Sci* 2000;176:124-7. [View abstract](#).
- 11301
- Mishra LC, Singh BB, Dagenais S. Scientific basis for the therapeutic use of *Withania somnifera* (ashwagandha): a review. *Altern Med Rev* 2000;5:334-46. [View abstract](#).
- 14863
- Dasgupta A, Peterson A, Wells A, Actor JK. Effect of Indian Ayurvedic medicine Ashwagandha on measurement of serum digoxin and 11 commonly monitored drugs using immunoassays: study of protein binding and interaction with Digibind. *Arch Pathol Lab Med* 2007;131:1298-303. [View abstract](#).
- 16417
- Dasgupta A, Tso G, Wells A. Effect of Asian ginseng, Siberian ginseng, and Indian ayurvedic medicine Ashwagandha on serum digoxin measurement by Digoxin III, a new digoxin immunoassay. *J Clin Lab Anal* 2008;22:295-301. [View abstract](#).
- 19271
- Cooley K, Szczurko O, Perri D, et al. Naturopathic care for anxiety: a randomized controlled trial ISRC TN78958974. *PLoS One* 2009;4:e6628. [View abstract](#).
- 19272
- Katz M, Levine AA, Kol-Degani H, Kav-Venaki L. A compound herbal preparation (CHP) in the treatment of children with ADHD: a randomized controlled trial. *J Atten Disord* 2010;14:281-91. [View abstract](#).
- 19273
- Siranjini SJ, Pal PK, Devidas KV, Ganpathy S. Improvement of balance in progressive degenerative cerebellar ataxias after Ayurvedic therapy: a preliminary report. *Neurol India* 2009;57:166-71. [View abstract](#).
- 19274
- Andallu B, Radhika B. Hypoglycemic, diuretic and hypocholesterolemic effect of winter cherry (*Withania somnifera*, Dunal) root. *Indian J Exp Biol* 2000;38:607-9. [View abstract](#).
- 19275
- Ahmad MK, Mahdi AA, Shukla KK, et al. *Withania somnifera* improves semen quality by regulating reproductive hormone levels and oxidative stress in seminal plasma of infertile males. *Fertil Steril* 2010;94:989-96. [View abstract](#).
- 19276

Kulkarni RR, Patki PS, Jog VP, et al. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991;33:91-5. [View abstract](#)

19279

Ahumada F, Aspee F, Wikman G, Hancke J. *Withania somnifera* extract. Its effects on arterial blood pressure in anaesthetized dogs. *Phytother Res* 1991;5:111-14.

19280

Agarwal R, Diwanay S, Patki P, Patwardhan B. Studies on immunomodulatory activity of *Withania somnifera* (Ashwagandha) extracts in experimental immune inflammation. *J Ethnopharmacol* 1999;67:27-35. [View abstract](#).

19281

Panda S, Kar A. *Withania somnifera* and *Bauhinia purpurea* in the regulation of circulating thyroid hormone concentrations in female mice. *J Ethnopharmacol* 1999;67:233-39. [View abstract](#).

19282

Panda S, Kar A. Changes in thyroid hormone concentrations after administration of ashwagandha root extract to adult male mice. *J Pharm Pharmacol* 1998;50:1065-68. [View abstract](#).

32500

Aphale, A. A., Chhibba, A. D., Kumbhakarna, N. R., Mateenuddin, M., and Dahat, S. H. Subacute toxicity study of the combination of ginseng (*Panax ginseng*) and ashwagandha (*Withania somnifera*) in rats: a safety assessment. *Indian J Physiol Pharmacol.* 1998;42(2):299-302. [View abstract](#).

32506

Bhattacharya, S. K., Bhattacharya, A., Sairam, K., and Ghosal, S. Anxiolytic-antidepressant activity of *Withania somnifera* glycowithanolides: an experimental study. *Phytomedicine* 2000;7(6):463-469. [View abstract](#).

32509

Davis, L. and Kuttan, G. Effect of *Withania somnifera* on DMBA induced carcinogenesis. *J Ethnopharmacol.* 2001;75(2-3):165-168. [View abstract](#).

32514

Bhattacharya, S. K. and Muruganandam, A. V. Adaptogenic activity of *Withania somnifera*: an experimental study using a rat model of chronic stress. *Pharmacol Biochem Behav* 2003;75(3):547-555. [View abstract](#).

32516

Gupta, S. K., Dua, A., and Vohra, B. P. *Withania somnifera* (Ashwagandha) attenuates antioxidant defense in aged spinal cord and inhibits copper induced lipid peroxidation and protein oxidative modifications. *Drug Metabol Drug Interact.* 2003;19(3):211-222. [View abstract](#).

32517

Devi, P. U., Sharada, A. C., Solomon, F. E., and Kamath, M. S. In vivo growth inhibitory effect of *Withania somnifera* (Ashwagandha) on a transplantable mouse tumor, Sarcoma 180. *Indian J Exp Biol.* 1992;30(3):169-172. [View abstract](#).

32518

Kaur, K., Rani, G., Widodo, N., Nagpal, A., Taira, K., Kaul, S. C., and Wadhwa, R. Evaluation of the anti-proliferative and anti-oxidative activities of leaf extract from in vivo and in vitro raised Ashwagandha. *Food Chem. Toxicol.* 2004;42(12):2015-2020. [View abstract](#).

32521

Khattak, S., Saeed, Ur Rehman, Shah, H. U., Khan, T., and Ahmad, M. In vitro enzyme inhibition activities of crude ethanolic extracts derived from medicinal plants of Pakistan. *Nat. Prod. Res* 2005;19(6):567-571. [View abstract](#).

32522

Choudhary, M. I., Nawaz, S. A., ul-Haq, Z., Lodhi, M. A., Ghayur, M. N., Jalil, S., Riaz, N., Yousuf, S., Malik, A., Gilani, A. H., and ur-Rahman, A. Withanolides, a new class of natural cholinesterase inhibitors with calcium antagonistic properties. *Biochem Biophys Res Commun.* 8-19-2005;334(1):276-287. [View abstract](#).

32524

Kulkarni, S. K. and Dhir, A. *Withania somnifera*: an Indian ginseng. *Prog. Neuropsychopharmacol. Biol. Psychiatry* 7-1-2008;32(5):1093-1105. [View abstract](#).

32525

Deocaris, C. C., Widodo, N., Wadhwa, R., and Kaul, S. C. Merger of ayurveda and tissue culture-based functional genomics: inspirations from systems biology. *J.Transl.Med.* 2008;6:14. [View abstract](#).

32526

Tohda, C. [Overcoming several neurodegenerative diseases by traditional medicines: the development of therapeutic medicines and unraveling pathophysiological mechanisms]. *Yakugaku Zasshi* 2008;128(8):1159-1167. [View abstract](#).

32527

Singh, R. H., Narsimhamurthy, K., and Singh, G. Neuronutrient impact of Ayurvedic Rasayana therapy in brain aging. *Biogerontology*. 2008;9(6):369-374. [View abstract](#).

32528

Lu, L., Liu, Y., Zhu, W., Shi, J., Liu, Y., Ling, W., and Kosten, T. R. Traditional medicine in the treatment of drug addiction. *Am J Drug Alcohol Abuse* 2009;35(1):1-11. [View abstract](#).

32529

Mikolai, J., Erlandsen, A., Murison, A., Brown, K. A., Gregory, W. L., Raman-Caplan, P., and Zwickey, H. L. In vivo effects of Ashwagandha (*Withania somnifera*) extract on the activation of lymphocytes. *J.Alter.Complement Med.* 2009;15(4):423-430. [View abstract](#).

32530

Bhat, J., Damle, A., Vaishnav, P. P., Albers, R., Joshi, M., and Banerjee, G. In vivo enhancement of natural killer cell activity through tea fortified with Ayurvedic herbs. *Phytother.Res* 2010;24(1):129-135. [View abstract](#).

32533

Ven Murthy, M. R., Ranjekar, P. K., Ramassamy, C., and Deshpande, M. Scientific basis for the use of Indian ayurvedic medicinal plants in the treatment of neurodegenerative disorders: ashwagandha. *Cent.Nerv.Syst.Agents Med.Chem.* 9-1-2010;10(3):238-246. [View abstract](#).

32535

Malviya, N., Jain, S., Gupta, V. B., and Vyas, S. Recent studies on aphrodisiac herbs for the management of male sexual dysfunction--a review. *Acta Pol.Pharm.* 2011;68(1):3-8. [View abstract](#).

32537

Sehgal, V. N., Verma, P., and Bhattacharya, S. N. Fixed-drug eruption caused by ashwagandha (*Withania somnifera*): a widely used Ayurvedic drug. *Skinmed*. 2012;10(1):48-49. [View abstract](#).

32538

Vaishnavi, K., Saxena, N., Shah, N., Singh, R., Manjunath, K., Uthayakumar, M., Kanaujia, S. P., Kaul, S. C., Sekar, K., and Wadhwa, R. Differential activities of the two closely related withanolides, Withaferin A and Withanone: bioinformatics and experimental evidences. *PLoS.One*. 2012;7(9):e44419. [View abstract](#).

32541

Begum, V. H. and Sadique, J. Long term effect of herbal drug *Withania somnifera* on adjuvant induced arthritis in rats. *Indian J Exp Biol.* 1988;26(11):877-882. [View abstract](#).

32542

Malhotra, C. L., Mehta, V. L., Das, P. K., and Dhalla, N. S. Studies on *Withania-ashwagandha*, Kaul. V. The effect of total alkaloids (ashwagandholine) on the central nervous system. *Indian J Physiol Pharmacol.* 1965;9(3):127-136. [View abstract](#).

32544

Malhotra, C. L., Mehta, V. L., Prasad, K., and Das, P. K. Studies on *Withania ashwagandha*, Kaul. IV. The effect of total alkaloids on the smooth muscles. *Indian J Physiol Pharmacol.* 1965;9(1):9-15. [View abstract](#).

32547

Anbalagan, K. and Sadique, J. Influence of an Indian medicine (Ashwagandha) on acute-phase reactants in inflammation. *Indian J Exp Biol.* 1981;19(3):245-249. [View abstract](#).

32548

Devi, P. U., Sharada, A. C., and Solomon, F. E. In vivo growth inhibitory and radiosensitizing effects of withaferin A on mouse Ehrlich ascites carcinoma. *Cancer Lett.* 8-16-1995;95(1-2):189-193. [View abstract](#).

32550

- Praveenkumar, V., Kuttan, R., and Kuttan, G. Chemoprotective action of Rasayanas against cyclophosphamide toxicity. *Tumori* 8-31-1994;80(4):306-308. [View abstract](#). **32551**
- Devi, P. U., Sharada, A. C., and Solomon, F. E. Antitumor and radiosensitizing effects of *Withania somnifera* (Ashwagandha) on a transplantable mouse tumor, Sarcoma-180. *Indian J Exp Biol.* 1993;31(7):607-611. [View abstract](#). **32552**
- Sharada, A. C., Solomon, F. E., Devi, P. U., Udupa, N., and Srinivasan, K. K. Antitumor and radiosensitizing effects of withaferin A on mouse Ehrlich ascites carcinoma in vivo. *Acta Oncol.* 1996;35(1):95-100. [View abstract](#). **32553**
- Dhuley, J. N. Therapeutic efficacy of Ashwagandha against experimental aspergillosis in mice. *Immunopharmacol.Immunotoxicol.* 1998;20(1):191-198. [View abstract](#). **32557**
- Dhuley, J. N. Effect of ashwagandha on lipid peroxidation in stress-induced animals. *J Ethnopharmacol.* 1998;60(2):173-178. [View abstract](#). **32558**
- Kuppurajan K, Rajagopalan SS, Sitoraman R, and et al. Effect of Ashwagandha (*Withania somnifera* Dunal) on the process of ageing on human volunteers. *Journal of Research in Ayurveda and Siddha* 1980;1(2):247-258. **32559**
- Ahumada F, Aspee F, Wikman G, and et al. *Withania somnifera* extract. Its effect on arterial blood pressure in anaesthetized dogs. *Phytotherapy Research* 1991;5:111-114. **32560**
- Upadhyaya L and et al. Role of an indigenous drug Geriforte on blood levels of biogenic amines and its significance in the treatment of anxiety neurosis. *Acta Nerv Super* 1990;32(1):1-5. **32561**
- Ghosal S, Lal J, Srivastava R, and et al. Immunomodulatory and CNS effects of sitoindosides 9 and 10, two new glycowithanolides from *Withania somnifera*. *Phytotherapy Research* 1989;3(5):201-206. **32563**
- Venkataraghavan S, Seshadri C, Sundaresan TP, and et al. The comparative effect of milk fortified with Aswagandha, Aswagandha and Punarnava in children - a double-blind study. *J Res Ayur Sid* 1980;1:370-385. **32564**
- Anbalagan K and Sadique J. *Withania somnifera* (ashwagandha), a rejuvenating herbal drug which controls alpha-2 macroglobulin synthesis during inflammation. *Int.J.Crude Drug Res.* 1985;23(4):177-183. **32567**
- Agnihotri AP, Sontakke SD, Thawani VR, Saoji A, Goswami VS. Effects of *Withania somnifera* in patients of schizophrenia: a randomized, double blind, placebo controlled pilot trial study. *Indian J Pharmacol.* 2013;45(4):417-8. [View abstract](#). **90649**
- Ambiye VR, Langade D, Dongre S, Aptikar P, Kulkarni M, Dongre A. Clinical Evaluation of the Spermatogenic Activity of the Root Extract of Ashwagandha (*Withania somnifera*) in Oligospermic Males: A Pilot Study. *Evid Based Complement Alternat Med.* 2013;2013:571420. [View abstract](#). **90650**
- Biswal BM, Sulaiman SA, Ismail HC, Zakaria H, Musa KI. Effect of *Withania somnifera* (Ashwagandha) on the development of chemotherapy-induced fatigue and quality of life in breast cancer patients. *Integr Cancer Ther.* 2013;12(4):312-22. [View abstract](#). **90651**
- Chandrasekhar K, Kapoor J, Anishetty S. A prospective, randomized double-blind, placebo-controlled study of safety and efficacy of a high-concentration full-spectrum extract of ashwagandha root in reducing stress and anxiety in adults. *Indian J Psychol Med.* 2012;34(3):255-62. [View abstract](#). **90652**
- 90653

Chengappa KN, Bowie CR, Schlicht PJ, Fleet D, Brar JS, Jindal R. Randomized placebo-controlled adjunctive study of an extract of withania somnifera for cognitive dysfunction in bipolar disorder. *J Clin Psychiatry*. 2013;74(11):1076-83. [View abstract](#).

90654

Sud Khyati S, Thaker B. A randomized double blind placebo controlled study of ashwagandha on generalized anxiety disorder. *Int Ayurvedic Med J* 2013;1(5):1-7.