

References

Bayberry

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op
Phytother, 1997. **1**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals.
London, UK: The Pharmaceutical Press, 1996. **4**
- Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related
Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993. **5**
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co.,
1999. **6**
- Murch SJ, Simmons CB, Saxena PK. Melatonin in feverfew and other medicinal plants. Lancet
1997;350:1598-9. [View abstract](#). **50**
- Alam, A., Iqbal, M., Saleem, M., Ahmed, S., and Sultana, S. Myrica nagi attenuates cumene
hydroperoxide-induced cutaneous oxidative stress and toxicity in Swiss albino mice.
Pharmacol.Toxicol. 2000;86(5):209-214. [View abstract](#). **33873**
- Tene, M., Wabo, H. K., Kamnaing, P., Tsopmo, A., Tane, P., Ayafor, J. F., and Sterner, O.
Diarylheptanoids from Myrica arborea. Phytochemistry 2000;54(8):975-978. [View abstract](#). **33874**
- Nagai, M., Sakurai, N., Yumoto, N., Nagumo, S., and Seo, S. Oleanane acid from Myrica
cerifera. Chem.Pharm Bull.(Tokyo) 2000;48(10):1427-1428. [View abstract](#). **33875**
- Amakura, Y., Okada, M., Tsuji, S., and Tonogai, Y. High-performance liquid chromatographic
determination with photodiode array detection of ellagic acid in fresh and processed fruits. J
Chromatogr.A 10-27-2000;896(1-2):87-93. [View abstract](#). **33876**
- Matsuda, H., Yamazaki, M., Matsuo, K., Asanuma, Y., and Kubo, M. Anti-androgenic activity of
Myrica Cortex--isolation of active constituents from bark of Myrica rubra. Biol.Pharm Bull.
2001;24(3):259-263. [View abstract](#). **33877**
- Santos, S. C. and Waterman, P. G. Condensed tannins from Myrica gale. Fitoterapia
2000;71(5):610-612. [View abstract](#). **33878**
- Matsuda, H., Morikawa, T., Tao, J., Ueda, K., and Yoshikawa, M. Bioactive constituents of
Chinese natural medicines. VII. Inhibitors of degranulation in RBL-2H3 cells and absolute
stereostructures of three new diarylheptanoid glycosides from the bark of Myrica rubra.
Chem.Pharm Bull.(Tokyo) 2002;50(2):208-215. [View abstract](#). **33879**
- Njung'e, K., Muriuki, G., Mwangi, J. W., and Kuria, K. A. Analgesic and antipyretic effects of
Myrica salicifolia (Myricaceae). Phytother Res 2002;16 Suppl 1:S73-S74. [View abstract](#). **33880**
- Chistokhodova, N., Nguyen, C., Calvino, T., Kachirskaia, I., Cunningham, G., and Howard, Miles
D. Antithrombin activity of medicinal plants from central Florida. J Ethnopharmacol.
2002;81(2):277-280. [View abstract](#). **33881**
- Tao, J., Morikawa, T., Toguchida, I., Ando, S., Matsuda, H., and Yoshikawa, M. Inhibitors of nitric
oxide production from the bark of Myrica rubra: structures of new biphenyl type diarylheptanoid
glycosides and taraxerane type triterpene. Bioorg.Med Chem. 2002;10(12):4005-4012. [View abstract](#). **33882**

- 33883**
- Yang, L. L., Chang, C. C., Chen, L. G., and Wang, C. C. Antitumor principle constituents of *Myrica rubra* Var. *acuminata*. *J Agric.Food Chem.* 5-7-2003;51(10):2974-2979. [View abstract.](#)
- 33884**
- Fujimoto, M., Mihara, S., Nakajima, S., Ueda, M., Nakamura, M., and Sakurai, K. A novel non-peptide endothelin antagonist isolated from bayberry, *Myrica cerifera*. *FEBS Lett.* 6-22-1992;305(1):41-44. [View abstract.](#)
- 33885**
- Ohta, S., Sakurai, N., Kamogawa, A., Yaguchi, Y., Inoue, T., and Shinoda, M. [Protective effects of the bark of *Myrica rubra* Sieb. et Zucc. on experimental liver injuries]. *Yakugaku Zasshi* 1992;112(4):244-252. [View abstract.](#)
- 33886**
- Cheng, H. Y., Lin, T. C., Ishimaru, K., Yang, C. M., Wang, K. C., and Lin, C. C. In vitro antiviral activity of prodelphinidin B-2 3,3'-di-O-gallate from *Myrica rubra*. *Planta Med* 2003;69(10):953-956. [View abstract.](#)
- 33887**
- Liao, X., Lu, Z., Du, X., Liu, X., and Shi, B. Collagen fiber immobilized *Myrica rubra* tannin and its adsorption to UO₂(2+). *Environ.Sci Technol.* 1-1-2004;38(1):324-328. [View abstract.](#)
- 33888**
- Jacinto, C. M., Nelson, R. P., Bucholtz, G. A., Fernandez-Caldas, E., Trudeau, W. L., and Lockey, R. F. Nasal and bronchial provocation challenges with bayberry (*Myrica cerifera*) pollen extract. *J Allergy Clin.Immunol.* 1992;90(3 Pt 1):312-318. [View abstract.](#)
- 33889**
- Kuo, P. L., Hsu, Y. L., Lin, T. C., and Lin, C. C. Prodelphinidin B-2 3,3'-di-O-gallate from *Myrica rubra* inhibits proliferation of A549 carcinoma cells via blocking cell cycle progression and inducing apoptosis. *Eur.J Pharmacol.* 10-6-2004;501(1-3):41-48. [View abstract.](#)
- 33890**
- Kuo, P. L., Hsu, Y. L., Lin, T. C., Lin, L. T., and Lin, C. C. Induction of apoptosis in human breast adenocarcinoma MCF-7 cells by prodelphinidin B-2 3,3'-di-O-gallate from *Myrica rubra* via Fas-mediated pathway. *J Pharm Pharmacol.* 2004;56(11):1399-1406. [View abstract.](#)
- 33891**
- Bao, J., Cai, Y., Sun, M., Wang, G., and Corke, H. Anthocyanins, flavonols, and free radical scavenging activity of Chinese bayberry (*Myrica rubra*) extracts and their color properties and stability. *J Agric.Food Chem.* 3-23-2005;53(6):2327-2332. [View abstract.](#)
- 33892**
- Sylvestre, M., Legault, J., Dufour, D., and Pichette, A. Chemical composition and anticancer activity of leaf essential oil of *Myrica gale* L. *Phytomedicine.* 2005;12(4):299-304. [View abstract.](#)
- 33893**
- Jaenson, T. G., Palsson, K., and Borg-Karlson, A. K. Evaluation of extracts and oils of tick-repellent plants from Sweden. *Med Vet.Entomol.* 2005;19(4):345-352. [View abstract.](#)
- 33894**
- Jaenson, T. G., Palsson, K., and Borg-Karlson, A. K. Evaluation of extracts and oils of mosquito (Diptera: Culicidae) repellent plants from Sweden and Guinea-Bissau. *J Med Entomol.* 2006;43(1):113-119. [View abstract.](#)
- 33895**
- Kirira, P. G., Rukunga, G. M., Wanyonyi, A. W., Muregi, F. M., Gathirwa, J. W., Muthaura, C. N., Omar, S. A., Tolo, F., Mungai, G. M., and Ndiege, I. O. Anti-plasmodial activity and toxicity of extracts of plants used in traditional malaria therapy in Meru and Kilifi Districts of Kenya. *J Ethnopharmacol.* 7-19-2006;106(3):403-407. [View abstract.](#)
- 33896**
- Chen, J. W., Chen, Z. M., Qian, J. B., Qin, Q. P., Liu, X. K., Xie, M., Yang, R. X., and Zhang, S. L. [Carbohydrate metabolism during fruit development of bayberry (*Myrica rubra* Sieb. et Zucc.)]. *Zhi.Wu Sheng Li Yu Fen.Zi.Sheng Wu Xue.Xue.Bao.* 2006;32(4):438-444. [View abstract.](#)
- 33897**
- Fang, Z., Zhang, M., Tao, G., Sun, Y., and Sun, J. Chemical composition of clarified bayberry (*Myrica rubra* Sieb. et Zucc.) juice sediment. *J Agric.Food Chem.* 10-4-2006;54(20):7710-7716. [View abstract.](#)

- Stuart, A. E. The anti-fungal effect of oil distilled from the leaves of *Myrica gale*. *Planta Med* 1998;64(4):389. [View abstract](#). **33898**
- Zhong, Z., Yu, X., and Zhu, J. Red bayberry extract inhibits growth and virulence gene expression of the human pathogen *Vibrio cholerae*. *J Antimicrob.Chemother.* 2008;61(3):753-754. [View abstract](#). **33899**
- Wang, D. Y. and Liu, E. G. A new diaryheptanoid from the bark of *Myrica rubra*. *Nat.Prod.Res* 3-10-2008;22(4):292-295. [View abstract](#). **33900**
- Patel, K. G., Patel, K. V., Shah, J. H., Monpara, K. B., and Gandhi, T. R. Evaluation of the effect of *Myrica sapida* on bronchoconstriction and bronchial hyperreactivity. *Pharmazie* 2008;63(4):312-316. [View abstract](#). **33901**
- Wang, J. X., Xiao, X. H., and Li, G. K. Study of vacuum microwave-assisted extraction of polyphenolic compounds and pigment from Chinese herbs. *J Chromatogr.A* 7-11-2008;1198-1199:45-53. [View abstract](#). **33902**
- Kobayashi, K., Ihara, S., Kobata, A., Itoh, K., Kusunoki, N., and Yoshizaki, F. Inhibitory effect of *Myrica* bark on lipase activity in mouse plasma and gastrointestinal tract. *J Med Food* 2008;11(2):289-293. [View abstract](#). **33903**
- Wang, J., Dong, S., Wang, Y., Lu, Q., Zhong, H., Du, G., Zhang, L., and Cheng, Y. Cyclic diarylheptanoids from *Myrica nana* inhibiting nitric oxide release. *Bioorg.Med Chem.* 9-15-2008;16(18):8510-8515. [View abstract](#). **33904**
- Patel, K. G., Bhalodia, P. N., Patel, A. D., Patel, K. V., and Gandhi, T. R. Evaluation of bronchodilator and anti-anaphylactic activity of *Myrica sapida*. *Iran Biomed.J* 2008;12(3):191-196. [View abstract](#). **33905**
- Popovici, J., Bertrand, C., Bagnarol, E., Fernandez, M. P., and Comte, G. Chemical composition of essential oil and headspace-solid microextracts from fruits of *Myrica gale* L. and antifungal activity. *Nat.Prod.Res* 2008;22(12):1024-1032. [View abstract](#). **33906**
- McKAY, A. F. Occurrence of stearic acid in bayberry tallow (wax). *J Org.Chem.* 1948;13(1):86-88. [View abstract](#). **33907**
- Mochida, K. Anti-influenza virus activity of *Myrica rubra* leaf ethanol extract evaluated using Madino-Darby canine kidney (MDCK) cells. *Biosci.Biotechnol.Biochem.* 2008;72(11):3018-3020. [View abstract](#). **33908**
- Tong, Y., Zhou, X. M., Wang, S. J., Yang, Y., and Cao, Y. L. Analgesic activity of myricetin isolated from *Myrica rubra* Sieb. et Zucc. leaves. *Arch.Pharm Res* 2009;32(4):527-533. [View abstract](#). **33909**
- Liu, Z., Ji, S., Zhang, Y., Meng, D., and Li, X. Myricarborin A and n-butyl-alpha-L-rhamnopyranoside, two novel compounds from the bark of *Myrica rubra*. *Nat.Prod.Commun.* 2009;4(4):513-516. [View abstract](#). **33910**
- Lawrence, B. M. and Weaver, K. M. Essential oils and their constituents. XII. A comparative chemical composition of the essential oils of *Myrica gale* and *Comptonia peregrina*. *Planta Med* 1974;25(4):385-388. [View abstract](#). **33911**
- Paul, B. D., Rao, G. S., and Kapadia, G. J. Isolation of myricadiol, myricitrin, taraxerol, and taraxerone from *Myrica cerifera* L. root bark. *J Pharm Sci* 1974;63(6):958-959. [View abstract](#). **33912**
- 33913**

- Anthonsen, T., Falkenberg, I., Laake, M., Midelfart, A., and Mortensen, T. Some unusual flavonoids from *Myrica gale* L. *Acta Chem.Scand.* 1971;25(5):1929-1930. [View abstract.](#) **33914**
- von Schantz, M. and Kapetanidis, I. [Qualitative and quantitative study of volatile oil from *Myrica gale* L.(Myricaceae)]. *Pharm Acta Helv.* 1971;46(10):649-656. [View abstract.](#) **33915**
- Tattje, D. H. and Bos, R. [The essential oil of *Myrica pensylvanica* Loisel]. *Pharm Weekbl.* 4-30-1971;106(18):361-365. [View abstract.](#) **33916**
- Prince, H. E. and Meyer, G. H. Hay fever from Southern Wax-Myrtle (*Myrica cerifera*): a case report. *Ann Allergy* 1977;38(4):252-254. [View abstract.](#) **33917**
- Inoue, T., Arai, Y., and Nagai, M. [Diarylheptanoids in the bark of *Myrica rubra* Sieb. et Zucc.]. *Yakugaku Zasshi* 1984;104(1):37-41. [View abstract.](#) **33918**
- Malterud, K. E. and Faegri, A. Bacteriostatic and fungistatic activity of C-methylated dihydrochalcones from the fruits of *Myrica gale* L. *Acta Pharm Suec.* 1982;19(1):43-46. [View abstract.](#) **33919**
- Mihara, S. and Fujimoto, M. The endothelin ETA receptor-specific effect of 50-235, a nonpeptide endothelin antagonist. *Eur.J Pharmacol.* 6-15-1993;246(1):33-38. [View abstract.](#) **33920**
- Inoue, T. [Constituents of *Acer nikoense* and *Myrica rubra*. On diarylheptanoids]. *Yakugaku Zasshi* 1993;113(3):181-197. [View abstract.](#) **33921**
- Matsuda, H., Higashino, M., Chen, W., Tosa, H., Iinuma, M., and Kubo, M. Studies of cuticle drugs from natural sources. III. Inhibitory effect of *Myrica rubra* on melanin biosynthesis. *Biol.Pharm Bull.* 1995;18(8):1148-1150. [View abstract.](#) **33922**
- Gafner, S., Wolfender, J. L., Mavi, S., and Hostettmann, K. Antifungal and antibacterial chalcones from *Myrica serrata*. *Planta Med* 1996;62(1):67-69. [View abstract.](#) **33923**
- Malterud, K. E., Diep, O. H., and Sund, R. B. C-methylated dihydrochalcones from *Myrica gale* L: effects as antioxidants and as scavengers of 1,1-diphenyl-2-picrylhydrazyl. *Pharmacol.Toxicol.* 1996;78(2):111-116. [View abstract.](#) **33924**
- Mathiesen, L., Malterud, K. E., and Sund, R. B. Antioxidant activity of fruit exudate and C-methylated dihydrochalcones from *Myrica gale*. *Planta Med* 1995;61(6):515-518. [View abstract.](#) **33925**
- Mathiesen, L., Malterud, K. E., Nenseter, M. S., and Sund, R. B. Inhibition of low density lipoprotein oxidation by myrigalone B, a naturally occurring flavonoid. *Pharmacol.Toxicol.* 1996;78(3):143-146. [View abstract.](#) **33926**
- Mathiesen, L., Malterud, K. E., and Sund, R. B. Hydrogen bond formation as basis for radical scavenging activity: a structure-activity study of C-methylated dihydrochalcones from *Myrica gale* and structurally related acetophenones. *Free Radic.Biol.Med* 1997;22(1-2):307-311. [View abstract.](#) **33927**
- Sakurawi, K., Yasuda, F., Tozjo, T., Nakamura, M., Sato, T., Kikuchi, J., Terui, Y., Ikenishi, Y., Iwata, T., Takahashi, K., Konoike, T., Mihara, S., and Fujimoto, M. Endothelin receptor antagonist triterpenoid, myriceric acid A, isolated from *Myrica cerifera*, and structure activity relationships of its derivatives. *Chem.Pharm Bull.(Tokyo)* 1996;44(2):343-351. [View abstract.](#) **33928**
- Neha, T. H. Liver tumours-comparitive profile of *Chelidonium majus*, *Hydrastis* and *Myrica cerifera*. *Homoeopathic Heritage* 1999;24(1):42-43. **33929**

Khan, Y., Sagrawat, H., Upmanyu, N., and Siddique, S. Anxiolytic Properties of *Myrica nagi* Bark Extract. *Pharmaceutical Biology* 2008;46(10/11):757-761.

33930

Malterud, K. E. C-Methylated dihydrochalcones from *Myrica gale* fruit exudate. *Acta Pharm.Nordica* 1992;4:65-68.

33931

Mathiesen, L., Malterud, K. E., and Sund, R. B. Uncoupling of respiration and inhibition of ATP synthesis in mitochondria by C-methylated flavonoids from *Myrica gale* L. *European Journal of Pharmaceutical Sciences* 1996;4:373-379.

33932

Wang, M. Effects of light intensity and artificial wounding on monoterpene production in *Myrica cerifera* from two different ecological habitats. *Canadian Journal of Botany* 2004;82(10):1501-1508.

33933

Sakurai, N., Hosono, Y., Morihara, M., Ishida, J., and Nagai, M. New triterpenoid myricalactone and others from *Myrica gale* var. *tomentosa*. *Journal of the Pharmaceutical Society of Japan* 1997;117:211-219.

33934

Malterud, K. E. Myricanone from *Myrica gale*. *Scientia Pharmaceutica* 9-30-1981;49:346-347.