

References

Pokeweed

- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. 2
- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. 3
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. 4
- Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993. 5
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999. 6
- Martindale W. Martindale the Extra Pharmacopoeia. Pharmaceutical Press, 1999. 9
- Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical Economics Company, Inc., 1998. 18
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. 19
- Murch SJ, Simmons CB, Saxena PK. Melatonin in feverfew and other medicinal plants. Lancet 1997;350:1598-9. [View abstract](#). 50
- Furbee B, Wermuth M. Life-threatening plant poisoning. Crit Care Clin 1997;13:849-88. [View abstract](#). 3477
- Lewis WH, Smith PR. Poke root herbal tea poisoning. JAMA 1979;242:2759-60. 3478
- Roberge R, Brader E, Martin ML, et al. The root of evil-pokeweed intoxication. Ann Emerg Med 1986;15:470-3. 3479
- Jaeckle KA, Freemon FR. Pokeweed poisoning. South Med J 1981;74:639-40. [View abstract](#). 3480
- Barker BE, Farnes P, LaMarche PH. Haematological effects of pokeweed. Lancet 1967;1:437. 3481
- Kell SO, Rosenberg SA, Conlon TJ, Spyker DA. A peek at poke: mitogenicity and epidemiology. Vet Hum Toxicol 1982;24:36. 3482
- Wiesenauer, M. Comparison of solid and liquid forms of homeopathic remedies for tonsillitis. Adv Ther 1998;15(6):362-371. [View abstract](#). 40324
- Rau, E. Treatment of acute tonsillitis with a fixed-combination herbal preparation. Adv.Ther. 2000;17(4):197-203. [View abstract](#). 40357
- Abad, M. J., Bermejo, P., Sanchez, Palomino S., Chiriboga, X., and Carrasco, L. Antiviral activity of some South American medicinal plants. Phytother Res 1999;13(2):142-146. [View abstract](#). 69063
- Rajamohan, F., Venkatachalam, T. K., Irvin, J. D., and Uckun, F. M. Pokeweed antiviral protein isoforms PAP-I, PAP-II, and PAP-III depurinate RNA of human immunodeficiency virus (HIV)-1. Biochem.Biophys.Res Commun. 7-5-1999;260(2):453-458. [View abstract](#). 69064

69065

Uckun, F. M., Bellomy, K., O'Neill, K., Messinger, Y., Johnson, T., and Chen, C. L. Toxicity, biological activity, and pharmacokinetics of TXU (anti-CD7)-pokeweed antiviral protein in chimpanzees and adult patients infected with human immunodeficiency virus. *J Pharmacol.Exp Ther* 1999;291(3):1301-1307. [View abstract](#)

69067

Schlick, J., Dulieu, P., Desvoyes, B., Adami, P., Radom, J., and Jouvenot, M. Cytotoxic activity of a recombinant GnRH-PAP fusion toxin on human tumor cell lines. *FEBS Lett.* 4-28-2000;472(2-3):241-246. [View abstract](#)

69068

Treyvaud, V., Marston, A., Dyatmiko, W., and Hostettmann, K. Molluscicidal saponins from *Phytolacca icosandra*. *Phytochemistry* 2000;55(6):603-609. [View abstract](#)

69069

D'Cruz, O. J. and Uckun, F. M. Pokeweed antiviral protein: a potential nonspermicidal prophylactic antiviral agent. *Fertil.Steril.* 2001;75(1):106-114. [View abstract](#)

69070

Erko, B., Abebe, F., Berhe, N., Medhin, G., Gebre-Michael, T., Gemetchu, T., and Gundersen, S. G. Control of *Schistosoma mansoni* by the soapberry Endod (*Phytolacca dodecandra*) in Wollo, northeastern Ethiopia: post-intervention prevalence. *East Afr.Med J* 2002;79(4):198-201. [View abstract](#)

69071

Yang, W. H., Wieczorck, M., Allen, M. C., and Nett, T. M. Cytotoxic activity of gonadotropin-releasing hormone (GnRH)-pokeweed antiviral protein conjugates in cell lines expressing GnRH receptors. *Endocrinology* 2003;144(4):1456-1463. [View abstract](#)

69072

Ndekha, A., Hansen, E. H., Molgaard, P., Woelk, G., and Furu, P. Community participation as an interactive learning process: experiences from a schistosomiasis control project in Zimbabwe. *Acta Trop.* 2003;85(3):325-338. [View abstract](#)

69073

Cho, S. Y., Sim, J. S., Kang, S. S., Jeong, C. S., Linhardt, R. J., and Kim, Y. S. Enhancement of heparin and heparin disaccharide absorption by the *Phytolacca americana* saponins. *Arch Pharm Res* 2003;26(12):1102-1108. [View abstract](#)

69074

D'Cruz, O. J., Waurzyniak, B., and Uckun, F. M. Mucosal toxicity studies of a gel formulation of native pokeweed antiviral protein. *Toxicol.Pathol.* 2004;32(2):212-221. [View abstract](#)

69075

Barkhordari, A., Stoddart, R. W., McClure, S. F., and McClure, J. Lectin histochemistry of normal human lung. *J Mol.Histol.* 2004;35(2):147-156. [View abstract](#)

69076

Sussner, U., Abel, G., Schulte, R., and Kreis, W. Isolation and characterisation of a cysteine protease (phytolacain G), from *Phytolacca americana* roots. *Planta Med* 2004;70(10):942-947. [View abstract](#)

69077

Woldeamanuel, Y., Abate, G., and Chryssanthou, E. In vitro activity of *Phytolacca dodecandra* (Endod) against dermatophytes. *Ethiop.Med J* 2005;43(1):31-34. [View abstract](#)

69078

Chu, J. Y., Yang, A. D., Wang, B. M., Hu, Z., Zhu, X. M., Zhang, H. J., Qu, J. H., Luo, L. Y., Guo, R., and Shi, L. R. Monoclonal anti-human T cell antibody and PAP-s conjugate--preparation and selective cytotoxic properties on leukemic cell. *J Tongji Med Univ* 1990;10(1):15-18. [View abstract](#)

69079

Lozovoi, V. P., Kiselev, S. V., and Kotenev, V. M. [A system of assessing interleukin-2-dependent activation of B-lymphocytes]. *Lab Delo* 1989;(7):60-62. [View abstract](#)

69080

Bodger, M. P., McGiven, A. R., and Fitzgerald, P. H. Mitogenic proteins of pokeweed. II. The differentiation of human peripheral blood B lymphocytes stimulated with purified pokeweed

mitogens (Po-2 and Po-6) from pokeweed, *Phytolacca octandra*. *Immunology* 1979;37(4):793-799. [View abstract](#)

69081

Mir, L. M., Banoun, H., and Paoletti, C. Introduction of definite amounts of nonpermeant molecules into living cells after electroporation: direct access to the cytosol. *Exp Cell Res* 1988;175(1):15-25. [View abstract](#)

69082

Morgan, A. C., Jr., Bordonaro, J., Pearson, J. W., and Sivam, G. Immunotoxins to a human melanoma-associated antigen: resistance to pokeweed antiviral protein conjugates in vitro. *J Natl.Cancer Inst.* 1987;78(6):1101-1106. [View abstract](#)

69083

Stolzenberg, S. J. and Parkhurst, R. M. Spermicidal actions of extracts and compounds from *Phytolacca dodecandra*. *Contraception* 1974;10(2):135-143. [View abstract](#)

69084

Baalawy, S. S. Laboratory evaluation of the molluscicidal potency of a butanol extract of *Phytolacca dodecandra* (endod) berries. *Bull World Health Organ* 1972;47(3):422-425. [View abstract](#)

69085

Lewis, W. H. and Smith, P. R. Poke root herbal tea poisoning. *JAMA* 12-21-1979;242(25):2759-2760. [View abstract](#)

69086

Lemma, A. Laboratory and field evaluation of the molluscicidal properties of *Phytolacca dodecandra*. *Bull World Health Organ* 1970;42(4):597-612. [View abstract](#)

69087

Barker, B. E., Farnes, P., and LaMarche, P. H. Peripheral blood plasmacytosis following systemic exposure to *Phytolacca americana* (pokeweed). *Pediatrics* 1966;38(3):490-493. [View abstract](#)

69088

Barker, B. E. and Farnes, P. Histochemistry of blood cells treated with pokeweed mitogen. *Nature* 5-20-1967;214(90):787-789. [View abstract](#)

69089

Bjorn, M. J., Lerrick, J., Piatak, M., and Wilson, K. J. Characterization of translational inhibitors from *Phytolacca americana*. Amino-terminal sequence determination and antibody-inhibitor conjugates. *Biochim.Biophys.Acta* 10-23-1984;790(2):154-163. [View abstract](#)

69090

Hostettmann, K. On the use of plants and plant-derived compounds for the control of schistosomiasis. *Naturwissenschaften* 1984;71(5):247-251. [View abstract](#)

69091

Goll, P. H., Lemma, A., Duncan, J., and Mazengia, B. Control of schistosomiasis in Adwa, Ethiopia, using the plant molluscicide endod (*Phytolacca dodecandra*). *Tropenmed.Parasitol.* 1983;34(3):177-183. [View abstract](#)

69092

Basham, T. Y., Toyoshima, S., Finkelman, F., and Waxdal, M. J. A series of murine interleukin molecules which stimulate both murine and human lymphocytes. I. Production by *Phytolacca americana* (pokeweed) lectin 2 (Pa-2)-stimulated thymus and thymus-derived cells. *Cell Immunol.* 9-1-1981;63(1):118-133. [View abstract](#)

69093

Evans, G. S., Chwalinski, S., Owen, G., Booth, C., Singh, A., and Potten, C. S. Expression of pokeweed lectin binding in murine intestinal Paneth cells. *Epithelial Cell Biol* 1994;3(1):7-15. [View abstract](#)

69094

Hamilton, R. J., Shih, R. D., and Hoffman, R. S. Mobitz type I heart block after pokeweed ingestion. *Vet.Hum Toxicol.* 1995;37(1):66-67. [View abstract](#)

69095

Kino, M., Yamaguchi, K., Umekawa, H., and Funatsu, G. Purification and characterization of three mitogenic lectins from the roots of pokeweed (*Phytolacca americana*). *Biosci.Biotechnol.Biochem.* 1995;59(4):683-688. [View abstract](#)

69096

Tachibana, Y., Kato, A., Nishiyama, Y., Kawanishi, K., Tobe, H., Juma, F. D., Ogeto, J. O., and Mathenge, S. G. Mitogenic activities in African traditional herbal medicines. *Planta Med* 1993;59(4):354-358. [View abstract](#).

69097

Fedder, J. and Ellerman-Eriksen, S. Effect of cytokines on sperm motility and ionophore-stimulated acrosome reaction. *Arch Androl* 1995;35(3):173-185. [View abstract](#).

69098

Lenghel, V., Radu, D. L., Chirila, P., and Olinescu, A. The influence of some vegetable extracts on the in vitro adherence of mouse and human lymphocytes to nylon fibers. *Roum.Arch Microbiol.Immunol* 1995;54(1-2):15-30. [View abstract](#).

69099

Holstege, C. P., Miller, M. B., Wermuth, M., Furbee, B., and Curry, S. C. Crotalid snake envenomation. *Crit Care Clin* 1997;13(4):889-921. [View abstract](#).

69100

Uckun, F. M., Chelstrom, L. M., Tuel-Ahlgren, L., Dibirdik, I., Irvin, J. D., Langlie, M. C., and Myers, D. E. TXU (anti-CD7)-pokeweed antiviral protein as a potent inhibitor of human immunodeficiency virus. *Antimicrob Agents Chemother*. 1998;42(2):383-388. [View abstract](#).

69101

Waurzyniak, B., Schneider, E. A., Tumer, N., Yanishevski, Y., Gunther, R., Chelstrom, L. M., Wendorf, H., Myers, D. E., Irvin, J. D., Messinger, Y., Ek, O., Zeren, T., Langlie, M. C., Evans, W. E., and Uckun, F. M. In vivo toxicity, pharmacokinetics, and antileukemic activity of TXU (anti-CD7)-pokeweed antiviral protein immunotoxin. *Clin Cancer Res* 1997;3(6):881-890. [View abstract](#).

69102

Kell, SO, Rosenberg, SA, Conlon, TJ, and Spyker, DA. A peek at poke: Mitogenicity and epidemiology. *Vet.Hum Toxicol.* 1982;24(4):36.