

## References

### Sage

- 1 Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997.
- 2 Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998.
- 6 The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999.
- 12 McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997.
- 19 Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998.
- 22 Adams ME. Hype about glucosamine. Lancet 1999;354:353-4. [View abstract](#).
- 34 Leatherdale B, Panesar RK, Singh G, et al. Improvement in glucose tolerance due to *Momordica charantia*. Br Med J (Clin Res Ed) 1981;282:1823-4. [View abstract](#).
- 132 Buto SK, Tsang TK, Sielaff GW, et al. Bay leaf impaction in the esophagus and hypopharynx. Ann Intern Med 1990;113:82-3.
- 748 Pierre F, et al. Short-chain fructo-oligosaccharides reduced the occurrence of colon tumors and develop gut-associated lymphoid tissue in Min mice. Cancer Res 1997;57:225-8. [View abstract](#).
- 1304 Millet Y, Jouglard J, Steinmetz MD, et al. Toxicity of some essential plant oils. Clinical and experimental study. Clin Toxicol 1981;18:1485-98. [View abstract](#).
- 2129 Daferera DJ, Ziogas BN, Polissiou MG. GC-MS analysis of essential oils from some Greek aromatic plants and their fungitoxicity on *Penicillium digitatum*. J Agric Food Chem 2000;48:2576-81. [View abstract](#).
- 4152 Todorov S, Philianos S, Petkov V, et al. Experimental pharmacological study of three species from genus *Salvia*. Acta Physiol Pharmacol (Bulg) 1984;10:13-20. [View abstract](#).
- 4912 Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at:  
<https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182>
- 10334 Perry NS, Bollen C, Perry EK, Ballard C. Salvia for dementia therapy: review of pharmacological activity and pilot tolerability clinical trial. Pharmacol Biochem Behav 2003;75:651-9.. [View abstract](#).
- 10437 Saller R, Buechi S, Meyrat R, Schmidhauser C. Combined herbal preparation for topical treatment of Herpes labialis. Forsch Komplementarmed Klass Naturheilkd 2001;8:373-82. [View abstract](#).
- 10810 Akhondzadeh S, Noroozian M, Mohammadi M, et al. *Salvia officinalis* extract in the treatment of patients with mild to moderate Alzheimer's disease: a double blind, randomized and placebo-controlled trial. J Clin Pharm Ther 2003;28:53-9. [View abstract](#).
- 10811

- Tildesley NT, Kennedy DO, Perry EK, et al. *Salvia lavandulaefolia* (Spanish Sage) enhances memory in healthy young volunteers. *Pharmacol Biochem Behav* 2003;75:669-74.. [View abstract.](#) **10812**
- Perry NB, Anderson RE, Brennan NJ, et al. Essential oils from dalmatian sage (*Salvia officinalis* L.): variations among individuals, plant parts, seasons, and sites. *J Agric Food Chem* 1999;47:2048-54.. [View abstract.](#) **10813**
- Broadhurst CL, Polansky MM, Anderson RA. Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro. *J Agric Food Chem* 2000;48:849-52.. [View abstract.](#) **10848**
- Foster BC, Vandenhoeck S, Hana J, et al. In vitro inhibition of human cytochrome P450-mediated metabolism of marker substrates by natural products. *Phytomedicine* 2003;10:334-42.. [View abstract.](#) **12868**
- Burkhardt PR, Burkhardt K, Haenggeli CA, Landis T. Plant-induced seizures: reappearance of an old problem. *J Neurol* 1999;246:667-70. [View abstract.](#) **17177**
- Bommer S, Klein P, Suter A. First time proof of sage's tolerability and efficacy in menopausal women with hot flushes. *Adv Ther* 2011;28:490-500.[View abstract.](#) **19430**
- Hellum BH, Nilsen OG. The in vitro inhibitory potential of trade herbal products on human CYP2D6-mediated metabolism and the influence of ethanol. *Basic Clin Pharmacol Toxicol*. 2007 Nov;101:350-8. [View abstract.](#) **20077**
- Schapowal A, Berger D, Klein P, et al. Echinacea/sage or chlorhexidine/lidocaine for treating acute sore throats: a randomized double-blind trial. *Eur.J Med Res* 9-1-2009;14:406-12. [View abstract.](#) **25526**
- Alarcon-Aguilar FJ, Roman-Ramos R, Flores-Saenz JL, Aguirre-Garcia F. Investigation on the hypoglycaemic effects of extracts of four Mexican medicinal plants in normal and alloxan-diabetic mice. *Phytother Res*. 2002;16(4):383-6. [View abstract.](#) **30636**
- Blomhoff, R. [Antioxidants and oxidative stress]. *Tidsskr.Nor Laegeforen*. 6-17-2004;124(12):1643-1645. [View abstract.](#) **31438**
- Orhan, I., Kartal, M., Kan, Y., and Sener, B. Activity of essential oils and individual components against acetyl- and butyrylcholinesterase. *Z.Naturforsch.C*. 2008;63(7-8):547-553. [View abstract.](#) **33824**
- Ferreira, A., Proenca, C., Serralheiro, M. L., and Araujo, M. E. The in vitro screening for acetylcholinesterase inhibition and antioxidant activity of medicinal plants from Portugal. *J Ethnopharmacol*. 11-3-2006;108(1):31-37. [View abstract.](#) **33837**
- Loizzo, M. R., Tundis, R., Menichini, F., Saab, A. M., Statti, G. A., and Menichini, F. Cytotoxic activity of essential oils from labiateae and lauraceae families against in vitro human tumor models. *Anticancer Res* 2007;27(5A):3293-3299. [View abstract.](#) **33841**
- Maccioni, A. M., Anchisi, C., Sanna, A., Sardu, C., and Dessi, S. Preservative systems containing essential oils in cosmetic products. *Int J Cosmet.Sci* 2002;24(1):53-59. [View abstract.](#) **36131**
- O'Mahony, R., Al Khtheeri, H., Weerasekera, D., Fernando, N., Vaira, D., Holton, J., and Basset, C. Bactericidal and anti-adhesive properties of culinary and medicinal plants against *Helicobacter pylori*. *World J Gastroenterol*. 12-21-2005;11(47):7499-7507. [View abstract.](#) **36187**
- Juhas, S., Cikos, S., Czikkova, S., Vesela, J., Il'kova, G., Hajek, T., Domaracka, K., Domaracky, M., Bujnakova, D., Rehak, P., and Koppel, J. Effects of borneol and thymoquinone on TNBS-induced colitis in mice. *Folia Biol.(Praha)* 2008;54(1):1-7. [View abstract.](#)

- 39515
- Sterer, N. and Rubinstein, Y. Effect of various natural medicinals on salivary protein putrefaction and malodor production. *Quintessence Int* 2006;37(8):653-658. [View abstract](#)
- 39566
- Perry, N. S., Houghton, P. J., Theobald, A., Jenner, P., and Perry, E. K. In-vitro inhibition of human erythrocyte acetylcholinesterase by *salvia lavandulaefolia* essential oil and constituent terpenes. *J Pharm Pharmacol* 2000;52(7):895-902. [View abstract](#)
- 39572
- Perry, N. S., Houghton, P. J., Sampson, J., Theobald, A. E., Hart, S., Lis-Balchin, M., Hoult, J. R., Evans, P., Jenner, P., Milligan, S., and Perry, E. K. In-vitro activity of *S. lavandulaefolia* (Spanish sage) relevant to treatment of Alzheimer's disease. *J Pharm Pharmacol* 2001;53(10):1347-1356. [View abstract](#)
- 41541
- Karakaya, S., El, S. N., and Tas, A. A. Antioxidant activity of some foods containing phenolic compounds. *Int.J Food Sci.Nutr.* 2001;52(6):501-508. [View abstract](#)
- 43424
- Feres, M., Figueiredo, L. C., Barreto, I. M., Coelho, M. H., Araujo, M. W., and Cortelli, S. C. In vitro antimicrobial activity of plant extracts and propolis in saliva samples of healthy and periodontally-involved subjects. *J Int.Acad.Periodontol.* 2005;7(3):90-96. [View abstract](#)
- 43541
- Carrasco, F. R., Schmidt, G., Romero, A. L., Sartoretto, J. L., Caparroz-Assef, S. M., Bersani-Amado, C. A., and Cuman, R. K. Immunomodulatory activity of *Zingiber officinale Roscoe*, *Salvia officinalis L.* and *Syzygium aromaticum L.* essential oils: evidence for humor- and cell-mediated responses. *J Pharm.Pharmacol.* 2009;61(7):961-967. [View abstract](#)
- 46158
- Basilico, M. Z. and Basilico, J. C. Inhibitory effects of some spice essential oils on *Aspergillus ochraceus* NRRL 3174 growth and ochratoxin A production. *Lett.Appl.Microbiol.* 1999;29(4):238-241. [View abstract](#)
- 46902
- Futrell, J. M. and Rietschel, R. L. Spice allergy evaluated by results of patch tests. *Cutis* 1993;52(5):288-290. [View abstract](#)
- 48587
- Sterer, N., Nuas, S., Mizrahi, B., Goldenberg, C., Weiss, E. I., Domb, A., and Davidi, M. P. Oral malodor reduction by a palatal mucoadhesive tablet containing herbal formulation. *J Dent.* 2008;36(7):535-539. [View abstract](#)
- 48953
- Spiridonov, N. A., Arkhipov, V. V., Foigel, A. G., Shipulina, L. D., and Fomkina, M. G. Protonophoric and uncoupling activity of royleanones from *Salvia officinalis* and euvimals from *Eucalyptus viminalis*. *Phytother.Res.* 2003;17(10):1228-1230. [View abstract](#)
- 49469
- Celik, I. and Isik, I. Determination of chemopreventive role of *Foeniculum vulgare* and *Salvia officinalis* infusion on trichloroacetic acid-induced increased serum marker enzymes lipid peroxidation and antioxidative defense systems in rats. *Nat.Prod.Res* 1-10-2008;22(1):66-75. [View abstract](#)
- 49487
- Cwikla, C., Schmidt, K., Matthias, A., Bone, K. M., Lehmann, R., and Tiralongo, E. Investigations into the antibacterial activities of phytotherapeutics against *Helicobacter pylori* and *Campylobacter jejuni*. *Phytother.Res* 2010;24(5):649-656. [View abstract](#)
- 52026
- Pozzatti, P., Scheid, L. A., Spader, T. B., Atayde, M. L., Santurio, J. M., and Alves, S. H. In vitro activity of essential oils extracted from plants used as spices against fluconazole-resistant and fluconazole-susceptible *Candida* spp. *Can J Microbiol.* 2008;54(11):950-956. [View abstract](#)
- 58045
- Hohmann, J., Zupko, I., Redei, D., Csanyi, M., Falkay, G., Mathe, I., and Janicsak, G. Protective effects of the aerial parts of *Salvia officinalis*, *Melissa Officinalis* and *Lavandula angustifolia* and their constituents against enzyme-dependent and enzyme-independent lipid peroxidation. *Planta Med* 1999;65(6):576-578. [View abstract](#)

**59322**

Perry, E. K., Pickering, A. T., Wang, W. W., Houghton, P. J., and Perry, N. S. Medicinal plants and Alzheimer's disease: from ethnobotany to phytotherapy. *J Pharm Pharmacol* 1999;51(5):527-534. [View abstract](#).

**59324**

Wake, G., Court, J., Pickering, A., Lewis, R., Wilkins, R., and Perry, E. CNS acetylcholine receptor activity in European medicinal plants traditionally used to improve failing memory. *J Ethnopharmacol* 2000;69(2):105-114. [View abstract](#).

**59334**

Dragland, S., Senoo, H., Wake, K., Holte, K., and Blomhoff, R. Several culinary and medicinal herbs are important sources of dietary antioxidants. *J Nutr* 2003;133(5):1286-1290. [View abstract](#).

**59354**

Orhan, I. and Aslan, M. Appraisal of scopolamine-induced antiamnesic effect in mice and in vitro antiacetylcholinesterase and antioxidant activities of some traditionally used Lamiaceae plants. *J Ethnopharmacol*. 3-18-2009;122(2):327-332. [View abstract](#).

**59387**

Perry, E. and Howes, M. J. Medicinal plants and dementia therapy: herbal hopes for brain aging? *CNS Neurosci Ther* 2011;17(6):683-698. [View abstract](#).

**59407**

Perry, E. K., Pickering, A. T., Wang, W. W., Houghton, P., and Perry, N. S. Medicinal plants and Alzheimer's disease: Integrating ethnobotanical and contemporary scientific evidence. *J Altern Complement Med* 1998;4(4):419-428. [View abstract](#).

**59520**

Suhr, K. I. and Nielsen, P. V. Antifungal activity of essential oils evaluated by two different application techniques against rye bread spoilage fungi. *J Appl Microbiol*. 2003;94(4):665-674. [View abstract](#).

**59546**

Pereira, R. S., Sumita, T. C., Furlan, M. R., Jorge, A. O., and Ueno, M. [Antibacterial activity of essential oils on microorganisms isolated from urinary tract infection]. *Rev Saude Publica* 2004;38(2):326-328. [View abstract](#).

**67226**

Kwon, Y. I., Vattem, D. A., and Shetty, K. Evaluation of clonal herbs of Lamiaceae species for management of diabetes and hypertension. *Asia Pac J Clin Nutr* 2006;15(1):107-118. [View abstract](#).

**67252**

Aherne, S. A., Kerry, J. P., and O'Brien, N. M. Effects of plant extracts on antioxidant status and oxidant-induced stress in Caco-2 cells. *Br J Nutr* 2007;97(2):321-328. [View abstract](#).

**67346**

Johnson, J. J. Carnosol: a promising anti-cancer and anti-inflammatory agent. *Cancer Lett*. 6-1-2011;305(1):1-7. [View abstract](#).

**68447**

Nolkemper, S., Reichling, J., Stintzing, F. C., Carle, R., and Schnitzler, P. Antiviral effect of aqueous extracts from species of the Lamiaceae family against Herpes simplex virus type 1 and type 2 in vitro. *Planta Med* 2006;72(15):1378-1382. [View abstract](#).

**68471**

Geuenich, S., Goffinet, C., Venzke, S., Nolkemper, S., Baumann, I., Plinkert, P., Reichling, J., and Keppler, O. T. Aqueous extracts from peppermint, sage and lemon balm leaves display potent anti-HIV-1 activity by increasing the virion density. *Retrovirology*. 2008;5:27. [View abstract](#).

**68661**

Renzulli, C., Galvano, F., Pierdomenico, L., Speroni, E., and Guerra, M. C. Effects of rosmarinic acid against aflatoxin B1 and ochratoxin-A-induced cell damage in a human hepatoma cell line (Hep G2). *J Appl Toxicol* 2004;24(4):289-296. [View abstract](#).

**71692**

Masuda, T., Inaba, Y., and Takeda, Y. Antioxidant mechanism of carnosic acid: structural identification of two oxidation products. *J Agric.Food Chem.* 2001;49(11):5560-5565. [View abstract](#).

71704

Masuda, T., Inaba, Y., Maekawa, T., Takeda, Y., Tamura, H., and Yamaguchi, H. Recovery mechanism of the antioxidant activity from carnosic acid quinone, an oxidized sage and rosemary antioxidant. *J Agric.Food Chem.* 10-9-2002;50(21):5863-5869. [View abstract](#).

71716

Muhlbauer, R. C., Lozano, A., Palacio, S., Reinli, A., and Felix, R. Common herbs, essential oils, and monoterpenes potently modulate bone metabolism. *Bone* 2003;32(4):372-380. [View abstract](#).

71741

Rota, C., Carraminana, J. J., Burillo, J., and Herrera, A. In vitro antimicrobial activity of essential oils from aromatic plants against selected foodborne pathogens. *J Food Prot.* 2004;67(6):1252-1256. [View abstract](#).

71760

Amin, A. and Hamza, A. A. Hepatoprotective effects of Hibiscus, Rosmarinus and Salvia on azathioprine-induced toxicity in rats. *Life Sci* 6-3-2005;77(3):266-278. [View abstract](#).

71768

Masuda, T., Kirikihira, T., and Takeda, Y. Recovery of antioxidant activity from carnosol quinone: antioxidants obtained from a water-promoted conversion of carnosol quinone. *J Agric.Food Chem.* 8-24-2005;53(17):6831-6834. [View abstract](#).

71770

Lemberkovics, E., Kery, A., Simandi, B., Kakasy, A., Balazs, A., Hethelyi, E., and Szoke, E. [Influence of extraction methods on the composition of essential oils]. *Acta Pharm Hung.* 2004;74(3):166-170. [View abstract](#).

71771

Jaswir, I., Che Man, Y. B., and Hassan, T. H. Performance of phytochemical antioxidant systems in refined-bleached-deodorized palm olein during frying. *Asia Pac.J Clin Nutr* 2005;14(4):402-413. [View abstract](#).

71783

Rau, O., Wurglics, M., Paulke, A., Zitzkowski, J., Meindl, N., Bock, A., Dingermann, T., Abdel-Tawab, M., and Schubert-Zsilavecz, M. Carnosic Acid and Carnosol, Phenolic Diterpene Compounds of the Labiate Herbs Rosemary and Sage, are Activators of the Human Peroxisome Proliferator-Activated Receptor Gamma. *Planta Med* 2006;72(10):881-887. [View abstract](#).

71810

Bozin, B., Mimica-Dukic, N., Samojlik, I., and Jovin, E. Antimicrobial and antioxidant properties of rosemary and sage (*Rosmarinus officinalis* L. and *Salvia officinalis* L., Lamiaceae) essential oils. *J Agric.Food Chem.* 9-19-2007;55(19):7879-7885. [View abstract](#).

71824

Yu, Y. M., Lin, H. C., and Chang, W. C. Carnosic acid prevents the migration of human aortic smooth muscle cells by inhibiting the activation and expression of matrix metalloproteinase-9. *Br.J Nutr* 2008;100(4):731-738. [View abstract](#).

71832

Poeckel, D., Greiner, C., Verhoff, M., Rau, O., Tausch, L., Hornig, C., Steinhilber, D., Schubert-Zsilavecz, M., and Werz, O. Carnosic acid and carnosol potently inhibit human 5-lipoxygenase and suppress pro-inflammatory responses of stimulated human polymorphonuclear leukocytes. *Biochem.Pharmacol* 7-1-2008;76(1):91-97. [View abstract](#).

71834

Papageorgiou, V., Gardeli, C., Mallouchos, A., Papaioannou, M., and Komaitis, M. Variation of the chemical profile and antioxidant behavior of *Rosmarinus officinalis* L. and *Salvia fruticosa* Miller grown in Greece. *J Agric.Food Chem.* 8-27-2008;56(16):7254-7264. [View abstract](#).

71929

Lopez-Bote, C. J., Gray, J. I., Gomaa, E. A., and Flegal, C. J. Effect of dietary administration of oil extracts from rosemary and sage on lipid oxidation in broiler meat. *Br.Poul.Sci.* 1998;39(2):235-240. [View abstract](#).

72571

- Wang, M., Shao, Y., Li, J., Zhu, N., Rangarajan, M., LaVoie, E. J., and Ho, C. T. Antioxidative phenolic glycosides from sage (*Salvia officinalis*). *J Nat.Prod.* 1999;62(3):454-456. [View abstract](#). **72572**
- Pitten, F. A. and Kramer, A. Antimicrobial efficacy of antiseptic mouthrinse solutions. *Eur J Clin Pharmacol* 1999;55(2):95-100. [View abstract](#). **72573**
- Dudai, N., Lewinsohn, E., Larkov, O., Katzir, I., Ravid, U., Chaimovitsh, D., Sa'adi, D., and Putievsky, E. Dynamics of yield components and essential oil production in a commercial hybrid sage (*Salvia officinalis* x *Salvia fruticosa* cv. Newe Ya'ar no. 4). *J.Agric.Food Chem.* 1999;47(10):4341-4345. [View abstract](#). **72574**
- Wang, M., Kikuzaki, H., Zhu, N., Sang, S., Nakatani, N., and Ho, C. T. Isolation and structural elucidation of two new glycosides from sage (*Salvia officinalis* L.). *J Agric.Food Chem.* 2000;48(2):235-238. [View abstract](#). **72575**
- Malencic, D., Gasic, O., Popovic, M., and Boza, P. Screening for antioxidant properties of *Salvia reflexa* hornem. *Phytother Res* 2000;14(7):546-548. [View abstract](#). **72576**
- Lu, Y. and Foo, L. Y. Flavonoid and phenolic glycosides from *Salvia officinalis*. *Phytochemistry* 2000;55(3):263-267. [View abstract](#). **72577**
- Lu, Y. and Foo, L. Y. Flavonoid and phenolic glycosides from *Salvia officinalis*. *Phytochemistry* 2000;55(3):263-267. [View abstract](#). **72578**
- Salisova, M., Toma, S., and Mason, T. J. Comparison of conventional and ultrasonically assisted extractions of pharmaceutically active compounds from *Salvia officinalis*. *Ultrason.Sonochem.* 1997;4(2):131-134. [View abstract](#). **72579**
- Hromadkova, Z., Ebringerova, A., and Valachovic, P. Comparison of classical and ultrasound-assisted extraction of polysaccharides from *Salvia officinalis* L. *Ultrason.Sonochem.* 1999;5(4):163-168. [View abstract](#). **72580**
- Baricevic, D., Sosa, S., Della, Loggia R., Tubaro, A., Simonovska, B., Krasna, A., and Zupancic, A. Topical anti-inflammatory activity of *Salvia officinalis* L. leaves: the relevance of ursolic acid. *J Ethnopharmacol.* 2001;75(2-3):125-132. [View abstract](#). **72581**
- Valachovic, P., Pechova, A., and Mason, T. J. Towards the industrial production of medicinal tincture by ultrasound assisted extraction. *Ultrason.Sonochem.* 2001;8(2):111-117. [View abstract](#). **72582**
- Santos-Gomes, P. C. and Fernandes-Ferreira, M. Organ- and season-dependent variation in the essential oil composition of *Salvia officinalis* L. cultivated at two different sites. *J Agric.Food Chem.* 2001;49(6):2908-2916. [View abstract](#). **72583**
- Zupko, I., Hohmann, J., Redei, D., Falkay, G., Janicsak, G., and Mathe, I. Antioxidant activity of leaves of *Salvia* species in enzyme-dependent and enzyme-independent systems of lipid peroxidation and their phenolic constituents. *Planta Med* 2001;67(4):366-368. [View abstract](#). **72584**
- Miura, K., Kikuzaki, H., and Nakatani, N. Apianane terpenoids from *Salvia officinalis*. *Phytochemistry* 2001;58(8):1171-1175. [View abstract](#). **72585**
- Miura, K., Kikuzaki, H., and Nakatani, N. Antioxidant activity of chemical components from sage (*Salvia officinalis* L.) and thyme (*Thymus vulgaris* L.) measured by the oil stability index method. *J Agric.Food Chem* 3-27-2002;50(7):1845-1851. [View abstract](#). **72586**

Funk, C. and Croteau, R. Induction and Characterization of a Cytochrome P-450-Dependent Camphor Hydroxylase in Tissue Cultures of Common Sage (*Salvia officinalis*). *Plant Physiol* 1993;101(4):1231-1237. [View abstract](#).

72587

Whittington, D. A., Wise, M. L., Urbansky, M., Coates, R. M., Croteau, R. B., and Christianson, D. W. Bornyl diphosphate synthase: structure and strategy for carbocation manipulation by a terpenoid cyclase. *Proc.Natl.Acad.Sci.U.S.A* 11-26-2002;99(24):15375-15380. [View abstract](#).

72588

Kavvadias, D., Monschein, V., Sand, P., Riederer, P., and Schreier, P. Constituents of sage (*Salvia officinalis*) with in vitro affinity to human brain benzodiazepine receptor. *Planta Med.* 2003;69(2):113-117. [View abstract](#).

72589

Ebringerova, A., Kardosova, A., Hromadkova, Z., and Hribalova, V. Mitogenic and comitogenic activities of polysaccharides from some European herbaceous plants. *Fitoterapia* 2003;74(1-2):52-61. [View abstract](#).

72590

Santos-Gomes, P. C. and Fernandes-Ferreira, M. Essential oils produced by in vitro shoots of sage (*Salvia officinalis* L.). *J Agric.Food Chem* 4-9-2003;51(8):2260-2266. [View abstract](#).

72591

Munne-Bosch, S. and Alegre, L. Drought-induced changes in the redox state of alpha-tocopherol, ascorbate, and the diterpene carnosic acid in chloroplasts of Labiate species differing in carnosic acid contents. *Plant Physiol* 2003;131(4):1816-1825. [View abstract](#).

72592

Radtke, O. A., Foo, L. Y., Lu, Y., Kiderlen, A. F., and Kolodziej, H. Evaluation of sage phenolics for their antileishmanial activity and modulatory effects on interleukin-6, interferon and tumour necrosis factor-alpha-release in RAW 264.7 cells. *Z.Naturforsch.[C.]* 2003;58(5-6):395-400. [View abstract](#).

72593

Fortes, C., Forastiere, F., Farchi, S., Mallone, S., Trequattrinni, T., Anatra, F., Schmid, G., and Perucci, C. A. The protective effect of the Mediterranean diet on lung cancer. *Nutr Cancer* 2003;46(1):30-37. [View abstract](#).

72594

Brieskorn, C. H. and EBERHARDT, K. H. [Oxytriterpenic acids of sage oil. 9. Constituents of *Salvia officinalis* L..]. *Arch.Pharm.Ber.Dtsch.Pharm.Ges.* 1953;286(3):124-129. [View abstract](#).

72595

Rutherford, D. M., Nielsen, M. P., Hansen, S. K., Witt, M. R., Bergendorff, O., and Sterner, O. Isolation and identification from *Salvia officinalis* of two diterpenes which inhibit t-butylbicyclic phosphoro[35S]thionate binding to chloride channel of rat cerebrocortical membranes in vitro. *Neurosci.Lett.* 2-3-1992;135(2):224-226. [View abstract](#).

72596

KOLODZIEJSKI, J., GILL, S., MRUK, A., and SUREWICZ-SZEWCZYK, H. [VARIABLE CONTENT OF ETHEREAL OILS AND TANNIC COMPOUNDS DURING THE VEGETATION STAGE OF SALVIA OFFICINALIS L.]. *Acta Pol.Pharm* 1963;20:269-276. [View abstract](#).

72597

NICHOLAS, H. J. Biosynthesis of beta-sitosterol and pentacyclic triterpenes of *Salvia officinalis*. *J Biol.Chem.* 1962;237:1476-1480. [View abstract](#).

72598

Matsingou, T. C., Petrakis, N., Kapsokefalou, M., and Salifoglou, A. Antioxidant activity of organic extracts from aqueous infusions of sage. *J Agric.Food Chem* 11-5-2003;51(23):6696-6701. [View abstract](#).

72599

Santos-Gomes, P. C., Seabra, R. M., Andrade, P. B., and Fernandes-Ferreira, M. Determination of phenolic antioxidant compounds produced by calli and cell suspensions of sage (*Salvia officinalis* L.). *J Plant Physiol* 2003;160(9):1025-1032. [View abstract](#).

72600

Capek, P., Hribalova, V., Svandova, E., Ebringerova, A., Sasinkova, V., and Masarova, J. Characterization of immunomodulatory polysaccharides from *Salvia officinalis* L. *Int J Biol.Macromol.* 2003;33(1-3):113-119. [View abstract.](#)

72601

LE MEN, J. and POURRAT, H. [The presence of ursolic acid in the leaves of *Vinca minor* L., *Nerium oleander* L. and *Salvia officinalis* L.] *Ann.Pharm.Fr.* 1952;10(5):349-351. [View abstract.](#)

72602

Lima, C. F., Carvalho, F., Fernandes, E., Bastos, M. L., Santos-Gomes, P. C., Fernandes-Ferreira, M., and Pereira-Wilson, C. Evaluation of toxic/protective effects of the essential oil of *Salvia officinalis* on freshly isolated rat hepatocytes. *Toxicol.In Vitro* 2004;18(4):457-465. [View abstract.](#)

72603

Savelev, S. U., Okello, E. J., and Perry, E. K. Butyryl- and acetyl-cholinesterase inhibitory activities in essential oils of *Salvia* species and their constituents. *Phytother Res* 2004;18(4):315-324. [View abstract.](#)

72604

Slamenova, D., Masterova, I., Labaj, J., Horvathova, E., Kubala, P., Jakubikova, J., and Wsolova, L. Cytotoxic and DNA-damaging effects of diterpenoid quinones from the roots of *Salvia officinalis* L. on colonic and hepatic human cells cultured in vitro. *Basic Clin.Pharmacol.Toxicol.* 2004;94(6):282-290. [View abstract.](#)

72605

Capek, P. and Hribalova, V. Water-soluble polysaccharides from *Salvia officinalis* L. possessing immunomodulatory activity. *Phytochemistry* 2004;65(13):1983-1992. [View abstract.](#)

72606

Funk, C., Koepp, A. E., and Croteau, R. Catabolism of camphor in tissue cultures and leaf disks of common sage (*Salvia officinalis*). *Arch.Biochem.Biophys.* 1992;294(1):306-313. [View abstract.](#)

72607

Pavela, R. Insecticidal activity of certain medicinal plants. *Fitoterapia* 2004;75(7-8):745-749. [View abstract.](#)

72608

Vujosevic, M. and Blagojevic, J. Antimutagenic effects of extracts from sage (*Salvia officinalis*) in mammalian system in vivo. *Acta Vet.Hung.* 2004;52(4):439-443. [View abstract.](#)

72609

Tildesley, N. T., Kennedy, D. O., Perry, E. K., Ballard, C. G., Wesnes, K. A., and Scholey, A. B. Positive modulation of mood and cognitive performance following administration of acute doses of *Salvia lavandulaefolia* essential oil to healthy young volunteers. *Physiol Behav.* 1-17-2005;83(5):699-709. [View abstract.](#)

72610

Lima, C. F., Andrade, P. B., Seabra, R. M., Fernandes-Ferreira, M., and Pereira-Wilson, C. The drinking of a *Salvia officinalis* infusion improves liver antioxidant status in mice and rats. *J Ethnopharmacol.* 2-28-2005;97(2):383-389. [View abstract.](#)

72611

Lovenich, H., Schutt-Gerowitt, H., Keulertz, C., Waldschmidt, D., Bethe, U., Sohngen, D., and Cornely, O. A. Failure of anti-infective mouth rinses and concomitant antibiotic prophylaxis to decrease oral mucosal colonization in autologous stem cell transplantation. *Bone Marrow Transplant.* 2005;35(10):997-1001. [View abstract.](#)

72612

Konishi, Y., Hitomi, Y., Yoshida, M., and Yoshioka, E. Pharmacokinetic study of caffeic and rosmarinic acids in rats after oral administration. *J Agric Food Chem* 6-15-2005;53(12):4740-4746. [View abstract.](#)

72613

Pereira, P., Tysca, D., Oliveira, P., da Silva Brum, L. F., Picada, J. N., and Ardenghi, P. Neurobehavioral and genotoxic aspects of rosmarinic acid. *Pharmacol.Res.* 2005;52(3):199-203. [View abstract.](#)

72614

Eidi, M., Eidi, A., and Zamanizadeh, H. Effect of *Salvia officinalis* L. leaves on serum glucose and insulin in healthy and streptozotocin-induced diabetic rats. *J Ethnopharmacol.* 9-14-2005;100(3):310-313. [View abstract](#).

72615

Bailly, F., Queffelec, C., Mbemba, G., Mouscadet, J. F., and Cotelle, P. Synthesis and HIV-1 integrase inhibitory activities of caffeic acid dimers derived from *Salvia officinalis*. *Bioorg.Med Chem.Lett.* 11-15-2005;15(22):5053-5056. [View abstract](#).

72616

Kennedy, D. O., Pace, S., Haskell, C., Okello, E. J., Milne, A., and Scholey, A. B. Effects of cholinesterase inhibiting sage (*Salvia officinalis*) on mood, anxiety and performance on a psychological stressor battery. *Neuropsychopharmacology* 2006;31(4):845-852. [View abstract](#).

72617

Iuvone, T., De Filippis, D., Esposito, G., D'Amico, A., and Izzo, A. A. The spice sage and its active ingredient rosmarinic acid protect PC12 cells from amyloid-beta peptide-induced neurotoxicity. *J Pharmacol Exp Ther* 2006;317(3):1143-1149. [View abstract](#).

72618

Eidi, M., Eidi, A., and Bahar, M. Effects of *Salvia officinalis* L. (sage) leaves on memory retention and its interaction with the cholinergic system in rats. *Nutrition* 2006;22(3):321-326. [View abstract](#).

72619

Hubbert, M., Sievers, H., Lehnfeld, R., and Kehrl, W. Efficacy and tolerability of a spray with *Salvia officinalis* in the treatment of acute pharyngitis - a randomised, double-blind, placebo-controlled study with adaptive design and interim analysis. *Eur J Med Res* 1-31-2006;11(1):20-26. [View abstract](#).

72620

Akhondzadeh, S. and Abbasi, S. H. Herbal medicine in the treatment of Alzheimer's disease. *Am J Alzheimers.Dis Other Demen.* 2006;21(2):113-118. [View abstract](#).

72621

Croteau, R., Felton, M., Karp, F., and Kjonaas, R. Relationship of Camphor Biosynthesis to Leaf Development in Sage (*Salvia officinalis*). *Plant Physiol* 1981;67(4):820-824. [View abstract](#).

72622

Croteau, R., El Baily, H., and Dehal, S. S. Metabolism of Monoterpenes : Metabolic Fate of (+)-Camphor in Sage (*Salvia officinalis*). *Plant Physiol* 1987;84(3):643-648. [View abstract](#).

72623

Falk, K. L., Gershenson, J., and Croteau, R. Metabolism of Monoterpenes in Cell Cultures of Common Sage (*Salvia officinalis*) : Biochemical Rationale for the Lack of Monoterpene Accumulation. *Plant Physiol* 1990;93(4):1559-1567. [View abstract](#).

72624

Osawa, K., Matsumoto, T., Yasuda, H., Kato, T., Naito, Y., and Okuda, K. The inhibitory effect of plant extracts on the collagenolytic activity and cytotoxicity of human gingival fibroblasts by *Porphyromonas gingivalis* crude enzyme. *Bull.Tokyo Dent Coll.* 1991;32(1):1-7. [View abstract](#).

72625

Vukovic-Gacic, B., Nikcevic, S., Beric-Bjedov, T., Knezevic-Vukcevic, J., and Simic, D. Antimutagenic effect of essential oil of sage (*Salvia officinalis* L.) and its monoterpenes against UV-induced mutations in *Escherichia coli* and *Saccharomyces cerevisiae*. *Food Chem.Toxicol.* 2006;44(10):1730-1738. [View abstract](#).

72626

Lima, C. F., Azevedo, M. F., Araujo, R., Fernandes-Ferreira, M., and Pereira-Wilson, C. Metformin-like effect of *Salvia officinalis* (common sage): is it useful in diabetes prevention? *Br.J Nutr* 2006;96(2):326-333. [View abstract](#).

72627

Lima, C. F., Fernandes-Ferreira, M., and Pereira-Wilson, C. Drinking of *Salvia officinalis* tea increases CCl<sub>4</sub>-induced hepatotoxicity in mice. *Food Chem.Toxicol.* 2007;45(3):456-464. [View abstract](#).

72628

Kennedy, D. O. and Scholey, A. B. The psychopharmacology of European herbs with cognition-enhancing properties. *Curr Pharm Des* 2006;12(35):4613-4623. [View abstract](#).

**72629**

Dos Santos-Neto, L. L., Vilhena Toledo, M. A., Medeiros-Souza, P., and de Souza, G. A. The use of herbal medicine in Alzheimer's disease-a systematic review. *Evid.Based.Complement Alternat.Med* 2006;3(4):441-445. [View abstract.](#)

**72630**

Jerkovic, I., Mastelic, J., and Marijanovic, Z. A variety of volatile compounds as markers in unifloral honey from dalmatian sage (*Salvia officinalis* L.). *Chem.Biodivers.* 2006;3(12):1307-1316. [View abstract.](#)

**72631**

Horiuchi, K., Shiota, S., Kuroda, T., Hatano, T., Yoshida, T., and Tsuchiya, T. Potentiation of antimicrobial activity of aminoglycosides by carnosol from *Salvia officinalis*. *Biol.Pharm.Bull.* 2007;30(2):287-290. [View abstract.](#)

**72632**

Jedinak, A., Muckova, M., Kost'alo娃, D., Maliar, T., and Masterova, I. Antiprotease and antimetastatic activity of ursolic acid isolated from *Salvia officinalis*. *Z Naturforsch.C.* 2006;61(11-12):777-782. [View abstract.](#)

**72633**

Lima, C. F., Valentao, P. C., Andrade, P. B., Seabra, R. M., Fernandes-Ferreira, M., and Pereira-Wilson, C. Water and methanolic extracts of *Salvia officinalis* protect HepG2 cells from t-BHP induced oxidative damage. *Chem Biol Interact.* 4-25-2007;167(2):107-115. [View abstract.](#)

**72634**

Raal, A., Orav, A., and Arak, E. Composition of the essential oil of *Salvia officinalis* L. from various European countries. *Nat.Prod.Res* 2007;21(5):406-411. [View abstract.](#)

**72635**

Mathe, I., Hohmann, J., Janicsak, G., Nagy, G., and Dora, R. [Chemical diversity of the biological active ingredients of *salvia officinalis* and some closely related species]. *Acta Pharm.Hung.* 2007;77(1):37-45. [View abstract.](#)

**72636**

Horiuchi, K., Shiota, S., Hatano, T., Yoshida, T., Kuroda, T., and Tsuchiya, T. Antimicrobial activity of oleanolic acid from *Salvia officinalis* and related compounds on vancomycin-resistant enterococci (VRE). *Biol.Pharm.Bull.* 2007;30(6):1147-1149. [View abstract.](#)

**72637**

Oniga, I., Parvu, A. E., Toiu, A., and Benedec, D. Effects of *Salvia officinalis* L. extract on experimental acute inflammation. *Rev.Med Chir Soc.Med Nat.Iasi* 2007;111(1):290-294. [View abstract.](#)

**72638**

Reuter, J., Jocher, A., Hornstein, S., Monting, J. S., and Schempp, C. M. Sage extract rich in phenolic diterpenes inhibits ultraviolet-induced erythema in vivo. *Planta Med* 2007;73(11):1190-1191. [View abstract.](#)

**72639**

Adams, M., Gmunder, F., and Hamburger, M. Plants traditionally used in age related brain disorders--a survey of ethnobotanical literature. *J Ethnopharmacol* 9-25-2007;113(3):363-381. [View abstract.](#)

**72640**

Schnitzler, P., Nolkemper, S., Stintzing, F. C., and Reichling, J. Comparative in vitro study on the anti-herpetic effect of phytochemically characterized aqueous and ethanolic extracts of *Salvia officinalis* grown at two different locations. *Phytomedicine.* 2008;15(1-2):62-70. [View abstract.](#)

**72641**

Hellum, B. H. and Nilsen, O. G. In vitro inhibition of CYP3A4 metabolism and P-glycoprotein-mediated transport by trade herbal products. *Basic Clin Pharmacol Toxicol.* 2008;102(5):466-475. [View abstract.](#)

**72642**

Scholey, A. B., Tildesley, N. T., Ballard, C. G., Wesnes, K. A., Tasker, A., Perry, E. K., and Kennedy, D. O. An extract of *Salvia* (sage) with anticholinesterase properties improves memory and attention in healthy older volunteers. *Psychopharmacology (Berl)* 2008;198(1):127-139. [View abstract.](#)

**72643**

Li, J. T., Dong, J. E., Liang, Z. S., Shu, Z. M., and Wan, G. W. [Distributional difference of fat-soluble compounds in the roots, stems and leaves of four *Salvia* plants]. *Fen.Zi.Xi.Bao.Sheng Wu Xue.Bao.* 2008;41(1):44-52. [View abstract](#).

72644

Hayouni, el A., Chraief, I., Abedrabba, M., Bouix, M., Leveau, J. Y., Mohammed, H., and Hamdi, M. Tunisian *Salvia officinalis* L. and *Schinus molle* L. essential oils: their chemical compositions and their preservative effects against *Salmonella* inoculated in minced beef meat. *Int J Food Microbiol.* 7-31-2008;125(3):242-251. [View abstract](#).

72645

Guaschino, S. and Benvenuti, C. SOPHY project: an observational study of vaginal pH, lifestyle and correct intimate hygiene in women of different ages and in different physiopathological conditions. Part II. *Minerva Ginecol.* 2008;60(5):353-362. [View abstract](#).

72646

Capek, P., Machova, E., and Turjan, J. Scavenging and antioxidant activities of immunomodulating polysaccharides isolated from *Salvia officinalis* L. *Int J Biol.Macromol.* 1-1-2009;44(1):75-80. [View abstract](#).

72647

Zani, F., Massimo, G., Benvenuti, S., Bianchi, A., Albasini, A., Melegari, M., Vampa, G., Bellotti, A., and Mazza, P. Studies on the genotoxic properties of essential oils with *Bacillus subtilis* rec-assay and *Salmonella*/microsome reversion assay. *Planta Med* 1991;57(3):237-241. [View abstract](#).

72648

Anackov, G., Bozin, B., Zoric, L., Vukov, D., Mimica-Dukic, N., Merkulov, L., Igic, R., Jovanovic, M., and Boza, P. Chemical composition of essential oil and leaf anatomy of *Salvia bertolonii* Vis. and *Salvia pratensis* L. (Sect. Plethiosphace, Lamiaceae). *Molecules.* 2009;14(1):1-9. [View abstract](#).

72649

Oboh, G. and Henle, T. Antioxidant and inhibitory effects of aqueous extracts of *Salvia officinalis* leaves on pro-oxidant-induced lipid peroxidation in brain and liver in vitro. *J Med Food* 2009;12(1):77-84. [View abstract](#).

72650

Boszormenyi, A., Hethelyi, E., Farkas, A., Horvath, G., Papp, N., Lemberkovics, E., and Szoke, E. Chemical and genetic relationships among sage (*Salvia officinalis* L.) cultivars and Judean sage (*Salvia judaica* Boiss.). *J Agric.Food Chem.* 6-10-2009;57(11):4663-4667. [View abstract](#).

72651

Mayer, B., Baggio, C. H., Freitas, C. S., dos Santos, A. C., Twardowschy, A., Horst, H., Pizzolatti, M. G., Micke, G. A., Heller, M., dos Santos, E. P., Otuki, M. F., and Marques, M. C. Gastroprotective constituents of *Salvia officinalis* L. *Fitoterapia* 2009;80(7):421-426. [View abstract](#).

72652

Bouaziz, M., Yangui, T., Sayadi, S., and Dhouib, A. Disinfectant properties of essential oils from *Salvia officinalis* L. cultivated in Tunisia. *Food Chem.Toxicol.* 2009;47(11):2755-2760. [View abstract](#).

72653

Rzepa, J., Wojtal, L., Staszek, D., Grygierczyk, G., Labe, K., Hajnos, M., Kowalska, T., and Waksmundzka-Hajnos, M. Fingerprint of selected *Salvia* species by HS-GC-MS analysis of their volatile fraction. *J Chromatogr.Sci.* 2009;47(7):575-580. [View abstract](#).

72654

Xavier, C. P., Lima, C. F., Fernandes-Ferreira, M., and Pereira-Wilson, C. *Salvia fruticosa*, *Salvia officinalis*, and rosmarinic acid induce apoptosis and inhibit proliferation of human colorectal cell lines: the role in MAPK/ERK pathway. *Nutr Cancer* 2009;61(4):564-571. [View abstract](#).

72655

Sa, C. M., Ramos, A. A., Azevedo, M. F., Lima, C. F., Fernandes-Ferreira, M., and Pereira-Wilson, C. Sage tea drinking improves lipid profile and antioxidant defences in humans. *Int J Mol.Sci.* 2009;10(9):3937-3950. [View abstract](#).

72656

- Ben Farhat, M., Jordan, M. J., Chaouech-Hamada, R., Landoulsi, A., and Sotomayor, J. A. Variations in essential oil, phenolic compounds, and antioxidant activity of tunisian cultivated *Salvia officinalis* L. *J Agric.Food Chem.* 11-11-2009;57(21):10349-10356. [View abstract.](#) **72657**
- Kim, S. Y., Park, E., Park, J. A., Choi, B. S., Kim, S., Jeong, G., Kim, C. S., Kim, do K., Kim, S. J., and Chun, H. S. The plant phenolic diterpene carnosol suppresses sodium nitroprusside-induced toxicity in c6 glial cells. *J Agric.Food Chem.* 2-10-2010;58(3):1543-1550. [View abstract.](#) **72658**
- Moss, L., Rouse, M., Wesnes, K. A., and Moss, M. Differential effects of the aromas of *Salvia* species on memory and mood. *Hum.Psychopharmacol.* 2010;25(5):388-396. [View abstract.](#) **72659**
- da Rocha, M. D., Viegas, F. P., Campos, H. C., Nicastro, P. C., Fossaluzza, P. C., Fraga, C. A., Barreiro, E. J., and Viegas, C., Jr. The role of natural products in the discovery of new drug candidates for the treatment of neurodegenerative disorders II: Alzheimer's disease. *CNS.Neurol.Disord.Drug Targets.* 2011;10(2):251-270. [View abstract.](#) **72660**
- Kennedy, D. O., Dodd, F. L., Robertson, B. C., Okello, E. J., Reay, J. L., Scholey, A. B., and Haskell, C. F. Monoterpenoid extract of sage (*Salvia lavandulaefolia*) with cholinesterase inhibiting properties improves cognitive performance and mood in healthy adults. *J.Psychopharmacol.* 2011;25(8):1088-1100. [View abstract.](#) **72661**
- Mayer, E., Gescheidt-Shoshany, H., and Weltfriend, S. Allergic contact dermatitis caused by *Salvia officinalis* extract. *Contact Dermatitis* 2011;64(4):237-238. [View abstract.](#) **72662**
- Kianbakht, S., Abasi, B., Perham, M., and Hashem, Dabaghian F. Antihyperlipidemic effects of *Salvia officinalis* L. leaf extract in patients with hyperlipidemia: a randomized double-blind placebo-controlled clinical trial. *Phytother.Res.* 2011;25(12):1849-1853. [View abstract.](#) **72663**
- Howes, M. J. and Perry, E. The role of phytochemicals in the treatment and prevention of dementia. *Drugs Aging* 6-1-2011;28(6):439-468. [View abstract.](#) **72664**
- Wu, T. Y., Chen, C. P., and Jinn, T. R. Traditional Chinese medicines and Alzheimer's disease. *Taiwan.J.Obstet.Gynecol.* 2011;50(2):131-135. [View abstract.](#) **72665**
- Qiang, Z., Ye, Z., Hauck, C., Murphy, P. A., McCoy, J. A., Widrlechner, M. P., Reddy, M. B., and Hendrich, S. Permeability of rosmarinic acid in *Prunella vulgaris* and ursolic acid in *Salvia officinalis* extracts across Caco-2 cell monolayers. *J.Ethnopharmacol.* 10-11-2011;137(3):1107-1112. [View abstract.](#) **72666**
- Halicioglu, O., Astarciooglu, G., Yaprak, I., and Aydinlioglu, H. Toxicity of *Salvia officinalis* in a newborn and a child: an alarming report. *Pediatr.Neurol.* 2011;45(4):259-260. [View abstract.](#) **72667**
- Kennedy, D. O. and Wightman, E. L. Herbal extracts and phytochemicals: plant secondary metabolites and the enhancement of human brain function. *Adv.Nutr.* 2011;2(1):32-50. [View abstract.](#) **72668**
- Sysoev, N. P. and Lanina, S. I. [The results of sanitary chemical research into denture base materials coated with components from essential-oil plants]. *Stomatologiya (Mosk)* 1990;(4):59-61. [View abstract.](#) **72669**
- Molochko, V. A., Lastochkina, T. M., Krylov, I. A., and Brangulis, K. A. [The antistaphylococcal properties of plant extracts in relation to their prospective use as therapeutic and prophylactic formulations for the skin]. *Vestn.Dermatol.Venerol.* 1990;(8):54-56. [View abstract.](#) **72670**
- Pavlenko, L. V., Mashkovskii, N. N., and Smirnov, V. V. [Effect of salvin on the incorporation of labeled precursors into macromolecular compounds of *Staphylococcus aureus* 209P]. *Antibiot.Khimioter.* 1989;34(8):582-585. [View abstract.](#)

**72671**

Croteau, R., Satterwhite, D. M., Wheeler, C. J., and Felton, N. M. Biosynthesis of monoterpenes. Stereochemistry of the enzymatic cyclizations of geranyl pyrophosphate to (+)-alpha-pinene and (-)-beta-pinene. *J Biol.Chem.* 2-5-1989;264(4):2075-2080. [View abstract](#).

**72672**

Zuskin, E., Kanceljak, B., Witek, T. J., Jr., and Schachter, E. N. Acute effects of herbal tea dust extracts on lung function. *Chest* 1989;96(6):1327-1331. [View abstract](#).

**72673**

Croteau, R. and Purkett, P. T. Geranyl pyrophosphate synthase: characterization of the enzyme and evidence that this chain-length specific prenyltransferase is associated with monoterpene biosynthesis in sage (*Salvia officinalis*). *Arch.Biochem.Biophys.* 1989;271(2):524-535. [View abstract](#).

**72674**

Pavlenko, L. V., Stepaniuk, V. V., Volosovets, P. S., and Smirnov, V. V. [The effect of salvin on the growth and ultrastructure of *Staphylococcus aureus* 209P]. *Mikrobiol.Zh.* 1989;51(2):86-91. [View abstract](#).

**72675**

Croteau, R. and Satterwhite, D. M. Biosynthesis of monoterpenes. Stereochemical implications of acyclic and monocyclic olefin formation by (+)- and (-)-pinene cyclases from sage. *J Biol.Chem.* 9-15-1989;264(26):15309-15315. [View abstract](#).

**72676**

Karp, F., Harris, J. L., and Croteau, R. Metabolism of monoterpenes: demonstration of the hydroxylation of (+)-sabinene to (+)-cis-sabinol by an enzyme preparation from sage (*Salvia officinalis*) leaves. *Arch.Biochem.Biophys.* 1987;256(1):179-193. [View abstract](#).

**72677**

Dehal, S. S. and Croteau, R. Metabolism of monoterpenes: specificity of the dehydrogenases responsible for the biosynthesis of camphor, 3-thujone, and 3-isothujone. *Arch.Biochem.Biophys.* 1987;258(1):287-291. [View abstract](#).

**72678**

Croteau, R. B., Wheeler, C. J., Cane, D. E., Ebert, R., and Ha, H. J. Isotopically sensitive branching in the formation of cyclic monoterpenes: proof that (-)-alpha-pinene and (-)-beta-pinene are synthesized by the same monoterpene cyclase via deprotonation of a common intermediate. *Biochemistry* 8-25-1987;26(17):5383-5389. [View abstract](#).

**72679**

Dehal, S. S. and Croteau, R. Partial purification and characterization of two sesquiterpene cyclases from sage (*Salvia officinalis*) which catalyze the respective conversion of farnesyl pyrophosphate to humulene and caryophyllene. *Arch.Biochem.Biophys.* 1988;261(2):346-356. [View abstract](#).

**72680**

Croteau, R., Satterwhite, D. M., Cane, D. E., and Chang, C. C. Biosynthesis of monoterpenes. Enantioselectivity in the enzymatic cyclization of (+)- and (-)-linalyl pyrophosphate to (+)- and (-)-pinene and (+)- and (-)-camphene. *J Biol.Chem.* 7-25-1988;263(21):10063-10071. [View abstract](#).

**72681**

Jalsenjak, V., Peljnjak, S., and Kustrak, D. Microcapsules of sage oil: essential oils content and antimicrobial activity. *Pharmazie* 1987;42(6):419-420. [View abstract](#).

**72682**

Zuskin, E., Kanceljak, B., Skuric, Z., and Ivankovic, D. Immunological and respiratory changes in tea workers. *Int Arch Occup.Environ.Health* 1985;56(1):57-65. [View abstract](#).

**72683**

Croteau, R. B., Shaskus, J. J., Renstrom, B., Felton, N. M., Cane, D. E., Saito, A., and Chang, C. Mechanism of the pyrophosphate migration in the enzymatic cyclization of geranyl and linalyl pyrophosphates to (+)- and (-)-bornyl pyrophosphates. *Biochemistry* 12-3-1985;24(25):7077-7085. [View abstract](#).

**72684**

Brieskorn, C. H. and Biechele, W. [Flavones from *Salvia officinalis* L. 22. Components of *Salvia off. L.*] *Arch Pharm Ber.Dtsch Pharm Ges.* 1971;304(8):557-561. [View abstract](#).

**72685**

- Brieskorn, C. H. and Glasz, J. [Salvia glycoprotein, a water soluble protein material from the seeds of *Salvia officinalis* L. 19. On the contents of *Salvia officinalis* L.]. *Pharmazie* 1965;20(6):382-384. [View abstract](#). **72686**
- Zuskin, E. and Skuric, Z. Respiratory function in tea workers. *Br J Ind Med* 1984;41(1):88-93. [View abstract](#). **72687**
- Gambliel, H. and Croteau, R. Biosynthesis of (+/-)-alpha-pinene and (-)-beta-pinene from geranyl pyrophosphate by a soluble enzyme system from sage (*Salvia officinalis*). *J Biol.Chem.* 3-10-1982;257(5):2335-2342. [View abstract](#). **72688**
- Vaverkova, S., Holla, M., and Tekel, J. The effect of herbicides on the qualitative properties of healing plants. Part 2: Content and composition of the essential oil from *Salvia officinalis* L. after application of Afalon 50 WP. *Pharmazie* 1995;50(2):143-144. [View abstract](#). **72689**
- Kliachko, L. L., Ankhimova, E. S., Svitina, N. N., and Iaremenko, K. V. [The effect of medicinal herbs on lymphocyte rosette-forming function]. *Vestn.Otorinolaringol.* 1994;(2):31-33. [View abstract](#). **72690**
- McGeady, P. and Croteau, R. Isolation and characterization of an active-site peptide from a monoterpane cyclase labeled with a mechanism-based inhibitor. *Arch.Biochem.Biophys.* 2-20-1995;317(1):149-155. [View abstract](#). **72691**
- Daniela, T. [Salvia officinalis l. l. Botanic characteristics, composition, use and cultivation]. *Cesk.Farm.* 1993;42(3):111-116. [View abstract](#). **72692**
- Masterova, I., Misikova, E., Sirotkova, L., Vaverkova, S., and Ubik, K. [Royleanones in the roots of *Salvia officinalis* L. of domestic provenance and their antimicrobial activity]. *Ceska.Slov.Farm.* 1996;45(5):242-245. [View abstract](#). **72693**
- Bol'shakova, I. V., Lozovskaia, E. L., and Sapezhinskii, I. I. [Antioxidant properties of plant extracts]. *Biofizika* 1998;43(2):186-188. [View abstract](#). **72694**
- Wise, M. L., Savage, T. J., Katahira, E., and Croteau, R. Monoterpene synthases from common sage (*Salvia officinalis*). cDNA isolation, characterization, and functional expression of (+)-sabinene synthase, 1,8-cineole synthase, and (+)-bornyl diphosphate synthase. *J Biol.Chem.* 6-12-1998;273(24):14891-14899. [View abstract](#). **72695**
- De, Leo, V, Lanzetta, D., Cazzavacca, R., and Morgante, G. [Treatment of neurovegetative menopausal symptoms with a phytotherapeutic agent]. *Minerva Ginecol.* 1998;50(5):207-211. [View abstract](#). **72696**
- Miladinovic, D., Djujic, I., and Stankovic, S. Variation of selenium content in growing wild plants during vegetative period. *J Environ.Pathol.Toxicol.Oncol.* 1998;17(3-4):217-220. [View abstract](#). **72697**
- Bisset, N. G. Max Wichtl Herbal Drugs and Phytopharmaceuticals: A Handbook for Practice on a Scientific Basis. Boca Raton: CRC Press;1994. **72698**
- Sellerberg, U. Sage: classic under medicinal plants. PZ 2005;150 **72699**
- Frechette, D. Recurrence of convulsions associated with sage. *Quebec Pharmacie* 2004;51(428):432. **72700**
- Lalicevic, S. and Djordjevic, I. Comparison of benzodamine hydrochloride and *Salvia officinalis* as an adjuvant local treatment to systemic nonsteroidal anti-inflammatory drug in controlling pain after tonsillectomy, adenoidectomy, or both: An open-label, single-blind, randomized clinical trial. *Current Therapeutic Research, Clinical and Experimental* 2004;65:360-372.

- 72701
- Tyler, V. E. *The honest herbal a sensible guide to the use of herbs and related remedies.* New York: Pharmaceutical Products Press;1993.
- 72702
- von Skramlik, E. Über die Giftigkeit und Vertraglichkeit von aetherischen Olen. *Pharmazie* 1959;14:435-445.
- 72703
- Millet, Y., Tognetti, P., Lavaire-Pierovisi, M., Steinmetz, M-D., Arditti, J., and Jouglard, J. Etude experimentale des proprietes toxiques convulsivantes des essences de sauge et d'hysope du commerce. *Rev EEG Neurophysiol* 1979;(9):-12.
- 72704
- Millet, Y., Tognetti, P., Steinmetz, M. D., Joanny, P., and Jouglard, J. Study of the toxicity of essential vegetable oils: hyssop oil and sage oil. *Med.Leg.Toxicol.* 1980;23:9-21.
- 72705
- Pinto-Scognamiglio, W. Connaissances actuelles sur l'activite pharmacodynamique de la thuyone, aromatisant naturel d'un emploi etendu. *Boll Chim Farm* 1967;(106):-292.
- 72706
- Rice, K. C. and Wilson, R. S. (-)-3-Isothujone, a small non-nitrogenous molecule with antinociceptive activity in mice. *J Med Chem* 1976;19:1054-1057.
- 72707
- Lawrence, B. M. Progress in essential oils. *Perfumer & Flavorist* 1998;23(March/April):47-57.
- 72708
- Hold, K. M., Sirisoma, N. S., Ikeda, T., Narahashi, T., and Casida, J. E. Alpha-thujone (the active component of absinthe): gamma-aminobutyric acid type A receptor modulation and metabolic detoxification. *Proc Natl Acad Sci USA* 2000;(97):3826-3831.
- 72709
- Schimmer, O., Kruger, A., Paulini, H., and Haefele, F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994;49:448-451.
- 72710
- Sertoli, A., Fabbri, P., Campolmi, P., and Panconesi, E. Allergic contact dermatitis to *Salvia Officinalis*, *Inula Viscosa* and *Conyza Bonariensis*. *Contact Dermatitis* 1978;4(5):314-315.
- 72711
- Kustrak, D. and Pepljnjak, S. Antimicrobial activity of Dalmatian sage oil from different regions of the Yugoslav Adriatic coast. *Acta Pharm.Jugosl.* 1989;39:209-213.
- 72712
- Abdel-Fatah, M. K., El-Hawa, M. A., Samia, E. M., Rabie, G., and Amer, A. M. Antimicrobial activities of some local medicinal plants. *J Drug Res.* 2002;24:179-186.
- 72713
- Kedzia, B., Segiet-Kujawa, E., Holderna, E., and Krzyzaniak, M. Chemical content and antimicroorganism activity of sage essential oil (Ol. *Salviae*). *Herba Polonica* 1990;36:155-164.
- 72714
- Rzemykowska, Z. and Holderna-Kedzia, E. Phytochemical and microbiological studies of *Salviae officinalis folium* and *Salviae miltiorrhizae radix* extracts. *Herba Polonica* 2003;49:391-392.
- 72715
- Trninic, S., Vukovic-Gacic, B., Knezevic-Vukcevic, J., Mitic, D., and Simic, D. Antimutagenic effect of antioxidants from sage (*Salvia officinalis* L.). *Arhiv za Farmaciju* 1995;45:264-265.
- 72716
- Olsen, R. W. Absinthe and gamma-aminobutyric acid receptors. *PNAS USA* 2000;97(9):4417-4418.
- 72717
- Atapour, M., Zahedi, M. J., Mehrabani, M., Safavi, M., Foroumadi, A, and et al. In vitro susceptibility of the Gram-negative bacterium *Helicobacter pylori* to extracts of Iranian medicinal plants. *Pharm Bio* 2009;47:77-80.
- 72718
- Nickavar, B., Abolhasani, L, and Izadpanah, H. alpha-Amylase inhibitory activities of six *Salvia* species. *Iranian J Pharma.Res.* 2008;7:297-303.
- 72719

- Bodiroga, T., Bodiroga, M., and Ognjanovic, J. Etheric oils in aromatherapia in Yugoslavia. Int Pharm Fed World Cong 2002;62:135. **72720**
- Burgar, M. I., Karba, D., and Kikelj, D. <sup>13</sup>C NMR analysis of essential oil of Dalmatian sage (*Salvia officinalis*). Farm Vestn 1979;30:253-261. **72721**
- Tamas, M., Fagarasanu, E., and Ionescu, C. Contributions to the phytochemical study of *Salvia folium*. Famacia 1986;34:181-186. **72722**
- Lemberkovics, E. and Verzar-Petri, G. Data on the gas chromatographic examination of pharmacopeial volatile oil drugs and volatile oils. Acta Pharm Hung 1978;48:122-130. **72723**
- Brieskorn, C. H. and Biechele, W. Differentiation of *Salvia officinalis* and *Salvia triloba*. Deutsche Apotheker-Zeitung 1971;111:141-142. **72724**
- Hunerbein, H. and Keller, K. Drug assay in pharmacies. Part 6. Communication. Pharmazeutische Zeitung 1981;126:1088-1089. **72725**
- Hunerbein, H. and Keller, K. Drug assay in pharmacies. Part 7. Communication: identity of sage oil. Pharmazeutische Zeitung 1981;126:1237-1239. **72726**
- Zimna, D., Grzybowski, J., and Piekos, R. Extraction of some essential elements from the leaves of sage (*Salvia officinalis L.*). Scientia Pharmaceutica 1984;52:131-141. **72727**
- Sur, S. V., Tljupa, F. M., and Sur, L. I. Gas chromatographic determination of main active substances in infusions of essential oil plant raw material. Farm Zh 1989;44:58-63. **72728**
- Pecorari, P., Melegari, M., Vampa, G., Albasini, A., and Rinaldi, M. Research on medicinal plants from Modena (Appennines). Cultivated Plants. Part 4. Essential oils from plants belonging to the genus *Salvia*. Bollettino Chimico Farmaceutico 1980;119:584-590. **72729**
- Kustrak, D. Sage hybrid *Salvia officinalis L.* subspecies minor f. *auriculata*. Pharm Acta Helv. 1988;63:254-256. **72730**
- Croteau, R., El-Bialy, H., and El-Hindawi, S. Metabolism of monoterpenes: lactonization of (+)-camphor and conversion of the corresponding hydroxyl acid to the glucoside-glucose ester in sage (*Salvia officinalis*). Arch Biochem Biophys 1984;228:667-680. **72731**
- Kustrak, D. Greek sage in a Dalmatian plant. Pharm Acta Helv. 1987;62:7-13. **72732**
- Grzunov, K., Mastelic, J., and Ruzic, N. Identification of aglycones of b-D-glucosides from the leaves of Dalmatian sage (*Salvia officinalis*). Acta Pharm Jugosl 1985;35:175-179. **72733**
- Putievsky, E., Ravid, U., and Dudai, N. Influence of season and harvest frequency on essential oil and herbal yields from a pure clone of sage (*Salvia officinalis*) grown under cultivated conditions. J Nat Prod 1986;49:326-329. **72734**
- Lawrence, B. M. Progress in essential oils. Perfumer & Flavorist 1991;16:49-55. **72735**
- Smit, Z., Pekic, B., and Karuza-Stojakovic, L. Proposal methods for determination of essential oil content in alcoholic extracts. Farmaceutski Glasnik 1989;45:287-292. **72736**
- Vaverkova, S. and Holla, M. Qualitative properties of three species of the genus *Salvia*. Part 1. Content and composition of the essential oil. Cesk Slov Farm 1992;41(102):104. **72737**
- Lu, Y. and Foo, L. Y. Rosmarinic acid derivatives from *Salvia officinalis*. Phytochemistry 1999;51:91-94.

- 72738
- van den Dries, J. M. A. and Baerheim Svendsen, A. A simple method for detection of glycosidic bound monoterpenes and other volatile compounds occurring in fresh plant material. Flavour Fragrance J 1989;4:59-61.
- 72739
- Brieskorn, C. H. Salbei - seine Inhaltsstoffe und sein therapeutischer Wert. Z Phytotherapie 1991;(12):-61.
- 72740
- Brieskorn, C. H. and Kapadia, Z. Bestandteile von *Salvia officinalis* XXIV: Triterpenalkohole, Triterpensauren und Pristan im Blatt von *Salvia officinalis* L. Planta Med 1980;38:86-90.
- 72741
- Karl, C., Pedersen, P. A., and Muller, G. Occurrence of viridiflorol in *Salvia officinalis*. Planta Med 1982;44(188):189.
- 72742
- Romanova, A. S., Pervykh, L. N., and Pribylova, G. F. Method of quantitative determination of rouleanones in the roots of *Salvia officinalis* L. Pharmaceutical Chemistry Journal 1979;13:213-214.
- 72743
- Brieskorn, C. H. and Kapadia, Z. Constituents of *Salvia officinalis* XXIII: 5-methoxysalvigenin in leaves of *Salvia officinalis*. Planta Med 1979;35:376-378.
- 72744
- Lu, Y., Foo, L. Y., and Wong, H. Sagecoumarin, a novel caffeic acid trimer from *Salvia officinalis*. Phytochemistry 1999;52:1149-1152.
- 72745
- Lu, Y. and Foo, L. Y. Flavonoid and phenolic glycosides from *Salvia officinalis*. Phytochemistry 2000;55:263-267.
- 72746
- Wang, M., Kikuzaki, H., Zhu, N., Sang, S., Nakatani, N., and Ho, C-T. Isolation and structure elucidation of two new glycosides from sage. J Agric Food Chem 2000;48:235-238.
- 72747
- Wang, M., Shao, Y., Li, J., Zhu, N., Rangarajan, M., LaVoie, E. J., and Ho, C-T. Antioxidative phenolic glycosides from sage. J Nat Prod 1999;62:454-456.
- 72748
- Munne-Bosch, S. and Cela, J. Effects of water deficit on photosystem II photochemistry and photoprotection during acclimation of lyreleaf sage (*Salvia lyrata* L.) plants to high light. Photochem Photobiol B 2006;3:191-197.
- 72749
- Demo, A., Petrakis, C., Kefalas, P., and Boskou, D. Nutrient antioxidants in some herbs and Mediterranean plant leaves. Food Res Int 1998;31(5):351-354.
- 72750
- Vernin, G. and Metzger, J. Analysis of sage oils by GC-MS data bank *Salvia officinalis* L. and *Salvia lavandulaefolia* Vahl. Perfumer & Flavorist 1986;11:79-84.
- 72751
- Boelens, M. H. and Boelens, H. Chemical and sensory evaluation of three sage oils. Perfumer & Flavorist 1997;22:19-40.
- 72752
- Farhat, G. N., Affara, N. I., and Gali-Muhtasib, H. U. Seasonal changes in the composition of the essential oil extract of east mediterranean sage (*Salvia libanotica*) and its toxicity in mice. Toxicology 2001;39(10):1601-1605.
- 72753
- Vaverkova, S., Holla, M., Tekel, J., and Kucerova, M. Content and quality of the ethereal oil from *Salvia officinalis* L. after the application of Patoran 50 WP. Cesk Slov Farm 1994;43:214-216.
- 72754
- Raic, D., Novina, R., and Petricic, J. Contribution to quantity and composition assays of essential oil in dalmatian sage (*Salvia officinalis* L.). Acta Pharm Jugosl 1985;35:121-125.
- 72755

Czarnecki, M., Dedio, I., Krysiuk, W., and Zalecki, R. Effect of the cultivation methods on crops and on the essential oil content in *Herba salviae officinalis* L. one year crop. *Herba Polonica* 1992;38:29-36.

72756

Schmidt, Z., Pekic, B., and Karuza-Stojakovic, L. Examination of essential oil extracted from sage leaves (*Salviae Folium*). *Farm Vestn* 1990;41(223):231.

72757

Ivanic, R., Savin, K., Robinson, F., and Milchard, M. J. Gas chromatographic examination of volatile oil from *Salvia officinalis* L. *Acta Pharm Jugosl* 1978;28:65-69.

72758

Vokou, D., Ivanic, R., and Savin, K. Sage (*Salvia officinalis* L.) from Southeast Serbia. *Acta Pharm Jugosl* 1977;27:139-142.

72759

Zalecki, R., Kordana, S., Wolski, T., and Glinski, J. Influence of the keratin bark urea granulated mass on the herb crop and on the content of the essential oil in medicinal plants. *Herba Polonica* 1991;37:143-149.

72760

Kiefl, B. and Franz, G. Investigation of the stability of sage leaves and fennel fruits. *Die Pharmazie* 1999;54:385-394.

72761

Fehr, D. Investigation of the stability of salvia leaves in storage. *Pharmazeutische Zeitung* 1982;127:111-114.

72762

Tegtmeier, M. and Harnischfeger, G. Methods for the reduction of thujone content in pharmaceutical preparations of *Artemisia*, *Salvia* and *Thuja*. *Eur J Pharm Biopharm* 1994;40:337-340.

72763

Tekel'ova, D. and Felklova, M. *Salvia officinalis* L. cv. Krojova. Part 5. Contents of essential oil, ash and hydroxycinnamic acid derivatives in separated leaf insertions. *Die Pharmazie* 1993;48:938-940.

72764

Pitarevic, I., Kuftinec, J., Blazevic, N., and Kustrak, D. Seasonal variation of essential oil yield and composition of Dalmatian sage, *Salvia officinalis*. *J Nat Prod* 1984;47:409-412.

72765

Kustrak, D., Kuftinec, J., and Blazevic, N. Yields and composition of sage oils from different regions of the Yugoslavian Adriatic coast. *J Nat Prod* 1984;47:520-524.

72766

Vukovic-Gacic, B., Simic, D., Knezevic-Vukcevic, J., and Djarmati, Z. Antimutagenic effect of sage (*Salvia officinalis* L.). *Arhiv za Farmaciju* 1993;43:257-263.

72767

Hannah, K., Day, A., O'Neill, S., Patterson, C., and Lyons-Wall, P. Does scientific evidence support the use of non-prescription supplements for treatment of acute menopausal symptoms such as hot flushes? *Nutrition & Dietetics* 2005;62(4):138-151.

72768

Yarnell, E., Abascal, K., and Hooper, C. G. *Clinical Botanical Medicine*. Larchmont, NY: Mary Ann Liebert, Inc.;2003.

72769

No authors listed. Herbal medicines for menopausal symptoms. *Drug and Therapeutics Bulletin* 2009;47:2-6.

72770

Perry, N., Court, G., Bidet, N., Court, J., and Perry, E. European herbs with cholinergic activities: Potential in dementia. *Int J Ger Psych* 1996;11(12):1063-1069.

72771

Savelev, S., Okello, E., Perry, N. S. L., Wilkins, R. M., and Perry, E. K. Synergistic and antagonistic interactions of anticholinesterase terpenoids in *Salvia lavandulaefolia* essential oil. *Pharmacol Biochem Behav* 2003;75(3):661-668.

72772

Mantle, D., Pickering, A. T., and Perry, E. K. Medicinal plant extracts for the treatment of dementia: A review of their pharmacology, efficacy and tolerability. CNS Drugs 2000;13(3):201-213.

**72773**

Schafer, R. and Schafer, W. Percutaneous absorption of various terpenes - menthol, camphene, limonene, isoborneol-acetate and alpha-pinene from foam baths. Arzneim Forsch 1982;32(1):56-58.